

Draft NISTIR 7511
Revision 5

Security Content Automation Protocol
(SCAP) Version 1.3 Validation Program
Test Requirements

Melanie Cook
Stephen Quinn
David Waltermire
Dragos Prisaca

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

Draft NISTIR 7511
Revision 5

Security Content Automation Protocol
(SCAP) Version 1.3 Validation Program
Test Requirements

Melanie Cook
Stephen Quinn
David Waltermire
Computer Security Division
Information Technology Laboratory

Dragos Prisaca
G2, Inc.
Annapolis Junction, MD

January 2018



U.S. Department of Commerce
Wilbur L. Ross, Jr., Secretary

National Institute of Standards and Technology
Walter Copan, NIST Director and Under Secretary of Commerce for Standards and Technology

70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98

National Institute of Standards and Technology Internal Report 7511 Revision 5
52 pages (January 2018)

Certain commercial entities, equipment, or materials may be identified in this document in order to describe an experimental procedure or concept adequately. Such identification is not intended to imply recommendation or endorsement by NIST, nor is it intended to imply that the entities, materials, or equipment are necessarily the best available for the purpose.

There may be references in this publication to other publications currently under development by NIST in accordance with its assigned statutory responsibilities. The information in this publication, including concepts and methodologies, may be used by federal agencies even before the completion of such companion publications. Thus, until each publication is completed, current requirements, guidelines, and procedures, where they exist, remain operative. For planning and transition purposes, federal agencies may wish to closely follow the development of these new publications by NIST.

Organizations are encouraged to review all draft publications during public comment periods and provide feedback to NIST. Many NIST cybersecurity publications, other than the ones noted above, are available at <https://csrc.nist.gov/publications>.

Public comment period: *January 16, 2018 through February 19, 2018*

National Institute of Standards and Technology
Attn: Computer Security Division, Information Technology Laboratory
100 Bureau Drive (Mail Stop 8930), Gaithersburg, MD 20899-8930
Email: ir7511comments@nist.gov

All comments are subject to release under the Freedom of Information Act (FOIA).

99
100
101
102
103
104
105
106
107
108

109

110
111
112
113
114

115

116
117
118

119

Reports on Computer Systems Technology

The Information Technology Laboratory (ITL) at the National Institute of Standards and Technology (NIST) promotes the U.S. economy and public welfare by providing technical leadership for the Nation's measurement and standards infrastructure. ITL develops tests, test methods, reference data, proof of concept implementations, and technical analyses to advance the development and productive use of information technology. ITL's responsibilities include the development of management, administrative, technical, and physical standards and guidelines for the cost-effective security and privacy of other than national security-related information in federal information systems.

Abstract

This report defines the requirements and associated test procedures necessary for products or modules to achieve one or more Security Content Automation Protocol (SCAP) validations. Validation is awarded based on a defined set of SCAP capabilities by independent laboratories that have been accredited for SCAP testing by the NIST National Voluntary Laboratory Accreditation Program (NVLAP).

Keywords

Security Content Automation Protocol (SCAP); SCAP derived test requirements (DTR); SCAP validated tools; SCAP validated products; SCAP validated modules; SCAP validation

120

Acknowledgements

121 The authors, Melanie Cook, Stephen Quinn, and David Waltermire of the National Institute of Standards
122 and Technology (NIST), and Dragos Prisaca of G2, Inc. would like to thank the many people who
123 reviewed and contributed to this document, in particular, John Banghart of Venable LLP who was the
124 original author and pioneered the first SCAP Validation Program. The authors thank Matt Kerr, and
125 Danny Haynes of the MITRE Corporation for their insightful technical contribution to the design of the
126 SCAP 1.2 Validation Program and creation of the first revision of SCAP 1.2 validation test content.

127
128 The authors would like to acknowledge the following contributors to previous versions of this
129 specification for their keen and insightful assistance: Kelley Dempsey of NIST and Jeffrey Blank of the
130 National Security Agency.

131

132

Audience

133 This publication is intended for NVLAP accredited laboratories conducting SCAP product and module
134 testing for the program, vendors interested in receiving SCAP validation for their products or modules,
135 and organizations deploying SCAP products in their environments. Accredited laboratories use the
136 information in this report to guide their testing and ensure all necessary requirements are met by a product
137 before recommending to NIST that the product be awarded the requested validation. Vendors may use
138 the information in this report to understand the features that products and modules need in order to be
139 eligible for an SCAP validation. Government agencies and integrators use the information to gain insight
140 into the criteria required for SCAP validated products. The secondary audience for this publication
141 includes end users, who can review the test requirements in order to understand the capabilities of SCAP
142 validated products and gain knowledge about SCAP validation.

143

144

145

Trademark Information

146 OVAL is a trademark of the US Department of Homeland Security (DHS).

147

148 CVE is a registered trademark of The MITRE Corporation.

149

150 Red Hat, Red Hat Enterprise Linux and Red Hat Linux are registered trademarks of Red Hat, Inc.

151

152 Windows operating systems are registered trademarks of Microsoft Corporation.

153

154 Mac and OS X are trademarks of Apple Inc.

155

156 All other registered trademarks or trademarks belong to their respective organizations.

157

158

Summary of Changes

159 The following table details the changes between NISTIR 7511 Revision 4 and NISTIR 7511 Revision 5,
160 which are incorporated in the present document.

161

162

| Date | Type | Change | Page Number |
|-----------|-------------|---|--|
| 9/30/2017 | Editorial | Changed the revision of the document from “4” to “5” thought-out the document | n/a |
| | Editorial | Updated the release date thoughtout the document | n/a |
| | Editorial | Updated SCAP version to 1.3 thought-out the document | n/a |
| | Editorial | Updated the URL of this publication thought-out the document | n/a |
| | Editorial | Updated the NIST URLs to use https instead http thought-out the document | n/a |
| | Editorial | Updated the “Trademark Information” section | iii |
| | Editorial | Updated the “Acknowledgements” section | iii |
| | Editorial | Updated the “Table of Contents” to reflect the changes thought-out the document | n/a |
| | Substantive | Added the name of the Appendixes in the section “Introduction” | 2 |
| | Substantive | Removed previous superseded programs in section “Superseded Validation Programs” | 3 |
| | Substantive | Updated section “2. SCAP 1.2 Component Specification Versions” to include the SCAP 1.3 specifications and removed sub-sections 2.1 – 2.12 | 4 |
| | Substantive | Added Software Identification (SWID) Tags 2015 revision | Error! Bookmar k not defined. |
| | Substantive | Removed references to SCAP Interpreter and “reference implementation” from section “SCAP Validation Tools” | 8 |
| | Editorial | Removed example from sub-section 3.2 | 8 |
| | Editorial | Merged sub-section 3.3.1 into 3.3 | 8 |
| | Substantive | Deleted section “3.3.2 Reference implementation tools” | n/a |
| | Substantive | Added a new requirement SCAP.R.900 | 14 |
| | Substantive | Added additional sub-requirements to SCAP.R.1300 | 15 |
| | Substantive | Added clarification about OCIL component validations to SCAP.R.1400 | 16 |
| | Substantive | Updated SCAP.T.1510.1 to check patches up-to-date XCCDF rule implemented via multiple OVAL definitions | 17 |
| | Substantive | Added sub-requirements SCAP.T.1510.2 to check patches up-to-date XCCDF rule implemented via a single OVAL definition | 17 |
| | Substantive | Removed references to NCP Tiers from requirement SCAP.R.1700 | 18 |
| | Editorial | Replaced “file” with “component” to comply with SCAP 1.3 terminology for requirement SCAP.R.2000 | 19 |
| | Editorial | Replaced “file” with “component” to comply with SCAP 1.3 terminology for requirement SCAP.R.2200 | 20 |
| | Editorial | SCAP.R.2700: Updated URL to CVE Id | 23 |
| | Substantive | Added a new requirement SCAP.R.2850 | 24 |
| | Substantive | Added a new requirement SCAP.R.2860 | 24 |
| | Substantive | Added a new sub-requirements SCAP.T.2900.1 and SCAP.T.2900.2 | 25 |

| Date | Type | Change | Page Number |
|------|-------------|---|-------------|
| | Substantive | Added all valid results to SCAP.R.3000 | 27 |
| | Substantive | Added clarification about the source content used for scanning to SCAP.R.3400 | 30 |
| | Substantive | Added a new sub-requirement SCAP.T.3400.2 | 30 |
| | Substantive | Removed requirement SCAP.R.4600 | 34 |
| | Substantive | Updated Appendix D: removed references to NCP Tiers; added new references | 43 |

163
164

165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185

Table of Contents

1. Introduction 1

 1.1 Purpose and Scope2

 1.2 Document Structure2

 1.3 Document Conventions2

 1.4 Superseded Validation Programs3

2. SCAP 1.3 Component Specification Versions..... 4

3. Validation Process 7

 3.1 SCAP 1.3 Capabilities and Validations7

 3.2 Demarcation and Validation Expirations8

 3.3 SCAP Validation Tools8

4. Derived Test Requirements (DTR).....10

 4.1 SCAP Assertions11

 4.2 SCAP Source Data Stream Processing and Correctness12

 4.3 SCAP Result(s) Data Stream25

5. Derived Test Requirements for Specific Capabilities35

Appendix A—Terms and Definitions38

Appendix B—Acronyms41

Appendix C—Use of SCAP 1.3 Logo and phrases.....42

Appendix D—References43

186 1. Introduction

187 The National Institute of Standards and Technology (NIST) Security Content Automation Protocol
188 (SCAP) Validation Program tests the ability of products and modules to use the features and functionality
189 available through SCAP and its components. SCAP 1.3 consists of a suite of specifications for
190 standardizing the format and nomenclature by which security software communicates information about
191 software flaws and security configurations. The standardization of security information facilitates
192 interoperability and enables predictable results among disparate SCAP enabled security software. The
193 SCAP Validation Program provides vendors an opportunity to have independent verification that security
194 software correctly processes SCAP expressed security information and provides standardized output.
195 Industry and government end users benefit from the SCAP Validation Program by having assurance that
196 SCAP validated products have undergone independent testing and met all requirements defined in this
197 document.

198 The validation program supports the U.S. Office of Management and Budget (OMB) Memorandum M-
199 08-22 to Federal CIOs [OMB M-08-22]. This memorandum states, “Both industry and government
200 information technology providers must use SCAP validated tools with FDCC [Federal Desktop Core
201 Configuration] Scanner capability to certify their products operate correctly with FDCC configurations
202 and do not alter FDCC settings. Agencies will use SCAP tools to scan for both FDCC configurations and
203 configuration deviations approved by department or agency accrediting authority. Agencies must also use
204 these tools when monitoring use of these configurations as part of FISMA [Federal Information Security
205 Management Act] continuous monitoring.”¹ The checklist portion of the FDCC mandate is now referred
206 to as the United States Government Configuration Baseline (USGCB), and the FDCC Scanner capability
207 has evolved and is now referred to as the Authenticated Configuration Scanner (ACS) capability.²

208 Under the SCAP Validation Program, independent laboratories are accredited by the NIST National
209 Voluntary Laboratory Accreditation Program (NVLAP). Accreditation requirements are defined in NIST
210 Handbook 150, *National Voluntary Laboratory Accreditation Program: Procedures and General*
211 *Requirements* [NIST HB 150] and NIST Handbook 150-17, *NVLAP Cryptographic and Security Testing*
212 [NIST HB 150-17]. More information about NVLAP can be found at <https://www.nist.gov/nvlap/>.

213 Independent laboratories conduct the tests defined in this document on products and deliver the results to
214 NIST. Based on the independent laboratory test report, the SCAP Validation Program then validates the
215 product under test. The validation certificates awarded to vendor’s products are publicly posted on the
216 NIST SCAP Validated Products web page (<https://nvd.nist.gov/scap/validated-tools/>).³ An information
217 technology (IT) vendor can obtain one or more validations for a product. These validations are based on
218 the test requirements defined in this document. Products are validated in the context of a particular SCAP
219 capability.⁴

220 An SCAP product is defined as a software application that has one or more capabilities and an SCAP
221 module is defined as an embedded software component of a product or application, or a complete product
222 in-and-of-itself that has one or more capabilities. Unless otherwise stated herein, the term “product” refers
223 to either a “product” or “module” under test.

¹ [OMB M-08-22, p.2]

² <https://usgcb.nist.gov>

³ The SCAP Validation Program does not provide physical certificates to the participating vendors.

⁴ The SCAP Validation Program defines SCAP capability as “a specific function or functions of a product or module.”
Further information can be found in Section 3.

224 1.1 Purpose and Scope

225 The purpose of this report is to define the SCAP 1.3 Validation Program Derived Test Requirements. This
 226 report gives an introduction to the SCAP 1.3 Validation Program and documents the requirements for
 227 SCAP 1.3 product and module validations. Future versions of the SCAP Validation Program will be
 228 defined in revisions of this report, each clearly labeled with a revision number and the appropriate SCAP
 229 version number.

230 1.2 Document Structure

231 The remainder of this document is organized into the following major sections:

- 232 • Section 2 describes SCAP and its component specification versions referenced in the SCAP 1.3
 233 validation program,
- 234 • Section 3 describes the validation process,
- 235 • Section 4 defines the derived test requirements,
- 236 • Section 5 maps the derived test requirements to SCAP capabilities,
- 237 • Appendix A—Terms and Definitions lists terms and definitions,
- 238 • Appendix B—Acronyms lists acronyms,
- 239 • Appendix C—Use of SCAP 1.3 Logo and phrases discusses the use of the SCAP 1.3 logo and
 240 phrases, and
- 241 • Appendix D—References includes a list of references.

243 1.3 Document Conventions

244 Throughout this document, the key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL
 245 NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this
 246 document are to be interpreted as described in the Internet Engineering Task Force (IETF) Request for
 247 Comments (RFC) 2119 [RFC 2119].

248
 249 Some of the requirements and conventions used in this document reference Extensible Markup Language
 250 (XML) content [XMLS]. These references come in two forms, inline and indented. An example of an
 251 inline reference is: a `<cpe2_dict:cpe-item>` may contain `<cpe2_dict:check>` elements that
 252 reference OVAL Definitions.

253 In this example the notation `<cpe2_dict:cpe-item>` can be replaced by the more verbose
 254 equivalent “the XML element whose qualified name is `cpe2_dict:cpe-item`”.

255

256 An example of an indented reference is:

257 References to OVAL Definitions are expressed using the following format:

```
258 <cpe2_dict:check system=
259 "http://oval.mitre.org/XMLSchema/oval-definitions-5"
260 href="Oval_URL">[Oval_inventory_definition_id]
261 </cpe2_dict:check>.
```

262 The general convention used when describing XML attributes within this document is to reference the
 263 attribute as well as its associated element including the namespace alias, employing the general form
 264 “@*attributeName* for the `<prefix:localName>`”.

265 Indented references are intended to represent the form of actual XML content. Indented references
 266 represent literal content by the use of a fixed-length font, and parametric (freely replaceable)

267 content by the use of an *italic font*. Square brackets ‘ [] ’ are used to designate optional content. Thus
268 "[*Oval_inventory_definition_id*]" designates optional parametric content.

269 Both inline and indented forms use qualified names to refer to specific XML elements. A qualified name
270 associates a named element with a namespace. The namespace identifies the XML model, and the XML
271 schema is a definition and implementation of that model. A qualified name declares this schema to
272 element association using the format ‘ *prefix:element-name* ’. The association of prefix to namespace is
273 defined in the metadata of an XML document and varies from document to document. In this
274 specification, the conventional mappings listed in Table 1-1.-1 are used.

275 Table 1-1. Conventional XML Mappings⁵
276
277

| Prefix | Namespace | Schema |
|-----------|--------------------------------------|-------------------------|
| cpe2 | http://cpe.mitre.org/language/2.0 | Embedded CPE references |
| cpe2-dict | http://cpe.mitre.org/dictionary/2.0 | CPE dictionaries |
| xccdf | http://checklists.nist.gov/xccdf/1.2 | XCCDF policy documents |
| xml | http://www.w3.org/XML/1998/namespace | Common XML attributes |

278
279
280
281

1.4 Superseded Validation Programs

282 This publication supersedes the *Security Content Automation Protocol (SCAP) Version 1.2 Validation*
283 *Program Test Requirements* revision 4. The previous revisions of the program for SCAP 1.0 and 1.1 have
284 been also deprecated.

⁵ For a complete list of mappings, please refer to [NIST SP 800-126 R3]

2. SCAP 1.3 Component Specification Versions

For all test requirements that reference particular specifications, the versions indicated in this section SHOULD be used and are derived primarily from the SCAP 1.3 as defined in NIST Special Publication (SP) 800-126 Revision 3 [NIST SP 800-126 R3] and as updated by NIST Special Publication 800-126A [NIST SP 800-126A].

SCAP is a suite of specifications established by NIST for expressing and manipulating security data in standardized ways. Adoption of SCAP facilitates an organization's automation of continuous monitoring, vulnerability management, and security policy compliance evaluation reporting.

The component specifications that comprise SCAP 1.3 are as follows:

- Extensible Configuration Checklist Description Format (XCCDF) 1.2, an Extensible Markup Language (XML) specification for structured collections of security configuration rules used by operating system (OS) and application platforms [XCCDF];

Schema Location: https://scap.nist.gov/schema/xccdf/1.2/xccdf_1.2.xsd

- Open Vulnerability and Assessment Language (OVAL), an XML specification for exchanging technical details on how to check systems for security-related software flaws, configuration issues, and software patches [OVAL]⁶;

Schema Location: <https://github.com/OVALProject/Language/tree/5.11.2/schemas>

- Open Checklist Interactive Language (OCIL) 2.0, a language for representing checks that collect information from people or from existing data stores made by other data collection efforts [OCIL];

Schema Location: <https://scap.nist.gov/schema/ocil/2.0/ocil-2.0.xsd>

- Common Configuration Enumeration (CCE) 5, a dictionary of names for software security configuration issues (e.g., access control settings, password policy settings) [CCE];

Dictionary: <https://nvd.nist.gov/config/cce/index>

- Common Platform Enumeration (CPE) 2.3, a naming convention for hardware, OS, and application products [CPE];

CPE.Naming

Definition: The Naming specification defines the logical structure of Well-Formed Names (WFNs).

Schema Location: https://scap.nist.gov/schema/cpe/2.3/cpe-naming_2.3.xsd

CPE.Name Matching

Definition: The Name Matching specification defines the procedures for comparing WFNs to each other with the purpose of determining whether they refer to some or all of the same products.

CPE.Dictionary

Definition: The Dictionary specification defines the concept of a CPE dictionary, which is a repository of CPE names and metadata, with each name identifying a single class of IT product. The Dictionary specification defines processes for using the dictionary, such as how to search for a particular CPE name or look for dictionary entries that belong to a broader product class. Also, the

⁶ See the Table 2: Approved OVAL Platform Schema Versions of the SCAP 1.3 annex document, [NIST SP 800-126A], for the OVAL component specification (core schema) versions and platform schema versions that are supported by SCAP 1.3.

323 Dictionary specification outlines all the rules that dictionary maintainers MUST follow when creating
324 new dictionary entries and updating existing entries.

325
326 Schema Locations: https://scap.nist.gov/schema/cpe/2.3/cpe-dictionary_2.3.xsd
327 https://scap.nist.gov/schema/cpe/2.3/cpe-dictionary-extension_2.3.xsd
328

329 CPE.Applicability Language

330 Definition: The Applicability Language specification defines a standardized structure for forming
331 complex logical expressions out of WFNs. These expressions, also known as applicability statements,
332 are used to tag checklists, policies, guidance, and other documents with information about the
333 product(s) to which the documents apply.

334 Schema Location: https://scap.nist.gov/schema/cpe/2.3/cpe-language_2.3.xsd

335 ■ Software Identification (SWID) Tags 2015 revision, a format for representing software identifiers and
336 associated metadata⁷ [SWID];

337 Version: ISO/IEC 19770-2:2015 published in October 2015

338 Schema Location: <http://standards.iso.org/iso/19770/-2/2015/schema.xsd>

339 ■ Common Vulnerabilities and Exposures (CVE), a dictionary of names for publicly known security-
340 related software flaws⁸ [CVE];

341 Specification: <http://cve.mitre.org/>

342 ■ Common Vulnerability Scoring System (CVSS) 3.0, a method for classifying characteristics of
343 software flaws and assigning severity scores based on these characteristics [CVSS];

344 CVSS Base Scores: <https://nvd.nist.gov/>

345 ■ Common Configuration Scoring System (CCSS) 1.0, a system for measuring the relative severity of
346 system security configuration issues [CCSS];

347 ■ Asset Identification 1.1, a format for uniquely identifying assets based on known identifiers and/or
348 known information about the assets [AI];

349 Schema Location: https://scap.nist.gov/schema/asset-identification/1.1/asset-identification_1.1.0.xsd

350 ■ Asset Reporting Format (ARF) 1.1, a format for expressing the transport format of information about
351 assets and the relationships between assets and reports [ARF]; and

352 Schema Location: https://scap.nist.gov/schema/asset-reporting-format/1.1/asset-reporting-format_1.1.0-rc1.xsd
353

354 ■ Trust Model for Security Automation Data (TMSAD) 1.0, a specification for using digital signatures
355 in a common trust model applied to other security automation specifications [TMSAD].

356 Schema Location: https://scap.nist.gov/schema/tmsad/1.0/tmsad_1.0.xsd

357 The SCAP specification describes the SCAP components at a high level and how the components relate
358 to each other within the context of SCAP. The SCAP specification does not define the SCAP

⁷ The “2015 revision” refers to ISO/IEC 19770-2:2015, which is the specification for SWID tags

⁸ CVE does not have a version number.

359 components in detail; each component has its own standalone specification document or reference. The
360 SCAP components were created and are maintained by several entities, including NIST, the MITRE
361 Corporation, the National Security Agency (NSA), and the Forum of Incident Response and Security
362 Teams (FIRST).

363 NIST provides security data feeds, such as vulnerability and product enumeration identifiers, through a
364 repository supplied by the National Vulnerability Database (NVD).⁹ SCAP security checklists or
365 benchmarks created by NIST or other organizations are also made available by through the National
366 Checklist Program (NCP).¹⁰ The content in the NVD and NCP repositories is freely available. More
367 information about SCAP can be found at <https://scap.nist.gov/>.

⁹ <https://nvd.nist.gov>

¹⁰ <https://checklists.nist.gov>

3. Validation Process

With the SCAP Validation Program, NVLAP-accredited laboratories conduct the tests defined in this document on products and deliver the test report to NIST. NIST reviews the test report and determines whether the product has successfully fulfilled all requirements for SCAP validation. Upon successful completion of all requirements, the SCAP Validation Program then validates the product based on the independent laboratory test report. SCAP validated products and modules are publicly posted on the NIST SCAP Validated Products web page at <https://nvd.nist.gov/scap/validated-tools>.

This section of the document covers the validation process. Section 3.1 discusses SCAP 1.3 capabilities and validations. Section 3.2 addresses demarcation and validation expirations. Finally, Section 3.3 discusses SCAP Validation tools.

3.1 SCAP 1.3 Capabilities and Validations

Vendor products may seek validation for one core and two optional SCAP 1.3 capabilities on one or more platform such as those listed below.

SCAP Capabilities

- Authenticated Configuration Scanner (ACS) core SCAP 1.3 capability
 - CVE option (optional CVE support MAY be combined with ACS)
 - OCIL option (optional OCIL support MAY be combined with ACS)

NOTE: The ACS capability includes the FDCC Scanner functionality that is mentioned in Office of Management and Budget (OMB) memorandum M-08-22, *Guidance on the Federal Desktop Core Configuration (FDCC)* [OMB M-08-22] and the USGCB Scanner previously offered in the SCAP 1.0 validation program.

Platforms

NIST reserves the right to add or remove platforms in future updates to the SCAP 1.3 Validation Program. The platforms supported at the release of this document included several versions of Microsoft Windows, Red Hat Enterprise Linux, and Mac OS. The SCAP Validation Program may add support for new platforms which will be listed on the SCAP Validation Program web page. For the most current list of available platforms, please refer to <https://scap.nist.gov/validation>.

Validations will be awarded to major version of the product or module for SCAP capabilities and supported platform(s). Vendors **MUST** provide a description of their product versioning method in order to define how major releases are numbered for the product entering the validation process. In general, validations will be awarded to major releases of products; however, if a minor release modifies the SCAP component of the product, then the vendor **SHOULD** enter validation for the minor release. Validated products will be listed on the SCAP Validated Products and Modules web page to include, but not limited to the following corresponding information:

- Product/module vendor or manufacturer name
- Product/module name
- Product/module major version validated
- Product/module version tested (full identifier at the time of testing)
- Platforms tested
- SCAP Capabilities

- 409 • Validation number
- 410 • Validation date
- 411 • Validation test suite version used for testing
- 412 • NVLAP lab number

413 **3.2 Demarcation and Validation Expirations**

415 The SCAP Validation Program recognizes the need for a clear demarcation point for end users, product
416 vendors, the standards body and NVLAP accredited labs in order to develop, test, and deploy efficiently.
417 The SCAP Validation Program also recognizes that SCAP component specifications, standards, and
418 products typically change over time and employ a variety of versioning schemes for identifying different
419 releases.

420
421 The final release date of NIST IR 7511 for the next major version of SCAP¹¹ determines the end of SCAP
422 1.3 validations and the expiration date for SCAP 1.3 product validations.

- 423
- 424 • The SCAP Validation Program will stop accepting SCAP 1.3 test submissions 15 months after
425 the final release of NIST IR 7511 for the next SCAP major version as defined in NIST SP800-
426 126.
- 427 • SCAP 1.3 product validations will expire 12 months after the SCAP Validation Program stops
428 accepting SCAP 1.3 test submissions.¹²

429
430 This document identifies a specific set of SCAP component specifications as described in Section 2 and
431 the associated Derived Test Requirements (DTRs) as described in Section 4. Minor SCAP version
432 updates defined by NIST SP800-126A are reflected in validation test suite updates and are included as
433 part of the product validation information posted on the <https://nvd.nist.gov/scap/validated-tools> web
434 page.

435
436 Minor updates to SCAP 1.3 component specifications as defined in NIST 800-126A and product updates
437 do not invalidate SCAP 1.3 validated products. Vendors may choose to revalidate products based on a
438 change to NIST 800-126A, for example if a new OVAL test is added to an OVAL platform schema.
439 Major changes in product functionality, including support for new SCAP technologies, may require
440 product revalidation.

441 **3.3 SCAP Validation Tools**

443 The SCAP Validation Program uses several tools that aid in the development and testing of SCAP
444 products. One of them is the SCAP Validation (SCAPVal) Tool that may be used for checking SCAP
445 source and results data streams for conformance to SCAP specifications. The output results from
446 SCAPVal are required during formal SCAP validation testing.

447 The SCAP Validation Tool (SCAPVal) validates the conformance of an SCAP data stream to a particular
448 use case according to what is defined in SP 800-126 and SP 800-126A. The SCAPVal output provides
449 information about whether an SCAP data stream conforms to conventions and recommendations outlined
450 in NIST SP 800-126 Revision 3 [NIST SP 800-126 R3] and SP 800-126A.

451
452 SCAPVal provides the following functions:

¹¹ The current version of SCAP is 1.3. Major versions are defined in SP800-126. Minor version updates of component specifications already included in an SCAP major version are defined in SP800-126A.

¹² See <https://scap.nist.gov/timeline.html> for more information about the SCAP release cycle.

- 453 • Validates the data stream according to one of the use cases for an SCAP-validated product listed
- 454 in Section 5 of [NIST SP 800-126 R3], namely Compliance Checking, Vulnerability Scanning, or
- 455 Inventory Scanning.
- 456 • Checks components and data streams against appropriate schemas.
- 457 • Uses Schematron to perform additional checks within and across component data streams.
- 458 • Produces validation results that convey all error and warning conditions detected; results are
- 459 output in both XML and HTML formats.

460 For a listing of the SCAP requirements, refer to the SCAP Version 1.1 Requirements Matrix, SCAP
461 Version 1.2 Requirements Matrix, and SCAP Version 1.3 Requirements Matrix included with the tool.
462 SCAPVal may be downloaded from <https://scap.nist.gov/revision/1.3/> .

463
464

4. Derived Test Requirements (DTR)

466 This section contains the test requirements for each of the SCAP components for the purpose of allowing
467 individual validation of each SCAP component within a product. Version information and download
468 location, listed in Section 2, SHOULD be referenced to ensure that the correct version is being used prior
469 to testing. SCAP-specific requirements are found in Section 5.

470 Each DTR includes the following information:

- 471 ■ The DTR name: comprised of the acronym followed by “.R” to denote it is a requirement, and then
472 the requirement number.
- 473 ■ SCAP Capability (summarized in Table 5-1) where
 - 474 ○ ACS = Authenticated Configuration Scanner
 - 475 ○ CVE = Optional CVE Support when combined with ACS
 - 476 ○ OCIL = Optional OCIL Support when combined with ACS.
- 477 ■ Required vendor information: comprised of the acronym followed by “.V” to denote that it is vendor
478 information, then states required information vendors MUST provide to the testing lab for the test to
479 be conducted.
- 480 ■ Required test procedure(s): comprised of the acronym followed by “.T” to denote that it is a test
481 procedure, then defines one or more tests that the testing laboratory will conduct to determine the
482 product’s ability to meet the stated requirement.

483 The derived test requirements are organized into the following major categories:

- 484 1. **Assertions** – Statements made by the products (in its documentation) that indicate what the
485 product does (or does not) do relative to SCAP and its components (see Section 4.1)
- 486 2. **Input Processing and Correctness** – Those requirements that define the processing of SCAP
487 source data streams and their major permutations (e.g., various source data stream tests such as
488 source data streams with multiple benchmarks, legacy data streams, and signed data streams) (see
489 Section 4.2)
- 490 3. **Results Production** – Those requirements that define how products will be assessed for their
491 ability to produce valid SCAP results (see Section 4.3)

492

493

494 **4.1 SCAP Assertions**

495 This section addresses the assertions that vendors **MUST** make about the products seeking validations
496 relative to SCAP and its component specifications as defined in Section 2.

497 **SCAP.R.100: The product's documentation (printed or electronic) MUST assert that it uses SCAP**
498 **and its component specifications and explain relevant details to the users of the product.**

499 **SCAP Capability:** ACS CVE OCIL

500 **Required Vendor Information:**

501 SCAP.V.100.1: The vendor **SHALL** indicate where in the product documentation information
502 regarding the use of SCAP and its components can be found. This **MAY** be a physical document
503 or an electronic document (e.g., a PDF, help file, etc.).

504 **Required Test Procedures:**

505 SCAP.T.100.1: The tester **SHALL** visually inspect the product documentation to verify that
506 information regarding the product's use of SCAP and its components is present and verify that
507 the SCAP documentation is in a location accessible to any user of the product. This test does not
508 involve judging the quality of the documentation or its accuracy.

509 **SCAP.R.200: The vendor MUST assert that the product implements SCAP and its component**
510 **specifications and provide a high-level summary of the implementation approach as well as a**
511 **statement of backward compatibility with earlier versions of SCAP and related components.**

512 **SCAP Capability:** ACS CVE OCIL

513 **Required Vendor Information:**

514 SCAP.V.200.1: The vendor **SHALL** provide to the lab a separate, 150- to 2500- word
515 explanation written in the English language asserting that the product implements SCAP and its
516 component specifications for the capabilities claimed in Table 5-1. This document **SHALL**
517 include a high-level summary of the implementation approach and an assertion of backwards
518 compatibility with SCAP 1.1 and SCAP 1.2. This content will be used on NIST web pages to
519 explain details about each validated product and thus **SHOULD** contain only information that is
520 to be publicly released.

521 **Required Test Procedures:**

522 SCAP.T.200.1: The tester **SHALL** inspect the provided documentation to verify that the
523 documentation asserts that the product implements SCAP and its component specifications and
524 provides a high-level summary of the implementation approach and an assertion of backwards
525 compatibility with SCAP 1.1 and SCAP 1.2. This test does not judge the quality or accuracy of
526 the documentation, nor does it test how thoroughly the product implements SCAP or backwards
527 compatibility with previous versions.

528 SCAP.T.200.2: The tester **SHALL** verify that the provided documentation is an English language
529 document consisting of 150 to 2500 words.

530 **SCAP.R.300: The SCAP capabilities claimed by the vendor for the product under test MUST**
531 **match the scope of the product's asserted capabilities for the target platform.**

532 **SCAP Capability:** ACS CVE OCIL

533 **Required Vendor Information:**

534 SCAP.V.300.1: The vendor SHALL indicate the defined SCAP capabilities (one or more) for
535 which their product is being tested.

536 **Required Test Procedures:**

537 SCAP.T.300.1: The tester SHALL ensure that all tests associated with the asserted SCAP
538 capabilities of the product are conducted.

539 SCAP.T.300.2: The tester SHALL review product documentation to ensure that the product has
540 implemented the SCAP capabilities for which it is being tested (e.g., Authenticated Configuration
541 Scanner).

542 **4.2 SCAP Source Data Stream Processing and Correctness**

543 This section addresses the ability of a product to correctly process SCAP source data streams.

544

545 **SCAP.R.400: The product SHALL be able to import SCAP source data streams for the target**
546 **platform and correctly load the included Rules and their associated Check System Definitions,**
547 **rejecting any invalid content.**

548 **SCAP Capability:** ACS CVE OCIL

549 **Required Vendor Information:**

550 SCAP.V.400.1: The vendor SHALL provide documentation and instruction on how to import
551 SCAP source data streams for the target platform.

552 **Required Test Procedures:**

553 SCAP.T.400.1: The tester SHALL import valid SCAP source data streams for the target platform
554 into the vendor product and execute the data streams on a target system. Results of the scan
555 SHALL be inspected to ensure actual results match expected results.

556 SCAP.T.400.2: The tester SHALL import an invalid SCAP source data stream into the vendor
557 product and ensure that the imported content is not available for execution.

558 **SCAP.R.500: The product SHALL be able to select a specific SCAP source data stream when**
559 **processing an SCAP data stream collection.**

560 **SCAP Capability:** ACS CVE OCIL

561 **Required Vendor Information:**

562 SCAP.V.500.1: The vendor SHALL provide documentation and instruction on how to select a
563 specific data stream (by ID) when processing an SCAP data stream collection.

564 **Required Test Procedures:**

565 SCAP.T.500.1: The tester SHALL validate the vendor product can selectively choose and apply a
566 specific valid SCAP data stream.

567 **SCAP.R.600: The product SHALL be able to select a specific XCCDF benchmark within an SCAP**
568 **source data stream or data stream collection when multiple XCCDF benchmarks are present.**

569 **SCAP Capability:** ACS CVE OCIL

570 **Required Vendor Information:**

571 SCAP.V.600.1: The vendor SHALL provide documentation and instruction on how to select a
572 specific XCCDF benchmark (by ID) when processing an SCAP data stream or data stream
573 collection.

574 **Required Test Procedures:**

575 SCAP.T.600.1: The tester SHALL validate the vendor product can selectively choose and apply a
576 specific valid XCCDF benchmark.

577 **SCAP.R.700: The product SHALL be able to select a specific XCCDF profile within an SCAP**
578 **source data stream or data stream collection when multiple XCCDF profiles are present.**

579 **SCAP Capability:** ACS CVE OCIL

580 **Required Vendor Information:**

581 SCAP.V.700.1: The vendor SHALL provide documentation and instruction on how to select a
582 specific XCCDF profile (by ID) when processing an SCAP data stream or data stream collection.

583 **Required Test Procedures:**

584 SCAP.T.700.1: The tester SHALL validate the vendor product can selectively choose and apply a
585 specific valid XCCDF profile.

586 **SCAP.R.800: The product SHALL enable the user to import signed and unsigned SCAP source**
587 **data streams.**

588 **SCAP Capability:** ACS CVE OCIL

589 **Required Vendor Information:**

590 SCAP.V.800.1: The vendor SHALL provide documentation explaining how an SCAP source data
591 stream can be imported into the product and subsequently executed.

592 **Required Test Procedures:**

593 SCAP.T.800.1: The tester SHALL verify that the product documentation includes instructions on
594 how the end user can import an SCAP source data stream.

595 SCAP.T.800.2: The tester SHALL import a valid unsigned SCAP source data stream into the
596 vendor product and ensure that the imported content is available for execution.

597 SCAP.T.800.3: The tester SHALL import a valid signed SCAP source data stream into the
598 vendor product and ensure that the imported content is available for execution.

599 **SCAP.R.900: The product SHALL be able to validate digitally signed SCAP source data streams**
600 **and MAY reject source content that have an invalid signature.**

601 **SCAP Capability:** ACS CVE OCIL

602 **Required Vendor Information:**

603 SCAP.V.900.1: The vendor SHALL provide documentation explaining how validation of digital
604 signature validation is performed and where errors from validation will be displayed within the
605 product output.

606 **Required Test Procedures:**

607 SCAP.T.900.1: The tester SHALL verify that the product documentation includes instructions on
608 how the digital signature are validated.

609 SCAP.T.900.2: The tester SHALL verify that the vendor product can correctly validate the digital
610 signature of a source data stream.

611 SCAP.T.900.3: The tester SHALL verify that the vendor product correctly identifies and reports
612 an error when processing a data stream with an invalid digital signature.

613 **SCAP.R.1000: The product SHALL recognize and reject SCAP source data streams that have**
614 **signatures based on invalid certificates.**

615 This requirement has been deferred.

616 **SCAP.R.1100: The product SHALL be able to correctly import all earlier versions of SCAP**
617 **content.**

618 **SCAP Capability:** ACS CVE OCIL

620 **Required Vendor Information:**

621 SCAP.V.1100.1: The vendor SHALL provide documentation explaining how earlier versions of
622 SCAP content can be imported into the product and subsequently executed.

623 **Required Test Procedures:**

624 SCAP.T.1100.1: Using the vendor product, the tester SHALL execute a valid SCAP source data
625 stream based on SCAP 1.1 and SCAP 1.2 content.

626 **SCAP.R.1200: The product SHALL be able to determine the applicability of an imported SCAP**
627 **source data stream by evaluating the associated OVAL definition for the CPE Name on an XCCDF**
628 **<Benchmark>, <Profile>, <Group>, or <Rule> and verifying that the associated XCCDF content**
629 **applies to the target system.**

630 **SCAP Capability:** ACS CVE OCIL

631 **Required Vendor Information:**

632 SCAP.V.1200.1: The vendor SHALL provide instructions on how the product indicates the
633 applicability of the imported SCAP source data stream to a target platform. Instructions
634 SHOULD also describe how the imported data stream is indicated to not be applicable for a target
635 platform. This requirement is testing the use of the OVAL check associated with a CPE name via
636 the CPE dictionary and platform id to determine applicability of the data stream.

637 **Required Test Procedures:**

638 SCAP.T.1200.1: The tester SHALL import an SCAP source data stream into the product that
639 contains a CPE Name and platform id and related OVAL definition not applicable for the target
640 system. The tester SHALL verify that the product declines to execute the non-applicable tests.

641 SCAP.T.1200.2: The tester SHALL import an SCAP source data stream into the product that
642 contains a CPE Name and platform id and related OVAL definition applicable for the target
643 system. The tester SHALL verify that the product executes the applicable tests.

644 **SCAP.R.1300: The product SHALL report and MAY reject SCAP source data stream collection**
645 **content that is invalid according to the SCAP source data stream and/or its component XML**
646 **schemas and Schematron style sheets.¹³**

647 **SCAP Capability:** ACS CVE OCIL

648 **Required Vendor Information:**

649 SCAP.V.1300.1: The vendor SHALL provide instructions on how validation of SCAP source
650 data stream collection content is performed and where errors from validation will be displayed
651 within the product output.

652 **Required Test Procedures:**

653 SCAP.T.1300.1: The tester SHALL attempt to import known invalid SCAP source data stream
654 collection content into the vendor product and examine the product output to validate that the
655 product reports the invalid SCAP source data stream collection content. The product MAY reject
656 the content as invalid according to the SCAP source data stream collection schema and
657 Schematron style sheets.

658 SCAP.T.1300.2: The tester SHALL attempt to import known invalid XCCDF component content
659 into the vendor product and examine the product output to validate that the product reports the
660 invalid XCCDF content. The product MAY reject the content as invalid according to the XCCDF
661 XML schema.

662 SCAP.T.1300.3: The tester SHALL attempt to import known invalid OVAL component content
663 that is part of an SCAP source data stream into the vendor product and examine the product

¹³ This does not imply that the product being tested MUST use Schematron; the product needs only to produce the same results as the Schematron implementation.

664 output to validate that the product reports the invalid OVAL content. The product MAY reject the
665 content as invalid according to the OVAL Definition schema and Schematron style sheets.

666 SCAP.T.1300.4: The tester SHALL attempt to import known invalid CPE dictionary component
667 content into the vendor product and examine the product output to validate that the product
668 reports the invalid CPE dictionary content. The product MAY reject the content as invalid
669 according to the CPE dictionary XML schema.

670 **SCAP.R.1400: The product SHALL report and MAY reject SCAP source data stream collection**
671 **content that includes an OCIL component that is invalid according to the OCIL XML schema.**

672 **SCAP Capability:** ACS CVE OCIL

673 **Required Vendor Information:**

674 SCAP.V.1400.1: The vendor SHALL provide instructions on how validation of SCAP source
675 data stream collection that includes an invalid OCIL component is performed and where errors
676 from validation will be displayed within the product output.

677 **Required Test Procedures:**

678 SCAP.T.1400.1: The tester SHALL attempt to import a SCAP source data stream collection that
679 includes an invalid OCIL component content into the vendor product and examine the product
680 output to validate that the product reports the invalid OCIL content. The product MAY reject the
681 content as invalid according to the OCIL XML schema.

682 **SCAP.R.1500: The product SHALL be able to correctly process USGCB source data streams as**
683 **input and produce valid results.¹⁴**

684 **SCAP Capability:** ACS CVE OCIL

685 **Required Vendor Information:**

686 SCAP.V.1500.1: The vendor SHALL provide instructions on how to import and execute valid
687 USGCB source data streams.

688 SCAP.V.1500.2: The lab or the vendor SHALL provide the scan results for each tested platform
689 using USGCB content associated with the platforms for which validation is being sought.

690 **Required Test Procedures:**

691 All the applicable USGCB source data streams published to <http://usgcb.nist.gov>¹⁵ SHALL be
692 used for testing this requirement.

693 SCAP.T.1500.1: The lab or the vendor SHALL evaluate the target platforms, in a managed
694 configuration for Windows and standalone configuration for other platforms (i.e., RHEL, Mac

¹⁴ In case where there are no USGCB source data streams applicable to the tested platform, this requirement does not apply.

¹⁵ According to NIST Special Publication 800-70 Revision 4, the final USGCB data streams are published to
<https://usgcb.nist.gov>.

695 OS, Unix, etc.), and produce results. If the testing is performed by the vendor, the source data
696 streams, the scan results, and their hashes¹⁶ will be submitted to the lab for verification.

697 SCAP.T.1500.2: The tester SHALL review the scan results to ensure the files have not been
698 altered, and pass the SCAPVal validation without any errors.

699 **SCAP.R.1510: The product SHALL be able to correctly evaluate a patches up-to-date XCCDF rule**
700 **which references an OVAL source data stream component consistent with the normative guidance**
701 **specified in [NIST SP 800-126 R3], against target systems of the target platform type and produce**
702 **the expected results.**

703 **SCAP Capability:** ACS CVE OCIL

704 **Required Vendor Information:**

705 SCAP.V.1510.1: The vendor SHALL provide instructions on how to import and execute a valid
706 SCAP source data stream with a patches up-to-date XCCDF rule. The vendor SHALL also
707 provide instructions on where the resultant ARF XML Result output can be viewed by the tester.

708 **Required Test Procedures:**

709 Per vendor instruction in SCAP.V.1510, the tester SHALL evaluate the target platform(s) using
710 test content with patches up-to-date XCCDF rule implemented via numerous and single OVAL
711 patch class definitions, validate results produced with SCAPVal, and compare actual results to
712 expected results, ensuring actual results match expected results.

713 SCAP.T.1510.1: The tester SHALL evaluate the target platform(s) using a source data stream
714 with an XCCDF patches up-to-date rule implemented via numerous OVAL patch class definitions
715 in a domain connected configuration for Windows and standalone configuration for other
716 platforms, validate results produced with SCAPVal, and compare the scan results produced by the
717 product to the expected results, ensuring the actual results match the expected results.

718 SCAP.T.1510.2: The tester SHALL evaluate the target platform(s) using a source data stream
719 with an XCCDF patches up-to-date rule implemented via a single OVAL patch class definition,
720 in a domain connected configuration for Windows and standalone configuration for other
721 platforms, validate results produced with SCAPVal, and compare the scan results produced by the
722 product to the expected results, ensuring the actual results match the expected results.

723 **SCAP.R.1600: If the product requires a specific configuration of the target platform that is not in**
724 **compliance with the USGCB checklist, the vendor SHALL provide documentation indicating which**
725 **settings require modification and a rationale for each changed setting. Products SHOULD only**
726 **require changes to the target platform if needed for product functionality.**

727 **NOTE:** Pursuant to the U.S. Office of Management and Budget (OMB) Memorandum M-08-22
728 to Federal CIOs: “Both industry and government information technology providers must use
729 SCAP validated tools with FDCC Scanner capability to certify their products operate correctly
730 with FDCC configurations and do not alter FDCC settings.” [OMB M-08-22] Products
731 undergoing SCAP validations are required by OMB to make this self-assertion. Listing non-
732 complaint settings in no way negates the OMB M-08-22 requirement.

¹⁶ The hashes SHALL comply with *Annex A: Approved Security Functions* of [FIPS 140-2].

733 **SCAP Capability:** ACS CVE OCIL

734 **Required Vendor Information:**

735 SCAP.V.1600.1: The vendor SHALL provide an English language document to the lab that
736 indicates which settings require modification and a rationale for each changed setting. This
737 content will be used on NIST web pages to explain details about each validated product and thus
738 SHOULD contain only information that is to be publicly released.

739 **Required Test Procedures:**

740 SCAP.T.1600.1: The tester SHALL review the provided documentation to ensure that each
741 indicated setting includes an associated rationale.

742 **SCAP.R.1700: The product SHALL be able to correctly process the test content that is**
743 **representative of SCAP expressed content published at NIST National Checklist Program**
744 **Repository, and the OVAL repository¹⁷ which is associated with the platforms for which validation**
745 **is being sought.**

746 **SCAP Capability:** ACS CVE OCIL

747 **Required Vendor Information:**

748 SCAP.V.1700.1: The vendor SHALL provide instructions on how to execute a previously
749 imported valid data stream for platforms supported.

750 **Required Test Procedures:**

751 SCAP.T.1700.1: Per vendor instruction in SCAP.V.1700, the tester SHALL evaluate a target
752 platform using test content representative of NIST NCP and OVAL repository, validate results
753 produced with SCAPVal tool, and ensure actual results match expected results.

754 **SCAP.R.1800: The product SHALL be able to determine the applicability of an imported SCAP**
755 **source data stream by evaluating the associated OCIL questionnaire for the CPE Name and**
756 **platform id on an XCCDF <Benchmark>, <Profile>, <Group>, or <Rule> and verifying that the**
757 **associated XCCDF content applies to the target system.**

758 **SCAP Capability:** ACS CVE OCIL

759 **Required Vendor Information:**

760 SCAP.V.1800.1: The vendor SHALL provide instructions on how the product indicates the
761 applicability of the imported SCAP source data stream to a target platform. Instructions
762 SHOULD also describe how the product indicates data streams are not applicable for a target
763 platform. This requirement is testing the use of the OCIL questionnaire associated with a CPE
764 name via the CPE dictionary and the platform id to determine applicability of the data stream.

765 **Required Test Procedures:**

¹⁷ The OVAL repository is hosted by Center for Internet Security: <https://oval.cisecurity.org/repository>.

766 SCAP.T.1800.1: The tester SHALL import an SCAP source data stream into the product that
767 contains a CPE Name and related OCIL questionnaire not applicable for the target system. The
768 tester SHALL verify that the product declines to execute the non-applicable tests.

769 **SCAP.R.1900: The product SHALL be able to correctly evaluate a valid OVAL Definition file and**
770 **external variable file, where the contents of the OVAL Definition file are consistent with the**
771 **normative guidance¹⁸ specified in [NIST SP 800-126 R1], against target systems of the target**
772 **platform type and produce a result for each definition using the OVAL XML Full Results**
773 **expressed as Single Machine Without System Characteristics, Single Machine With System**
774 **Characteristics, and Single Machine With Thin Results.¹⁹**

775 **SCAP Capability:** ACS CVE OCIL

776 **Required Vendor Information:**

777 SCAP.V.1900.1: The vendor SHALL provide instructions on how a valid OVAL Definitions file
778 and external variable file can be imported into the product for interpretation. The vendor SHALL
779 also provide instructions on where the resultant OVAL XML Results output can be viewed by the
780 tester.

781 **Required Test Procedure**

782 SCAP.T.1900.1: The tester SHALL run the product using valid OVAL Definitions files and an
783 external variable file against the test system of the target platform type. The actual results
784 SHALL match the expected results.

785 SCAP.T.1900.2: The tester SHALL validate the resulting OVAL XML Full Results by importing
786 the result set into the SCAPVal utility and checking for validation errors.

787 SCAP.T.1900.3: The tester SHALL validate that the resulting OVAL XML Full Results are
788 available for viewing by the user.

789 SCAP.T.1900.4: After the test system is assessed using the OVAL file, the tester SHALL capture
790 the successful results of the scan and verify the correctness of the results.

791 SCAP.T.1900.5: When the OVAL Definition file has been evaluated with the external variable
792 file that defines different values for the variables, the tester SHALL validate that the OVAL XML
793 Full Results file includes unique variable values as defined in the external variables file.

794 **SCAP.R.2000: The product SHALL be able to correctly evaluate a valid OVAL Definition**
795 **component that is part of an SCAP source data stream, where the contents of the OVAL definition**
796 **file are consistent with the normative guidance²⁰ specified in [NIST SP 800-126 R3] and [NIST SP**
797 **800-126A], against target systems of the target platform type and produce a result for each**
798 **definition using the OVAL XML Full Results expressed as Single Machine Without System**
799 **Characteristics, Single Machine With System Characteristics, and Single Machine With Thin**
800 **Results.**

¹⁸ The supported OVAL tests are published at <https://scap.nist.gov/validation/index.html>.

¹⁹ The use case for OVAL-Only Scanning is described in Section 5.4 of [NIST SP 800-126 R1].

²⁰ The supported OVAL tests are published at <https://scap.nist.gov/validation/index.html>.

801 **SCAP Capability:** ACS CVE OCIL

802 **Required Vendor Information:**

803 SCAP.V.2000.1: The vendor SHALL provide instructions on how a valid SCAP data stream file
804 can be imported into the product for interpretation. The vendor SHALL also provide instructions
805 on where the resultant SCAP Results output can be viewed by the tester.

806 **Required Test Procedure:**

807 SCAP.T.2000.1: The tester SHALL run the product using a valid SCAP data stream against the
808 target systems of the target platform type. The actual results SHALL match the expected results.

809 SCAP.T.2000.2: The tester SHALL validate the resulting SCAP data stream by importing it into
810 the SCAPVal utility and checking for any validation errors.

811 SCAP.T.2000.3: The tester SHALL validate that the resulting SCAP data stream is available for
812 viewing by the user.

813 SCAP.T.2000.4: The tester SHALL capture the successful results of the import and verify the
814 correctness of the results.

815 **SCAP.R.2100: The product SHALL be able to correctly evaluate a valid OCIL Questionnaire file**
816 **against test systems of the target platform type, and produce a valid OCIL Output file (i.e., file that**
817 **includes both the original content and the evaluation results) using the format defined by the OCIL**
818 **XML schema.**

819 **SCAP Capability:** ACS CVE OCIL

820 **Required Vendor Information:**

821 SCAP.V.2100.1: The vendor SHALL provide instructions on how a valid OCIL Questionnaire
822 file can be imported into the product for interpretation. The vendor SHALL also provide
823 instructions on where the resultant OCIL Output file can be viewed by the tester.

824 **Required Test Procedure:**

825 SCAP.T.2100.1: The tester SHALL run the product using valid OCIL document files against the
826 test systems of the target platform type. The results SHALL be verified by the tester, ensuring
827 each OCIL definition and criteria contained within the definition produces the correct response.

828 SCAP.T.2100.2: The tester SHALL validate the resulting OCIL Output file with the SCAPVal
829 utility and check for any validation errors.

830 SCAP.T.2100.3: The tester SHALL validate that the resulting OCIL Output file is available for
831 viewing by the user.

832 **SCAP.R.2200: The product SHALL be able to correctly evaluate a valid OCIL Questionnaire**
833 **component that is part of an SCAP source data stream against target systems of the target platform**
834 **type, and produce a valid OCIL results component (i.e., component that includes both the original**
835 **content and the evaluation results) using the format defined by the OCIL XML schema.**

836 **SCAP Capability:** ACS CVE OCIL

837 **Required Vendor Information:**

838 SCAP.V.2200.1: The vendor SHALL provide instructions on how a valid OCIL Questionnaire
839 file that is part of an SCAP source data stream can be imported into the product for interpretation.
840 The vendor SHALL also provide instructions on where the resultant SCAP data stream can be
841 viewed by the tester.

842 **Required Test Procedure:**

843 SCAP.T.2200.1: The tester SHALL run the product using valid SCAP data stream files against
844 the target systems of the target platform type. The actual results SHALL match the expected
845 results.

846 SCAP.T.2200.2: The tester SHALL validate the resulting SCAP data stream by importing it into
847 the SCAPVal utility and checking for any validation errors.

848 SCAP.T.2200.3: The tester SHALL validate that the resulting SCAP data stream is available for
849 viewing by the user.

850 **SCAP.R.2300: The product SHALL indicate the correct CCE ID for each configuration issue**
851 **referenced within the product that has an associated CCE ID (i.e., the product's CCE mapping**
852 **MUST be correct).**

853 **SCAP Capability:** ACS CVE OCIL

854 **Required Vendor Information:**

855 SCAP.V.2300.1: None.

856 **Required Test Procedures:**

857 SCAP.T.2300.1: Using the product output from SCAP.R.2930, the tester SHALL compare the
858 vendor data against the official CCE description. The tester SHALL perform the comparison
859 using a non-vendor-directed sample comprised of greater than or equal to 10 and less than or
860 equal to 30 of the total configuration issue items with CCE IDs. The tester SHOULD prove that
861 the vendor's CCE ID correctly maps to the configuration issue. This test ensures that the product
862 correctly maps to CCE IDs, but does not test for completeness of the mapping.

863 **SCAP.R.2400: The product SHALL associate an existing CCE ID to each configuration issue**
864 **referenced within the product for which a CCE ID exists (i.e., the product's CCE mapping MUST**
865 **be complete).**

866 **SCAP Capability:** ACS CVE OCIL

867 **Required Vendor Information:**

868 SCAP.V.2400.1: None.

869 **Required Test Procedures:**

870 SCAP.T.2400.1: Using the list of configuration issue items produced in SCAP.R.2930, the tester
871 SHALL examine the descriptions and search the CCE dictionary for all corresponding CCE IDs.
872 The tester SHALL perform this using a non-vendor-directed sample comprised of 10 % of the
873 total configuration issue items with no CCE IDs, up to a maximum of 30. The tester does not
874 need to rigorously prove that no CCE ID exists, only that there does not appear to be a match.
875 This test ensures that the product has a complete mapping to CCE, but does not test the
876 correctness of the mapped data.

877 **SCAP.R.2500: If the product natively contains a product dictionary (as opposed to dynamically**
878 **importing content containing CPE names), the product MUST contain CPE naming data from the**
879 **current official CPE Dictionary.**

880 **NOTE:** This requirement does not apply if the product is using the official dynamic CPE
881 Dictionary as provided on the NVD web site or as part of an SCAP source data stream.

882 **SCAP Capability:** ACS CVE OCIL

883 **Required Vendor Information:**

884 SCAP.V.2500.1: The vendor SHALL provide a list of all CPE names included in the product
885 using the standard CPE Dictionary XML schema as provided in the CPE Specification version
886 cited in Section 2.5.

887 SCAP.V.2500.2: If the vendor product includes CPE names that are not in the official CPE
888 Dictionary, a listing of exceptions MUST be provided.

889 **Required Test Procedures:**

890 SCAP.T.2500.1: The tester SHALL compare the vendor-provided list of CPE Names against the
891 official CPE Dictionary.²¹ The tester SHALL verify that all exceptions found match the list of
892 exceptions provided by the vendor.

893 **SCAP.R.2600: Products MUST process CPEs referenced in an *<xccdf:platform>* element directly or**
894 **by a *<cpe2:fact-ref>* contained within a referenced *<cpe2:platform-specification>* element as**
895 **specified in [NIST SP 800-126 R3]].**

896 **SCAP Capability:** ACS CVE OCIL

898 **Required Vendor Information:**

899 SCAP.V.2600.1: The vendor SHALL provide instructions describing how to import an SCAP
900 source data stream that contains references to CPEs in an *<xccdf:platform>* element directly or by
901 a *<cpe2:fact-ref>* contained within a referenced *<cpe2:platform-specification>* element and have
902 it applied against a known platform. The vendor SHALL also provide instructions on how to
903 view the results of the application of the content against the platform.

904 **Required Test Procedures:**

²¹ Official Common Platform Enumeration (CPE) Dictionary is available at <https://nvd.nist.gov/products/cpe>

905 SCAP.T.2600.1: The tester SHALL import the known content into the product and apply it
906 against a known platform.

907
908 SCAP.T.2600.2: The tester SHALL import the results of the content into the SCAPVal utility and
909 check for any validation errors.

910
911 SCAP.T.2600.3: The tester SHALL ensure the actual results match the expected results.

912
913 **SCAP.R.2700: The product SHALL indicate the correct CVE ID or metadata for each software**
914 **flaw and/or patch definition referenced within the product that has an associated CVE ID (i.e., the**
915 **product's CVE mapping MUST be correct).**

916 **SCAP Capability:** ACS CVE OCIL

917 **Required Vendor Information:**

918 SCAP.V.2700.1: None

919 **Required Test Procedures:**

920 SCAP.T.2700.1: Using the product output from SCAP.R.2920, the tester SHALL compare the
921 vendor data against the official NVD CVE ID description and references. The tester SHALL
922 perform this test using a non-vendor-directed sample comprised of 10 % of the total software
923 flaws and/or patches with CVE IDs, up to a maximum of 30. The tester does not need to
924 rigorously prove that the vendor's software flaw and/or patch description matches the NVD CVE
925 description, but merely needs to identify that the two descriptions appear to pertain to the same
926 vulnerability. This test ensures that the product correctly maps to CVE, but does not test for
927 completeness of the mapping.

928 It is sufficient to provide specific URLs that link to the NVD website. For example,
929 <https://nvd.nist.gov/vuln/detail/CVE-2017-7269>. It is not sufficient to provide a generic URL to
930 <https://nvd.nist.gov/vuln>.

931 **SCAP.R.2800: The product SHALL associate an existing CVE ID to each software flaw and/or**
932 **patch referenced within the product for which a CVE ID exists (i.e., the product's CVE mapping**
933 **MUST be complete).**

934 **SCAP Capability:** ACS CVE OCIL

935 **Required Vendor Information:**

936 SCAP.V.2800.1: None.

937 **Required Test Procedures:**

938 SCAP.T.2800.1: Using the list of software flaws produced in SCAP.R.2920, the tester SHALL
939 examine the descriptions and search the NVD for any corresponding CVE IDs. The tester
940 SHALL perform this using a non-vendor-directed sample comprised of 10 % of the total software
941 flaws and/or patches with no CVE IDs, up to a maximum of 30. The tester does not need to
942 rigorously prove that no CVE ID exists, only that there does not appear to be a match. This test

943 ensures that the product has a complete mapping to CVE, but does not test the correctness of the
944 mapped data.

945 **SCAP.R.2850: The product SHALL be able to identify SWID tags installed on a target asset using**
946 **OVAL inventory class definitions that are part of an SCAP source data stream. The product**
947 **SHALL use the methods described in [NIST SP 800-126 R3]²².**

948 **SCAP Capability:** ACS CVE OCIL

949 **Required Vendor Information:**

950 SCAP.V.2850.1: The vendor SHALL provide instructions on how the product identifies SWID
951 tags using OVAL inventory class definitions that are part of an SCAP source data stream.

952 **Required Test Procedures:**

953 SCAP.T.2850.1: The tester SHALL import the SCAP 1.3 source data stream, apply it to a known
954 target, and produce an SCAP result data stream conforming to the ARF specification.

955 SCAP.T.2850.2: The tester SHALL validate the results produced using SCAPVal; the validation
956 MUST NOT produce any errors.

957 SCAP.T.2850.3: The tester SHALL compare the actual results to the expected results ensuring
958 the results match.

959 **SCAP.R.2860: The product SHALL be able to identify SWID tags installed on a target asset using**
960 **OVAL inventory class definitions that are part of a standalone OVAL Definition file. The product**
961 **SHALL use the methods described in [NIST SP 800-126 R3]²³.**

962 **SCAP Capability:** ACS CVE OCIL

963 **Required Vendor Information:**

964 SCAP.V.2860.1: The vendor SHALL provide instructions on how the product identifies SWID
965 tags using OVAL inventory class definitions that are part of a standalone OVAL Definition file.

966 **Required Test Procedures:**

967 SCAP.T.2860.1: The tester SHALL import the SCAP 1.3 source data stream, apply it to a known
968 target, and produce an SCAP result data stream conforming to the ARF specification.

969 SCAP.T.2860.2: The tester SHALL validate the results produced using SCAPVal; the validation
970 MUST NOT produce any errors.

971 SCAP.T.2860.3: The tester SHALL compare the actual results to the expected results ensuring
972 the results match.

²² See Section 3.6 Software Identification (SWID) Tags of the [NIST SP 800-126 R3]

²³ *Ibid.*

973 **4.3 SCAP Result(s) Data Stream**

974 This section addresses those requirements that assess a product's ability to produce validated SCAP
975 results.

976 **SCAP.R.2900: SCAP result data streams SHALL be produced by the product in compliance with**
977 **the SCAP result data streams as specified in [NIST SP 800-126 R3] and [NIST SP800-126A].**

978 **SCAP Capability:** ACS CVE OCIL

979 **Required Vendor Information:**

980 SCAP.V.2900.1: The vendor SHALL provide instruction on where the corresponding SCAP
981 result data stream file(s) can be located for inspection.

982 **Required Test Procedures:**

983 SCAP.T.2900.1: The tester SHALL visually inspect SCAP results to verify that the ARF report
984 contains a report object for each XCCDF, OVAL, and OCIL component executed when a source
985 data stream is evaluated against a target. Each component result SHALL be captured as a separate
986 <arf:report> element²⁴ in the <arf:asset-report-collection> element.

987 SCAP.T.2900.2: The tester SHALL validate the SCAP result data stream files with SCAPVal
988 and pass without any errors.

989 **SCAP.R.2910: The product SHALL be able to correctly import and evaluate SCAP source data**
990 **streams which reference external content consistent with the normative guidance specified in [NIST**
991 **SP 800-126 R3], against target systems of the target platform type and produce the expected results.**

992 **SCAP Capability:** ACS CVE OCIL

993 **Required Vendor Information:**

994 SCAP.V.2910.1: The vendor SHALL provide instructions on how to import and execute a valid
995 SCAP source data stream with references to external content. The vendor SHALL also provide
996 instructions on where the resultant ARF XML Result output can be viewed by the tester.

997 **Required Test Procedures:**

998 Per vendor instruction in SCAP.V.2910, the tester SHALL evaluate the target platform(s) using
999 test content with references to external content, validate results produced with SCAPVal, and
1000 compare actual results to expected results, ensuring actual results match expected results.

1001 SCAP.T.2910.1: The tester SHALL evaluate the target platform(s), in a domain connected
1002 configuration for Windows and standalone configuration for other platforms, validate results
1003 produced with SCAPVal, and compare the scan results produced by the product to the expected
1004 results, ensuring the actual results match the expected results.

²⁴ For instance, if a source data stream which includes four components (XCCDF, OVAL, CPE-Dictionary, and CPE-OVAL) is evaluated, then the ARF report SHALL include three component results (XCCDF results, OVAL results, CPE-OVAL results).

1005 **SCAP.R.2920: The product SHALL be able to assign CVE identifiers to rule results in compliance**
1006 **with the SCAP result data streams as specified in NIST SP 800-126 R3].**

1007 **SCAP Capability:** ACS CVE OCIL

1008 **Required Vendor Information:**

1009 SCAP.V.2920.1: The vendor SHALL provide instruction on where the SCAP Result Data
1010 Stream files can be located for inspection.

1011 **Required Test Procedures:**

1012 SCAP.T.2920.1: The tester SHALL visually inspect the results to verify that the CVE identifiers
1013 are included within the <xccdf:rule-result> element. The SCAP Result Data Streams MUST be
1014 processed by the SCAPVal utility without any errors.

1015 **SCAP.R.2930: The product SHALL be able to assign CCE identifiers to rule results in compliance**
1016 **with the SCAP result data streams as specified in [NIST SP 800-126 R3].**

1017 **SCAP Capability:** ACS CVE OCIL

1018 **Required Vendor Information:**

1019 SCAP.V.2930.1: The vendor SHALL provide instruction on where the SCAP Result Data
1020 Stream files can be located for inspection.

1021 **Required Test Procedures:**

1022 SCAP.T.2930.1: The tester SHALL visually inspect the results to verify that the CCE identifiers
1023 are included within the <xccdf:rule-result> element. The SCAP Result Data Streams MUST be
1024 processed by the SCAPVal utility without any errors.

1025 **SCAP.R.2940: The product SHALL be able to assign CPE identifiers to rule results in compliance**
1026 **with the SCAP result data streams as specified in [NIST SP 800-126 R3]].**

1027 **SCAP Capability:** ACS CVE OCIL

1028 **Required Vendor Information:**

1029 SCAP.V.2940.1: The vendor SHALL provide instruction on where the SCAP Result Data
1030 Stream files can be located for inspection.

1031 **Required Test Procedures:**

1032 SCAP.T.2940.1: The tester SHALL visually inspect the results to verify that the CPE identifiers
1033 are included within the <xccdf:rule-result> element. The SCAP Result Data Streams MUST be
1034 processed by the SCAPVal utility without any errors.

1035 **SCAP.R.3000: The product SHALL be able to process XCCDF components that are part of an**
 1036 **SCAP source data stream and generate XCCDF component results within an SCAP result data**
 1037 **stream in accordance with the XCCDF specification for the target platform.²⁵**

1038 **SCAP Capability:** ACS CVE OCIL

1039 **NOTE:** "XCCDF components" refer to the elements such as benchmark, profile, group, rule,
 1040 value, and test result.

1041 **Required Vendor Information:**

1042 SCAP.V.3000.1: The vendor SHALL provide instructions on how to import XCCDF component
 1043 content that is part of SCAP source data streams for execution and provide instructions on where
 1044 the XCCDF component results can be located for visual inspection. The purpose of this
 1045 requirement is to ensure that the product produces valid XCCDF Results and a matching "pass",
 1046 "fail", "error", "unknown", "notapplicable", "notchecked", "notselected", "informational", or
 1047 "fixed" result for a given rule.

1048 **Required Test Procedures:**

1049 SCAP.T.3000.1: The tester SHALL import a known valid XCCDF component content that is part
 1050 of SCAP data streams for the target platform into the vendor product and execute it according to
 1051 the product operation instructions provided by the vendor. The tester will inspect the product
 1052 output ensuring XCCDF components are compliant with the XCCDF specification.

1053 SCAP.T.3000.2: The tester SHALL validate the resulting XCCDF component results within an
 1054 SCAP result data stream output using the SCAPVal utility. This validation MUST NOT produce
 1055 any validation errors.

1056 SCAP.T.3000.3: The tester SHALL compare the product results to the expected results ensuring
 1057 that the "pass", "fail", "error", "unknown", "notapplicable", "notchecked", "notselected",
 1058 "informational", or "fixed" results match for each <xccdf:Rule>.

1059
 1060 **SCAP.R.3005: The product SHALL be able to process XCCDF Tailoring component**
 1061 **(<xccdf:Tailoring>) that is part of an SCAP source data stream as well as XCCDF Tailoring**
 1062 **component that is external to the source datastream and generate XCCDF component results**
 1063 **within an SCAP result data stream in accordance with the XCCDF specification for the target**
 1064 **platform.**

1065 **SCAP Capability:** ACS CVE OCIL

1066 **Required Vendor Information:**

1067 SCAP.V.3005.1: The vendor SHALL provide instructions on how to import XCCDF Tailoring
 1068 component content that is part of or external to the SCAP source data streams for execution and
 1069 provide instructions on where the XCCDF component results can be located for visual inspection.
 1070 The purpose of this requirement is to ensure that the product produces valid XCCDF Results and
 1071 the results match the expected results for all given rules.

²⁵ XCCDF Specification in [NISTIR 7275 R4].

1072 **Required Test Procedures:**

1073 SCAP.T.3005.1: The tester SHALL import a known valid XCCDF Tailoring component content
1074 that is part of SCAP source data streams for the target platform into the vendor product and
1075 execute it according to the product operation instructions provided by the vendor. The tester will
1076 inspect the product output ensuring XCCDF components are compliant with the XCCDF
1077 specification.

1078 SCAP.T.3005.2: The tester SHALL import a known valid XCCDF Tailoring component content
1079 that is external to the SCAP source data streams for the target platform into the vendor product
1080 and execute it according to the product operation instructions provided by the vendor. The tester
1081 will inspect the product output ensuring XCCDF components are compliant with the XCCDF
1082 specification.

1083 SCAP.T.3005.3: The tester SHALL validate the resulting XCCDF component results within an
1084 SCAP result data stream output using the SCAPVal utility. This validation MUST NOT produce
1085 any validation errors.

1086 SCAP.T.3005.4: The tester SHALL compare the product results to the expected results ensuring
1087 that all the results match the expected results.

1088

1089 **SCAP.R.3010: The product SHALL be able to select and process XCCDF Benchmark components,**
1090 **which do not include <xccdf:Profile> elements, that are part of an SCAP source data stream and**
1091 **generate XCCDF component results within an SCAP result data stream in accordance with the**
1092 **XCCDF specification for the target platform.**

1093 **SCAP Capability:** ACS CVE OCIL

1094 **Required Vendor Information:**

1095 SCAP.V.3010.1: The vendor SHALL provide instructions on how to import XCCDF component
1096 content without <xccdf:Profile> elements that is part of SCAP source data streams for execution
1097 and provide instructions on where the XCCDF component results can be located for visual
1098 inspection. The purpose of this requirement is to ensure that the product produces valid XCCDF
1099 Results and the results match the expected results for all given rules.

1100 **Required Test Procedures:**

1101 SCAP.T.3010.1: The tester SHALL import a known valid XCCDF component content without
1102 <xccdf:Profile> elements that is part of SCAP data streams for the target platform into the vendor
1103 product and execute it according to the product operation instructions provided by the vendor.
1104 The tester will inspect the product output ensuring XCCDF components are compliant with the
1105 XCCDF specification.

1106 SCAP.T.3010.2: The tester SHALL validate the resulting XCCDF component results within an
1107 SCAP result data stream output using the SCAPVal utility. This validation MUST NOT produce
1108 any validation errors.

1109 SCAP.T.3010.3: The tester SHALL compare the product results to the expected results ensuring
1110 that all the results match the expected results.

1111 **SCAP.R.3100: For all CCE IDs in the SCAP source data stream, the product SHALL correctly**
1112 **display the CCE ID with its associated XCCDF Rule in the product output.**

1113 **SCAP Capability:** ACS CVE OCIL

1114 **Required Vendor Information:**

1115 SCAP.V.3100.1: The vendor SHALL provide instructions on where the XCCDF Rules and their
1116 associated CCE IDs can be visually inspected within the product output.

1117 **Required Test Procedures:**

1118 SCAP.T.3100.1: The tester SHALL visually inspect a non-vendor-directed sample of 10 % of the
1119 XCCDF Rules, up to a maximum of 30, within the product output and reports to validate that the
1120 CCE IDs for each inspected XCCDF Rule match those found in the XCCDF source file.

1121 **SCAP.R.3200: The product output SHALL enable users to view the XML OCIL Questionnaires**
1122 **being consumed by the product (e.g., within the product user interface or through an XML dump**
1123 **of the OCIL questionnaires to a file).**

1124 **SCAP Capability:** ACS CVE OCIL

1125 **Required Vendor Information:**

1126 SCAP.V.3200.1: The vendor SHALL provide instructions on how the user can view the XML
1127 OCIL Questionnaires being consumed by the product.

1128 **Required Test Procedure:**

1129 SCAP.T.3200.1: The tester SHALL follow the provided vendor instructions to view the XML
1130 OCIL Questionnaires being consumed by the product and verify that access is provided as stated.

1131 **SCAP.R.3300: The product SHALL be able to produce “notchecked” results for unsupported**
1132 **Check Systems.²⁶**

1133 **SCAP Capability:** ACS CVE OCIL

1134 **Required Vendor Information:**

1135 SCAP.V.3300.1: The vendor SHALL provide instructions indicating how content for
1136 unsupported check systems is processed.

1137 **Required Test Procedures:**

1138 SCAP.T.3300.1: The tester SHALL import a valid SCAP source data stream containing a check
1139 system unsupported by the vendor product for the target platform into the product and execute the
1140 data stream according to the product operation instructions provided by the vendor. The tester

²⁶ XCCDF Specification in [NISTIR 7275 R4].

1141 SHALL inspect the product output to validate that it includes “notchecked” results for the
1142 unsupported check system.

1143 **SCAP.R.3400: The product output in ARF format SHALL enable users to view the SCAP source**
1144 **data stream collection that was used to generate the results against the target.**

1145 **SCAP Capability:** ACS CVE OCIL

1146 **Required Vendor Information:**

1147 SCAP.V.3400.1: The vendor SHALL provide instructions on how the user can view the ARF
1148 report produced by the product which includes the source content consumed by the product.

1149 **Required Test Procedure:**

1150 SCAP.T.3400.1: The tester SHALL follow the provided vendor instructions to view the ARF
1151 report and verify that the source data stream collection that was used to generate the results was
1152 included in the report as an <arf:report-request>.

1153 SCAP.T.3400.2: The tester SHALL import a valid SCAP source data stream with an
1154 <xccdf:Tailoring> component and execute the data stream according to the product operation
1155 instructions provided by the vendor. The tester SHALL inspect the product output to make sure
1156 the tailoring component was included in the ARF report as an <arf:report-request>.

1157 **SCAP.R.3500: For all SCAP source data streams, the product SHALL indicate the date the data**
1158 **was last generated and updated. The generated date is when the data was originally**
1159 **created/officially published. The updated date is the date the product obtained its copy of the data.**

1160 **SCAP Capability:** ACS CVE OCIL

1161 **Required Vendor Information:**

1162 SCAP.V.3500.1: The vendor SHALL provide instructions on where the dates for all imported
1163 SCAP source data streams can be inspected in the product output.

1164 **Required Test Procedures:**

1165 SCAP.T.3500.1: The tester SHALL visually inspect the product output for the dates of all SCAP
1166 source data streams processed by the vendor product.

1167 **SCAP.R.3600: The product SHALL display the associated CCE ID for each configuration issue**
1168 **definition in the product output (i.e., the product displays CCE IDs).**

1169 **SCAP Capability:** ACS CVE OCIL

1170 **Required Vendor Information:**

1171 SCAP.V.3600.1: The vendor SHALL provide instructions on how product output can be
1172 generated that contains a listing of all security configuration issue items, with associated CCE IDs
1173 when available. Instructions SHALL include where the CCE IDs and the associated vendor
1174 supplied and/or official CCE descriptions can be located within the product output.

1175 **Required Test Procedures:**

1176 SCAP.T.3600.1: The tester SHALL visually inspect, within the product output, a non-vendor-
1177 directed set of 30 security configuration issue items, to ensure that the CCE IDs are displayed.
1178 This test is not intended to determine whether the product correctly maps to CCE or whether it
1179 provides a complete mapping.

1180

1181 **SCAP.R.3800: A product's machine-readable output MUST provide the CPE naming data using**
1182 **CPE names.**

1183 **SCAP Capability:** ACS CVE OCIL

1184 **Required Vendor Information:**

1185 SCAP.V.3800.1: The vendor SHALL provide procedures and/or a test environment where
1186 machine-readable output containing the CPE naming data can be produced and inspected. The
1187 vendor SHALL provide a translation tool to create human-readable data for inspection if the
1188 provided output is not in a human-readable format (e.g., binary data, encrypted text).

1189 **Required Test Procedures:**

1190 SCAP.T.3800.1: The tester SHALL manually inspect the vendor-identified machine-readable
1191 output and ensure that CPE naming data is correct according to the CPE specification. The tester
1192 will do this by choosing a minimum of 30 vendor and product names in the product output that
1193 are also included in the official CPE Dictionary.

1194 **SCAP.R.3900: The product SHALL allow users to locate configuration issue items using CCE IDs.**

1195 **SCAP Capability:** ACS CVE OCIL

1196 **Required Vendor Information:**

1197 SCAP.V.3900.1: The vendor SHALL provide documentation (printed or electronic) indicating
1198 how configuration issue items can be located using CCE IDs.

1199 **Required Test Procedures:**

1200 SCAP.T.3900.1: The tester SHALL verify that configuration issue items can be identified using
1201 CCE IDs. The tester SHALL perform this using a non-vendor-directed sample comprised of
1202 10 % of the total configuration issue items, up to a maximum of 30.

1203 **SCAP.R.4000: The product SHALL be able to correctly produce the Asset Identification Fields as**
1204 **specified in [NIST SP 800-126 R3] when assessing a target.**

1205 **SCAP Capability:** ACS CVE OCIL

1206 **Required Vendor Information:**

1207 SCAP.V.4000.1: The vendor SHALL provide documentation on how to import an SCAP data
1208 stream and how to apply it to a target system.

1209 **Required Test Procedures:**

1210 SCAP.T.4000.1: The tester SHALL import the SCAP source data stream and apply it to a known
1211 target, producing an SCAP result data stream.

1212 SCAP.T.4000.2: The tester SHALL validate the results produced using SCAPVal; the validation
1213 MUST NOT produce any errors.

1214 SCAP.T.4000.3: The tester SHALL visually inspect the results to ensure the Asset Identification
1215 Fields are as expected.

1216 **SCAP.R.4100: The product SHALL be able to correctly produce an SCAP result data stream**
1217 **conforming to the ARF specification for each XCCDF, OVAL, and OCIL component.**

1218 **SCAP Capability:** ACS CVE OCIL

1219 **Required Vendor Information:**

1220 SCAP.V.4100.1: The vendor SHALL supply documentation on how to import an SCAP data
1221 stream, apply it against a target, and produce an SCAP result data stream conforming to the ARF
1222 specification.

1223 **Required Test Procedures:**

1224 SCAP.T.4100.1: The tester SHALL import the SCAP 1.3 source data stream, apply it to a known
1225 target, and produce an SCAP result data stream conforming to the ARF specification.

1226 SCAP.T.4100.2: The tester SHALL validate the results produced using SCAPVal; the validation
1227 MUST NOT produce any errors.

1228 SCAP.T.4100.3: The tester SHALL compare the actual results to the expected results ensuring
1229 the results match.

1230 **SCAP.R.4200: The product SHALL provide a means to view the CVE Description and CVE**
1231 **references for each displayed CVE ID²⁷ within the product output.**

1232 **SCAP Capability:** ACS CVE OCIL

1233 **Required Vendor Information:**

1234 SCAP.V.4200.1: The vendor SHALL provide instructions on where the CVE IDs can be located
1235 within the product output. The vendor SHALL provide procedures and a test environment (if
1236 necessary) so that the product will output vulnerabilities with associated CVE IDs. Instructions
1237 SHALL include where the CVE IDs and the associated vendor-supplied and official CVE
1238 descriptions can be located within the product output. It is acceptable to have CVEs in the form
1239 of a specific link for each CVE to the NVD.

1240 **Required Test Procedures:**

²⁷ This requirement can be met by providing a URL to the NVD CVE or MITRE CVE vulnerability summaries for the CVE IDs in question.

1241 SCAP.T.4200.1: The tester SHALL select a non-vendor-directed sampling of CVE IDs from
 1242 within the available forms of the product output. The tester SHALL determine that the product
 1243 output enables the user to view, at minimum, the official CVE description and references.²⁸ The
 1244 vendor MAY provide additional CVE descriptions and information. The tester SHALL perform
 1245 this using a non-vendor-directed sample comprised of greater than or equal to 10 and less than or
 1246 equal to 30 of the total CVE IDs available in the product output.

1247 **SCAP.R.4300: For all static or product -bundled CCE data, the product SHALL indicate the date**
 1248 **the data was last generated and updated. The generated date is when the data was originally**
 1249 **created/officially published. The updated date is the date the product obtained its copy of the data.**

1250 **NOTE:** This requirement is not applicable to the products that don't use static or product-
 1251 bundled CCE data.

1252 **SCAP Capability:** ACS CVE OCIL

1253 **Required Vendor Information:**

1254 SCAP.V.4300.1: The vendor SHALL provide instructions on where the dates for all offline CCE
 1255 data can be inspected in the product output.

1256 **Required Test Procedures:**

1257 SCAP.T.4300.1: The tester SHALL visually inspect the product output for the dates of all static
 1258 or bundled CCE data included with the vendor product.

1259 **SCAP.R.4400: The product SHALL include the CVE ID(s) associated with each software flaw**
 1260 **and/or patch definition in the product output (i.e., the product displays CVE IDs) where**
 1261 **appropriate.²⁹**

1262 **SCAP Capability:** ACS CVE OCIL

1263 **Required Vendor Information:**

1264 SCAP.V.4400.1: The vendor SHALL provide instructions, and a test environment (if necessary),
 1265 indicating how product output can be generated that contains a listing of all software flaws and
 1266 patches with associated CVE IDs when available. CVE IDs SHOULD be used wherever possible.
 1267 Instructions SHALL include where the CVE IDs and the associated vendor-supplied and/or
 1268 official CVE descriptions can be located within the product output.

1269 **Required Test Procedures:**

1270 SCAP.T.4400.1: The tester SHALL visually inspect, within the product output, a non-vendor-
 1271 selected sample comprised of greater than or equal to 10 and less than or equal to 30 of the total
 1272 CVE IDs available in the product output to ensure that the CVE IDs are displayed. This test is
 1273 not intended to determine whether the product correctly maps to CVE or whether it provides a
 1274 complete mapping.

²⁸ The official CVE description and references are found at <https://nvd.nist.gov/>.

²⁹ In the case where the content being processed only requires results that do not contain CVE references this requirement does not apply.

1275 **SCAP.R.4500: If the product uses CVE, it SHALL include NVD CVSS base scores and vector**
1276 **strings for each CVE ID referenced in the product.**

1277 **SCAP Capability:** ACS CVE OCIL

1278 **Required Vendor Information:**

1279 SCAP.V.4500.1: The vendor SHALL provide documentation explaining where the NVD CVSS
1280 base scores and vector strings can be located with the corresponding CVE ID.³⁰ The vendor
1281 MAY provide information about how the product can be updated with new NVD CVSS base
1282 scores and vector strings prior to testing.

1283 **Required Test Procedure:**

1284 SCAP.T.4500.1: The tester SHALL update the product's NVD base scores and vectors (using the
1285 vendor-provided update capability if it exists) and validate that the product displays the NVD
1286 CVSS base scores and vectors for 15 non-vendor-directed CVE IDs referenced in the product.
1287 The CVEs chosen MUST have an NVD vulnerability summary "last revision" date that is at least
1288 30 days old. A link to the information on the NVD web site is sufficient for this test.

1289

³⁰ A link to the specific CVE entry on the NVD web site is sufficient for this test.

5. Derived Test Requirements for Specific Capabilities

1291 This section contains Derived Test Requirements for each of the defined SCAP capabilities. When a
 1292 product is submitted for validation, the submitting organization will provide a list of SCAP capabilities
 1293 the product possesses. The information regarding capabilities will be provided by the vendor as part of
 1294 their submission package. To determine the correct test requirements for that product, the tester creates
 1295 the union of all these capabilities using the chart below.

1296 The matrix currently contains a total of three SCAP capabilities. As additional capabilities are available
 1297 for validation, this list will be updated. Vendors seeking validation for an SCAP capability not listed
 1298 should contact NIST at scap@nist.gov.

1299 The following chart summarizes the requirements for each SCAP 1.3 capability.

1300 **Table 5-1. Required SCAP Components for Each SCAP Capability**

| Requirement ID | Authenticated Configuration Scanner (ACS) | CVE option | OCIL option |
|----------------|---|------------|-------------|
| SCAP.R.100 | X | | |
| SCAP.R.200 | X | | |
| SCAP.R.300 | X | | |
| SCAP.R.400 | X | | |
| SCAP.R.500 | X | | |
| SCAP.R.600 | X | | |
| SCAP.R.700 | X | | |
| SCAP.R.800 | X | | |
| SCAP.R.900 | X | | |
| SCAP.R.1100 | X | | |
| SCAP.R.1200 | X | | |
| SCAP.R.1300 | X | | |
| SCAP.R.1400 | | | X |
| SCAP.R.1500 | X | | |
| SCAP.R.1510 | X | | |
| SCAP.R.1600 | X | | |
| SCAP.R.1700 | X | | |
| SCAP.R.1800 | | | X |
| SCAP.R.1900 | X | | |
| SCAP.R.2000 | X | | |
| SCAP.R.2100 | | | X |

| Requirement ID | Authenticated Configuration Scanner (ACS) | CVE option | OCIL option |
|-----------------------|--|-------------------|--------------------|
| SCAP.R.2200 | | | X |
| SCAP.R.2300 | X | | |
| SCAP.R.2400 | X | | |
| SCAP.R.2500 | X | | |
| SCAP.R.2600 | X | | |
| SCAP.R.2700 | | X | |
| SCAP.R.2800 | | X | |
| SCAP.R.2850 | X | | |
| SCAP.R.2860 | X | | |
| SCAP.R.2900 | X | | |
| SCAP.R.2910 | X | | |
| SCAP.R.2920 | X | X | |
| SCAP.R.2930 | X | | |
| SCAP.R.2940 | X | | |
| SCAP.R.3000 | X | | |
| SCAP.R.3005 | X | | |
| SCAP.R.3010 | X | | |
| SCAP.R.3100 | X | | |
| SCAP.R.3200 | | | X |
| SCAP.R.3300 | X | | |
| SCAP.R.3400 | X | | |
| SCAP.R.3500 | X | | |
| SCAP.R.3600 | X | | |
| SCAP.R.3800 | X | | |
| SCAP.R.3900 | X | | |
| SCAP.R.4000 | X | | |
| SCAP.R.4100 | X | | X |
| SCAP.R.4200 | | X | |
| SCAP.R.4300 | X | | |
| SCAP.R.4400 | | X | |
| SCAP.R.4500 | | X | |

1301
1302

1303 CVE and OCIL are optional SCAP component specifications that MAY be combined with ACS
1304 in SCAP 1.3 product validations. Product vendors MAY elect adding CVE, OCIL, or both
1305 options to the core ACS product validation. If the CVE option is chosen, the product MUST pass
1306 all CVE requirements marked in the CVE column in Table 5-1. If the OCIL option is chosen, the
1307 product must pass all OCIL requirements marked in the OCIL column in Table 5-1. Products may
1308 not be validated against the CVE or OCIL requirements alone. These optional validations MUST
1309 be combined with the core ACS product validation.

1310
1311 **NOTE:** The ACS capability encompasses the functionality covered by FDCC Scanner and
1312 USGCB Scanner capabilities that were included in the SCAP 1.0 Validation Program.

1313
1314 The list of OVAL tests used for testing the ACS SCAP 1.3 capability is published on the SCAP
1315 Validation Program web page <https://scap.nist.gov/validation>.³¹

1316
1317

³¹ Support of deprecated OVAL tests is required for the Authenticated Configuration Scanner (ACS) capability. Backward compatibility is required for SCAP 1.3 validated products.

1318 Appendix A—Terms and Definitions

1319 This appendix lists definitions of key terms used in this document.

1320 **Authenticated Configuration Scanner:** A product that runs with administrative or root privileges on a
1321 target system to conduct its assessment.

1322 **CCE ID:** An identifier for a specific configuration defined within the official CCE Dictionary and that
1323 conforms to the CCE specification. For more information please see the CCE specification reference in
1324 Section 2.

1325 **Compliance Mapping:** The process of correlating CCE settings defined in a source data stream with the
1326 security control identifiers defined in [NIST SP 800-53 R4].

1327 **CPE Name:** An identifier for a unique uniform resource identifier (URI) assigned to a specific platform
1328 type that conforms to the CPE specification. For more information please see the CPE specification
1329 reference in Section 2.

1330 **CVE ID:** An identifier for a specific software flaw defined within the official CVE Dictionary and that
1331 conforms to the CVE specification. For more information please see the CVE specification reference in
1332 Section 2.

1333 **Derived Test Requirement/Test Requirement:** A statement of requirement, needed information, and
1334 associated test procedures necessary to test a specific SCAP feature.

1335 **Import:** A process available to end users by which an SCAP source data stream can be loaded into the
1336 vendor's product. During this process, the vendor process may optionally translate this file into a
1337 proprietary format.

1338 **Machine-Readable:** Product output that is in a structured format, typically XML, which can be
1339 consumed by another program using consistent processing logic.

1340 **Major Revision:** Any increase in the version of an SCAP component's specification or SCAP related
1341 data set that involves substantive changes that will break backwards compatibility with previous releases.
1342 See also *SCAP Revision*.

1343 **Minor Revision:** Any increase in the version of an SCAP component's specification or SCAP related
1344 data set that may involve adding additional functionality, but that preserves backwards compatibility with
1345 previous releases. See also *SCAP Revision*.

1346 **Misconfiguration:** A setting within a computer program that violates a configuration policy or that
1347 permits or causes unintended behavior that impacts the security posture of a system. CCE can be used for
1348 enumerating misconfigurations.

1349 **NOTE:** NIST generally defines vulnerability as including both software flaws and configuration
1350 issues [misconfigurations]. For the purposes of the validation program and dependent
1351 procurement language, the SCAP Validation program is defining vulnerability and
1352 misconfiguration as two separate entities, with "vulnerability" referring strictly to software flaws.

- 1353 **National Checklist Program Repository (NCP):** A NIST-maintained repository, which is a publicly
1354 available resource that contains information on a variety of security configuration checklists for specific
1355 IT products or categories of IT products.
1356
- 1357 **National Vulnerability Database (NVD):** The U.S. government repository of standards based
1358 vulnerability management data represented using the Security Content Automation Protocol (SCAP). This
1359 data informs automation of vulnerability management, security measurement, and compliance. NVD
1360 includes databases of security checklists, security related software flaws, misconfigurations, product
1361 names, and impact metrics.
- 1362 **Non-vendor-directed:** This term is used to indicate that any sample chosen for testing is selected by the
1363 testing laboratory without the input or knowledge of the product vendor.
- 1364 **OVAL ID:** An identifier for a specific OVAL definition that conforms to the format for OVAL IDs. For
1365 more information please see the OVAL specification reference in Section 2.
- 1366 **Product:** A software application that has one or more capabilities.
- 1367 **Module (SCAP Module):** it is an embedded software component of a product or application, or a
1368 complete product in-and-of-itself that has one or more capabilities.
- 1369 **Product Output:** Information produced by a product. This includes the product user interface, human-
1370 readable reports, and machine-readable reports. Unless otherwise indicated by a specific requirement,
1371 there are no constraints on the format. When this output is evaluated in a test procedure, either all or
1372 specific forms of output will be sampled as indicated by the test procedure.
- 1373 **SCAP Capability:** A specific function or functions of a product as defined below:
- 1374 ■ **Authenticated Configuration Scanner:** the capability to audit and assess a target system to determine
1375 its compliance with a defined set of configuration requirements using target system logon privileges.
 - 1376 ■ **Common Vulnerabilities and Exposures (CVE) Option:** the capability to process and present CVEs
1377 correctly and completely.
 - 1378 ■ **Open Checklist Interactive Language (OCIL) Option:** the capability to process and present OCIL
1379 correctly and completely.
- 1380 **SCAP Component:** One of the twelve specifications that comprise SCAP: Asset Identification, ARF,
1381 CCE, CCSS, CPE, CVE, CVSS, OCIL, OVAL, SWID, TMSAD, and XCCDF.
- 1382 **SCAP Result Data Stream:** A bundle of SCAP components, along with the mappings of references
1383 between SCAP components, that holds output (result) content.
- 1384 **SCAP Revision:** A version of the SCAP specification designated by a revision number in the format
1385 nn.nn.nn, where the first nn is the major revision number, the second nn number is the minor revision
1386 number, and the final nn number is the refinement number. A specific SCAP revision will populate all
1387 three fields, even if that means using zeros to show no minor revision or refinement number has been
1388 used to date. A leading zero will be used to pad single-digit revision or refinement numbers.
- 1389 **SCAP Source Data Stream:** A bundle of SCAP components, along with the mappings of references
1390 between SCAP components, that holds input (source) content. See also *Compliance Mapping*.

- 1391 **Software Flaw:** See *Checklist*: A document that contains instructions or procedures for configuring an
1392 IT product to an operational environment, for verifying that the product has been configured properly,
1393 and/or for identifying unauthorized configuration changes to the product. Also referred to as a security
1394 configuration checklist, lockdown guide, hardening guide, security guide, security technical
1395 implementation guide (STIG), or benchmark.
- 1396 **Automated Checklist:** A checklist that is used through one or more tools that automatically alter or
1397 verify settings based on the contents of the checklist. Automated checklists document their security
1398 settings in a machine-readable format, either standard or proprietary.
- 1399 **SCAP Content:** A checklist that adheres to the SCAP specification in NIST SP 800-126 and NIST SP
1400 800-126A for documenting security settings in machine-readable standardized SCAP formats. SCAP
1401 content checklists can be processed by SCAP-validated products, which have been validated by an
1402 accredited independent testing laboratory as conforming to applicable SCAP specifications and
1403 requirements in this document.
- 1404 **Vulnerability.**
- 1405 **Target Platform:** The target operating system or application on which a vendor product will be
1406 evaluated using a platform-specific validation lab test suite. These platform-specific test suites consist of
1407 specialized SCAP content used to perform the test procedures defined in this document.
- 1408 **Checklist:** A document that contains instructions or procedures for configuring an IT product to an
1409 operational environment, for verifying that the product has been configured properly, and/or for
1410 identifying unauthorized configuration changes to the product. Also referred to as a security configuration
1411 checklist, lockdown guide, hardening guide, security guide, security technical implementation guide
1412 (STIG), or benchmark.
- 1413 **Automated Checklist:** A checklist that is used through one or more tools that automatically alter or
1414 verify settings based on the contents of the checklist. Automated checklists document their security
1415 settings in a machine-readable format, either standard or proprietary.
- 1416 **SCAP Content:** A checklist that adheres to the SCAP specification in NIST SP 800-126 and NIST SP
1417 800-126A for documenting security settings in machine-readable standardized SCAP formats. SCAP
1418 content checklists can be processed by SCAP-validated products, which have been validated by an
1419 accredited independent testing laboratory as conforming to applicable SCAP specifications and
1420 requirements in this document.
- 1421 **Vulnerability:** An error, flaw, or mistake in computer software that permits or causes an unintended
1422 behavior to occur. CVE is a common means of enumerating vulnerabilities.
- 1423 **XCCDF Content:** A file conforming to the XCCDF schema. For more information please see the
1424 XCCDF specification reference in Section 2.

1425 **Appendix B—Acronyms**

1426 This appendix contains selected acronyms and abbreviations used in the publication.

| | | |
|------|----------------|---|
| 1427 | | |
| 1428 | ACS | Authenticated Configuration Scanner |
| 1429 | ARF | Asset Reporting Format |
| 1430 | CCE | Common Configuration Enumeration |
| 1431 | CCSS | Common Configuration Scoring System |
| 1432 | CPE | Common Platform Enumeration |
| 1433 | CVE | Common Vulnerabilities and Exposures |
| 1434 | CVSS | Common Vulnerability Scoring System |
| 1435 | DTR | Derived Test Requirement |
| 1436 | FDCC | Federal Desktop Core Configuration |
| 1437 | FIRST | Forum of Incident Response and Security Teams |
| 1438 | FISMA | Federal Information Security Management Act |
| 1439 | GUI | Graphical User Interface |
| 1440 | HTML | Hypertext Markup Language |
| 1441 | ID | Identifier |
| 1442 | IETF | Internet Engineering Task Force |
| 1443 | IR | Interagency Report |
| 1444 | IT | Information Technology |
| 1445 | ITL | Information Technology Laboratory |
| 1446 | NCP | National Checklist Program |
| 1447 | NIST | National Institute of Standards and Technology |
| 1448 | NSA | National Security Agency |
| 1449 | NVD | National Vulnerability Database |
| 1450 | NVLAP | National Voluntary Laboratory Accreditation Program |
| 1451 | OCIL | Open Checklist Interactive Language |
| 1452 | OCIL QI | Open Checklist Interactive Language Questionnaire Interpreter |
| 1453 | OMB | Office of Management and Budget |
| 1454 | OS | Operating System |
| 1455 | OVAL | Open Vulnerability and Assessment Language |
| 1456 | OVAL DI | Open Vulnerability and Assessment Language Definition Interpreter |
| 1457 | PDF | Portable Document Format |
| 1458 | RFC | Request for Comment |
| 1459 | RHEL | Red Hat Enterprise Linux |
| 1460 | SCAP | Security Content Automation Protocol |
| 1461 | SCAPVal | SCAP Validation tool |
| 1462 | SP | Special Publication |
| 1463 | SWID | Software Identification |
| 1464 | TMSAD | Trust Model for Security Automation Data |
| 1465 | URI | Uniform Resource Identifier |
| 1466 | URL | Uniform Resource Locator |
| 1467 | U.S. | United States |
| 1468 | USGCB | United States Government Configuration Baseline |
| 1469 | WFN | Well-Formed Name |
| 1470 | XCCDF | Extensible Configuration Checklist Document Format |
| 1471 | XML | Extensible Markup Language |
| 1472 | | |

1473 Appendix C—Use of SCAP 1.3 Logo and phrases

1474 This appendix contains information regarding the use of SCAP 1.3 Logo and phrases

1475
1476

1477 The phrases SCAP 1.3 Validated and SCAP 1.3 Logo are intended for use in association with SCAP 1.3
1478 products or modules validated by the National Institute of Standards and Technology (NIST) as
1479 complying with Security Content Automation Protocol (SCAP) Version 1.3 Requirements for
1480 Products/Modules.

1481
1482 Vendors of validated SCAP products and/or modules or vendors of products that embed validated SCAP
1483 modules are encouraged to use the phrases and logo provided that they agree to the following and
1484 returning the signed SCAP 1.3 Logo Form:

1485

1486 1. The phrases SCAP 1.3 Validated and the SCAP 1.3 Logo are Certification Marks of NIST, which
1487 retains exclusive rights to their use.

1488

1489 2. NIST reserves the right to control the quality of the use of the phrase SCAP 1.3 Validated and the
1490 logo itself.

1491

1492 3. Permission for advertising SCAP 1.3 validation and use of the logo is conditional on and limited
1493 to those SCAP products/modules validated by NIST as complying with the requirements for
1494 Security Content Automation Protocol (SCAP) Version 1.3.

1495

1496 4. An SCAP module may either be a component of a product, or a standalone product. Use of the
1497 SCAP 1.3 Logo on product reports, letterhead, brochures, marketing material, and product
1498 packaging SHALL be accompanied by the following: ‘TM: A Certification Mark of NIST, which
1499 does not imply product endorsement by NIST or the U.S. Government’. If the SCAP module is a
1500 component of a product, the phrase “SCAP 1.3 Inside” SHALL accompany the logo.

1501

1502 5. Permission for the use of the phrase SCAP 1.3 Validated and the logo may be revoked at the
1503 discretion of NIST.

1504

1505 6. Permission to use the phrase SCAP 1.3 Validated and the SCAP 1.3 Logo in no way constitutes
1506 or implies product endorsement by NIST.

1507

1508 **Appendix D—References**

1509 The following references are cited in the document above.

- 1510
- [FIPS 140-2] Federal Information Process Standards Publication (FIPS) 140-2, *Security Requirements for Cryptographic Modules*, May 2001 (with Change Notices through December 3, 2002).
<https://csrc.nist.gov/publications/detail/fips/140/2/final>.
- [NIST HB 150] NIST Handbook 150 (2006 Edition), *National Voluntary Laboratory Accreditation Program: Procedures and General Requirements*, February 2006.
<http://www.nist.gov/nvlap/upload/nist-handbook-150.pdf>.
- [NIST HB 150-17] NIST Handbook 150-17, *NVLAP Cryptographic and Security Testing*, May 2013.
<https://doi.org/10.6028/NIST.HB.150-17>.
- [NISTIR 7275 R4] NIST Interagency Report (NISTIR) 7275 Revision 4, *Specification for the Extensible Configuration Checklist Description Format (XCCDF) Version 2.1*, September 2011 (updated March 2012).
<https://csrc.nist.gov/publications/detail/nistir/7275/rev-4/final>.
- [NISTIR 7502] NIST Interagency Report (NISTIR) 7502, *The Common Configuration Scoring System (CCSS): Metrics for Software Security Configuration Vulnerabilities*, December 2010.
<https://doi.org/10.6028/NIST.IR.7502>.
- [NISTIR 7511 R3] NIST Interagency Report (NISTIR) 7511 Revision 3, *Security Content Automation Protocol (SCAP) Version 2.1 Validation Program Test Requirements*, January 2013 (updated July 11, 2013).
<https://doi.org/10.6028/NIST.IR.7511>.
- [NISTIR 7511 R4] NIST Interagency Report (NISTIR) 7511 Revision 4, *Security Content Automation Protocol (SCAP) Version 2.1 Validation Program Test Requirements*, January 2016.
<https://doi.org/10.6028/NIST.IR.7511r4>.
- [NISTIR 7692] NIST Interagency Report (NISTIR) 7692, *Specification for the Open Checklist Interactive Language (OCIL) Version 2.0*, April 2011.
<https://doi.org/10.6028/NIST.IR.7692>.
- [NISTIR 7693] NIST Interagency Report (NISTIR) 7693, *Specification for Asset Identification 1.1*, June 2011.
<https://doi.org/10.6028/NIST.IR.7693>.
- [NISTIR 7694] NIST Interagency Report (NISTIR) 7694, *Specification for the Asset Reporting Format 1.1*, June 2011.
<https://doi.org/10.6028/NIST.IR.7694>.
- [NISTIR 7695] NIST Interagency Report (NISTIR) 7695, *Common Platform Enumeration: Naming Specification Version 2.3*, August 2011.
<https://doi.org/10.6028/NIST.IR.7695>.
- [NISTIR 7696] NIST Interagency Report (NISTIR) 7696, *Common Platform Enumeration: Name Matching Specification Version 2.3*, August 2011.
<https://doi.org/10.6028/NIST.IR.7696>.

- [NISTIR 7697] NIST Interagency Report (NISTIR) 7697, *Common Platform Enumeration: Dictionary Specification Version 2.3*, August 2011.
<https://doi.org/10.6028/NIST.IR.7697>.
- [NISTIR 7698] NIST Interagency Report (NISTIR) 7698, *Common Platform Enumeration: Applicability Language Specification Version 2.3*, August 2011.
<https://doi.org/10.6028/NIST.IR.7698>.
- [NISTIR 7802] NIST Interagency Report (NISTIR) 7802, *Trust Model for Security Automation Data 1.0 (TMSAD)*, September 2011.
<https://doi.org/10.6028/NIST.IR.7802>.
- [NIST SP 800-126 R1] NIST Special Publication (SP) 800-126 Revision 1, *The Technical Specification for the Security Content Automation Protocol (SCAP): SCAP Version 1.1*, February 2011.
<https://doi.org/10.6028/NIST.SP.800-126r1>.
- [NIST SP 800-126 R2] NIST Special Publication (SP) 800-126 Revision 2, *The Technical Specification for the Security Content Automation Protocol (SCAP): SCAP Version 1.2*, September 2011.
<https://doi.org/10.6028/NIST.SP.800-126r2>.
- [NIST SP 800-126 R3] NIST Special Publication (SP) 800-126 Revision 3 (DRAFT), *The Technical Specification for the Security Content Automation Protocol (SCAP): SCAP Version 1.3*, July 2016.
<https://csrc.nist.gov/publications/detail/sp/800-126/rev-3/draft>.
- [NIST SP 800-126A] NIST Special Publication (SP) 800-126A (DRAFT), *SCAP 1.3 Component Specification Version Updates: An Annex to NIST Special Publication 800-126 Revision 3*, July 2016.
<https://csrc.nist.gov/publications/detail/sp/800-126a/draft>.
- [NIST SP 800-53 R4] NIST Special Publication (SP) 800-53 Revision 4, *Security and Privacy Controls for Federal Information Systems and Organizations*, April 2013 (updated January 22, 2015).
<https://doi.org/10.6028/NIST.SP.800-53r4>.
- [NIST SP 800-70 R4] NIST Special Publication (SP) 800-70 Revision 4, *National Checklist Program for IT Products – Guidelines for Checklist Users and Developers*, August 2017.
<https://csrc.nist.gov/publications/detail/sp/800-70/rev-4/draft>.
- [OMB M-08-22] Office of Management and Budget (OMB) Memorandum M-08-22, *Guidance on the Federal Desktop Core Configuration (FDCC)*, August 11, 2008.
<http://www.whitehouse.gov/sites/default/files/omb/memoranda/fy2008/m08-22.pdf>
- [RFC 2119] Internet Engineering Task Force (IETF) Request for Comment (RFC) 2119, *Key words for use in RFCs to Indicate Requirement Levels*, March 1997.
<https://doi.org/10.17487/RFC2119>.
- [SWID] ISO/IEC 19770-2:2015, *Information technology – Software asset management – Part 2: Software identification tag*, October 2015 (corrected March 2017).
http://www.iso.org/iso/catalogue_detail.htm?csnumber=65666.
- [XMLS] World Wide Web Consortium (W3C) Recommendation, *XML Schema [XML Schema 1.1]*, October 28, 2004.
<http://www.w3.org/XML/Schema.html>.