

The attached DRAFT document (provided here for historical purposes) has been superseded by the following publication:

Publication Number: **NIST Special Publication (SP) 800-177**

Title: **Trustworthy Email**

Publication Date: **9/7/2016**

- Final Publication: <http://dx.doi.org/10.6028/NIST.SP.800-177> (which links to <http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-177.pdf>).
- Information on other NIST cybersecurity publications and programs can be found at: <http://csrc.nist.gov/>

The following information was posted with the attached DRAFT document:

Mar. 29, 2016

SP 800-177

DRAFT Trustworthy Email (Second Draft)

NIST requests comments on the second draft of Special Publication (SP) 800-177, *Trustworthy Email*. This draft is a complimentary guide to NIST SP 800-45 Guidelines on Electronic Mail Security and covers protocol security technologies to secure email transactions. This draft guide includes recommendations for the deployment of domain-based authentication protocols for email as well as end-to-end cryptographic protection for email contents. Technologies recommended in support of core Simple Mail Transfer Protocol (SMTP) and the Domain Name System (DNS) include mechanisms for authenticating a sending domain (Sender Policy Framework (SPF), Domain Keys Identified Mail (DKIM) and Domain based Message Authentication, Reporting and Conformance (DMARC). Email content security is facilitated through encryption and authentication of message content using S/MIME and/or Transport Layer Security (TLS) with SMTP. This guide is written for the federal agency email administrator, information security specialists and network managers, but contains general recommendations for all enterprise email administrators.

The public comment period will close on **April 29th, 2016**
Send comments to: SP800-177 <at> nist.gov

2 **Trustworthy Email**

3
4
5 Ramaswamy Chandramouli
6 Simson Garfinkel
7 Stephen Nightingale
8 Scott Rose
9
10
11
12
13
14

15 This publication is available free of charge
16
17
18

19 C O M P U T E R S E C U R I T Y

22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

SECOND DRAFT NIST Special Publication 800-177

Trustworthy Email

Scott Rose, Stephen Nightingale
*Information Technology Laboratory
Advanced Network Technology Division*

Simson L. Garfinkel
*Information Technology Laboratory
Information Access Division*

Ramaswamy Chandramouli
*Information Technology Laboratory
Computer Security Division*

This publication is available free of charge

March 2016



46
47
48
49
50
51
52
53

U.S. Department of Commerce
Penny Pritzker, Secretary

National Institute of Standards and Technology
Willie May, Under Secretary of Commerce for Standards and Technology and Director

54

Authority

55 This publication has been developed by NIST in accordance with its statutory responsibilities under the
56 Federal Information Security Modernization Act (FISMA) of 2014, 44 U.S.C. § 3541 *et seq.*, Public Law
57 (P.L.) 113-283. NIST is responsible for developing information security standards and guidelines,
58 including minimum requirements for federal information systems, but such standards and guidelines shall
59 not apply to national security systems without the express approval of appropriate federal officials
60 exercising policy authority over such systems. This guideline is consistent with the requirements of the
61 Office of Management and Budget (OMB) Circular A-130, Section 8b(3), *Securing Agency Information*
62 *Systems*, as analyzed in Circular A-130, Appendix IV: *Analysis of Key Sections*. Supplemental
63 information is provided in Circular A-130, Appendix III, *Security of Federal Automated Information*
64 *Resources*.

65 Nothing in this publication should be taken to contradict the standards and guidelines made mandatory
66 and binding on federal agencies by the Secretary of Commerce under statutory authority. Nor should
67 these guidelines be interpreted as altering or superseding the existing authorities of the Secretary of
68 Commerce, Director of the OMB, or any other federal official. This publication may be used by
69 nongovernmental organizations on a voluntary basis and is not subject to copyright in the United States.
70 Attribution would, however, be appreciated by NIST.

71 National Institute of Standards and Technology Special Publication 800-177
72 Natl. Inst. Stand. Technol. Spec. Publ. 800-177, 87 pages (March 2016)
73 CODEN: NSPUE2

74 This publication is available free of charge
75

76 Certain commercial entities, equipment, or materials may be identified in this document in order to describe an
77 experimental procedure or concept adequately. Such identification is not intended to imply recommendation or
78 endorsement by NIST, nor is it intended to imply that the entities, materials, or equipment are necessarily the best
79 available for the purpose.

80 There may be references in this publication to other publications currently under development by NIST in
81 accordance with its assigned statutory responsibilities. The information in this publication, including concepts and
82 methodologies, may be used by federal agencies even before the completion of such companion publications. Thus,
83 until each publication is completed, current requirements, guidelines, and procedures, where they exist, remain
84 operative. For planning and transition purposes, federal agencies may wish to closely follow the development of
85 these new publications by NIST.

86 Organizations are encouraged to review all draft publications during public comment periods and provide feedback
87 to NIST. All NIST Computer Security Division publications, other than the ones noted above, are available at
88 <http://csrc.nist.gov/publications>.

89 **Comments on this publication may be submitted to SP800-177@nist.gov**

90 **Public comment period: through *April 29, 2016***

91 National Institute of Standards and Technology
92 Attn: Advanced network Technologies Division, Information Technology Laboratory
93 100 Bureau Drive (Mail Stop 8920) Gaithersburg, MD 20899-8920
94 Email: SP800-177@nist.gov

95

Reports on Computer Systems Technology

97 The Information Technology Laboratory (ITL) at the National Institute of Standards and
98 Technology (NIST) promotes the U.S. economy and public welfare by providing technical
99 leadership for the Nation's measurement and standards infrastructure. ITL develops tests, test
100 methods, reference data, proof of concept implementations, and technical analyses to advance
101 the development and productive use of information technology. ITL's responsibilities include the
102 development of management, administrative, technical, and physical standards and guidelines for
103 the cost-effective security and privacy of other than national security-related information in
104 federal information systems. The Special Publication 800-series reports on ITL's research,
105 guidelines, and outreach efforts in information system security, and its collaborative activities
106 with industry, government, and academic organizations.

107

Abstract

108 This document gives recommendations and guidelines for enhancing trust in email. The primary
109 audience includes enterprise email administrators, information security specialists and network
110 managers. This guideline applies to federal IT systems and will also be useful for any small or
111 medium sized organizations. Technologies recommended in support of core Simple Mail
112 Transfer Protocol (SMTP) and the Domain Name System (DNS) include mechanisms for
113 authenticating a sending domain (Sender Policy Framework (SPF), Domain Keys Identified Mail
114 (DKIM) and Domain based Message Authentication, Reporting and Conformance (DMARC).
115 Recommendations for email transmission security include Transport Layer Security (TLS) and
116 associated certificate authentication protocols. Recommendations for email content security
117 include the encryption and authentication of message content using S/MIME
118 (Secure/Multipurpose Internet Mail Extensions) and associated certificate and key distribution
119 protocols.

120

121

Keywords

122 Email; Simple Mail Transfer Protocol (SMTP); Transport Layer Security (TLS); Sender Policy
123 Framework (SPF); Domain Keys Identified Mail (DKIM); Domain based Message
124 Authentication, Reporting and Conformance (DMARC); Domain Name System (DNS)
125 Authentication of Named Entities (DANE); S/MIME; OpenPGP.

126

127

Acknowledgements

128

Audience

129 This document gives recommendations and guidelines for enhancing trust in email. The primary
130 audience for these recommendations is enterprise email administrators, information security
131 specialists and network managers. While some of the guidelines in this document pertain to
132 federal IT systems and network policy, most of the document will be more general in nature and
133 could apply to any small-mid sized organization.

134 For most of this document, it will be assumed that the organization has some or all responsibility
135 for email and can configure or manage its own email and Domain Name System (DNS) systems.
136 Even if this is not the case, the guidelines and recommendations in this document may help in
137 education about email security and can be used to produce a set of requirements for a contracted
138 service.

139

Note to Reviewers

140 This document is considered a DRAFT publication. Reviews and comments are welcome and
141 should be sent via email to SP800-177@nist.gov. The public comment period runs from
142 MM/DD/YYYY to MM/DD/YYYY.

143

Trademark Information

144 All registered trademarks belong to their respective organizations.

145 **Executive Summary**

146 This document gives recommendations and guidelines for enhancing trust in email. The primary
147 audience includes enterprise email administrators, information security specialists and network
148 managers. This guideline applies to federal IT systems and will also be useful for any small or
149 medium sized organizations.

150 Email is a core application of computer networking and has been such since the early days of
151 Internet development. In those early days, networking was a collegial, research-oriented
152 enterprise. Security was not a consideration. The past forty years have seen diversity in
153 applications deployed on the Internet, and worldwide adoption of email by research
154 organizations, governments, militaries, businesses and individuals. At the same time there has
155 been an associated increase in (Internet-based) criminal and nuisance threats.

156 The Internet's underlying core email protocol, Simple Mail Transport Protocol (SMTP), was
157 adopted in 1982 and is still deployed and operated today. However, this protocol is susceptible to
158 a wide range of attacks including man-in-the-middle content modification and content
159 surveillance. The basic standards have been modified and augmented over the years with
160 adaptations that mitigate some of these threats. With spoofing protection, integrity protection,
161 encryption and authentication, properly implemented email systems can be regarded as
162 sufficiently secure for government, financial and medical communications.

163 NIST has been active in the development of email security guidelines for many years. The most
164 recent NIST guideline on secure email includes NIST SP 800-45, Version 2 of February 2007,
165 *Guidelines on Electronic Mail Security*. The purpose of that document is:

166 “To recommend security practices for designing, implementing and operating email
167 systems on public and private networks,”

168 Those recommendations include practices for securing the environments around enterprise mail
169 servers and mail clients, and efforts to eliminate server and workstation compromise. This guide
170 complements SP800-45 by providing more up-to-date recommendations and guidance for email
171 digital signatures and encryption (via S/MIME), recommendations for protecting against
172 unwanted email (spam), and other aspects of email system deployment and configuration.

173 Following a description of the general email infrastructure and a threat analysis, these guidelines
174 cluster into techniques for authenticating a sending domain, techniques for assuring email
175 transmission security and those for assuring email content security. The bulk of the security
176 enhancements to email rely on records and keys stored in the Domain Name System (DNS) by
177 one party, and extracted from there by the other party. Increased reliance on the DNS is
178 permissible because of the recent security enhancements there, in particular the development and
179 widespread deployment of the DNS Security Extensions (DNSSEC) to provide source
180 authentication and integrity protection of DNS data.

181 The purpose of authenticating the sending domain is to guard against senders (both random and
182 malicious actors) from spoofing another's domain and initiating messages with bogus content,
183 and against malicious actors from modifying message contents in transit. Sender Policy

184 Framework (SPF) is the standardized way for a sending domain to identify and assert the
185 authorized mail senders for a given domain. Domain Keys Identified Mail (DKIM) is the
186 mechanism for eliminating the vulnerability of man-in-the-middle content modification by using
187 digital signatures generated from the sending mail server.

188 Domain based Message Authentication, Reporting and Conformance (DMARC) was conceived
189 to allow email senders to specify policy on how their mail should be handled, the types of
190 security reports that receivers can send back, and the frequency those reports should be sent.
191 Standardized handling of SPF and DKIM removes guesswork about whether a given message is
192 authentic, benefitting receivers by allowing more certainty in quarantining and rejecting
193 unauthorized mail. In particular, receivers compare the “From” address in the message to the
194 SPF and DKIM results, if present, and the DMARC policy in the DNS. The results are used to
195 determine how the mail should be handled. The receiver sends reports to the domain owner about
196 mail claiming to originate from their domain. These reports should illuminate the extent to which
197 unauthorized users are using the domain, and the proportion of mail received that is “good.”

198 Man-in-the-middle attacks can intercept cleartext email messages as they are transmitted hop-by-
199 hop between mail relays. Any bad actor, or organizationally privileged actor, can read such mail
200 as it travels from submission to delivery systems. Email message confidentiality can be assured
201 by encrypting traffic along the path. The Transport Layer Security Protocol (TLS) uses an
202 encrypted channel to protect message transfers from man-in-the-middle attacks. TLS relies on
203 the Public Key Infrastructure (PKI) system of X.509 certificates to carry exchange material and
204 provide information about the entity holding the certificate. These are usually generated by a
205 Certificate Authority (CA). The global CA ecosystem has in recent years become the subject to
206 attack, and has been successfully compromised more than once. One way to protect against CA
207 compromises is to use the DNS to allow domains to specify their intended certificates or vendor
208 CAs. Such uses of DNS require that the DNS itself be secured with DNSSEC. Correctly
209 configured deployment of TLS may not stop a passive eavesdropper from viewing encrypted
210 traffic, but does practically eliminate the chance of deciphering it.

211 Server to server transport layer encryption also assures the integrity of email in transit, but
212 senders and receivers who desire end-to-end assurance, (i.e. mailbox to mailbox) may wish to
213 implement end-to-end, message based authentication and confidentiality protections. The sender
214 may wish to digitally sign and/or encrypt the message content, and the receiver can authenticate
215 and/or decrypt the received message. Secure Multipurpose Internet Mail Extensions (S/MIME) is
216 the recommended protocol for email end-to-end authentication and confidentiality. S/MIME is
217 particularly useful for authenticating mass email mailings originating from mailboxes that are not
218 monitored, since the protocol uses PKI to authenticate digitally signed messages, avoiding the
219 necessity of distributing the sender’s public key certificate in advance. This usage of S/MIME is
220 not common at the present time, but is recommended. Encrypted mass mailings are more
221 problematic, as S/MIME senders need to possess the certificate of each recipient if the sender
222 wishes to send encrypted mail. Research is underway that will allow the DNS to be used as a
223 lightweight publication infrastructure for S/MIME certificates.

224 Email communications cannot be made trustworthy with a single package or application. It
225 involves incremental additions to basic subsystems, with each technology adapted to a particular
226 task. Some of the techniques use other protocols such as DNS to facilitate specific security

- 227 functions like domain authentication, content encryption and message originator authentication.
- 228 These can be implemented discretely or in aggregate, according to organizational needs.

Table of Contents

229

230 **Executive Summary v**

231 **1 Introduction 1**

232 1.1 What This Guide Covers 1

233 1.2 What This Guide Does Not Cover 1

234 1.3 Document Structure 1

235 1.4 Conventions Used in this Guide 2

236 **2 Elements of Email 3**

237 2.1 Email Components 3

238 2.1.1 Mail User Agents (MUAs) 3

239 2.1.2 Mail Transfer Agents (MTAs) 4

240 2.1.3 Special Use Components 4

241 2.1.4 Special Considerations for Cloud and Hosted Service Customers 4

242 2.1.5 Email Server and Related Component Architecture 5

243 2.2 Related Components 5

244 2.2.1 Domain Name System 5

245 2.2.2 Enterprise Perimeter Security Components 6

246 2.2.3 Public Key Infrastructure (PKIX) 6

247 2.3 Email protocols 6

248 2.3.1 Simple Mail Transfer Protocol (SMTP) 7

249 2.3.2 Mail Access Protocols (POP3, IMAP, MAPI/RPC) 8

250 2.3.3 Internet Email Addresses 8

251 2.4 Email Formats 9

252 2.4.1 Email Message Format: Multi-Purpose Internet Mail Extensions

253 (MIME) 9

254 2.4.2 Security in MIME Messages (S/MIME) 10

255 2.4.3 Pretty Good Privacy (PGP/OpenPGP) 10

256 2.5 Secure Web-Mail Solutions 12

257 **3 Security Threats to an Email Service 13**

258 3.1 Integrity-related Threats 13

259 3.1.1 Unauthorized Email Senders within an organization’s IP address block

260 13

261 3.1.2 Unauthorized Email Receiver within an Organization’s IP Address

262 Block 14

263 3.1.3 Unauthorized Email Messages from a Valid DNS Domain (Address

264 Spoofing)..... 15

265 3.1.4 Tampering/Modification of Email Content..... 15

266 3.1.5 DNS Cache Poisoning..... 15

267 3.1.6 Phishing and Spear Phishing 16

268 3.2 Confidentiality-related Threats 17

269 3.3 Availability-related Threats..... 18

270 3.3.1 Email Bombing 18

271 3.3.2 Unsolicited Bulk Email (Spam) 19

272 3.3.3 Availability of Email Servers 20

273 3.4 Summary of Threats and Mitigations 20

274 3.5 Security Recommendations Summary 22

275 **4 Authenticating a Sending Domains and Individual Mail Messages 23**

276 4.1 Introduction 23

277 4.2 Visibility to End Users 25

278 4.3 Requirements for Using Domain-based Authentication Techniques for

279 Federal Systems 25

280 4.4 Sender Policy Framework (SPF)..... 25

281 4.4.1 Background 26

282 4.4.2 SPF on the Sender Side..... 27

283 4.4.3 SPF and DNS..... 30

284 4.4.4 Considerations for SPF when Using Cloud Services or Contracted

285 Services 30

286 4.4.5 SPF on the Receiver Side 31

287 4.5 DomainKeys Identified Mail (DKIM) 32

288 4.5.1 Background 33

289 4.5.2 DKIM on the Sender Side..... 33

290 4.5.3 Generation and Distribution of the DKIM Key Pair 33

291 4.5.4 Example of a DKIM Signature 35

292 4.5.5 Generation and Provisioning of the DKIM Resource Record..... 36

293 4.5.6 Example of a DKIM RR 36

294 4.5.7 DKIM and DNS 37

295 4.5.8 DKIM Operational Considerations 37

296 4.5.9 DKIM on the Receiver Side 38

297 4.5.10 Issues with Mailing Lists 39

298 4.5.11 Considerations for Enterprises When Using Cloud or Contracted Email

299 Services 39

300 4.6 Domain-based Message Authentication, Reporting and Conformance

301 (DMARC) 40

302 4.6.1 DMARC on the Sender Side..... 40

303 4.6.2 The DMARC DNS Record 41

304 4.6.3 Example of DMARC RR’s..... 43

305 4.6.4 DMARC on the Receiver Side 44

306 4.6.5 Policy and Reporting 45

307 4.6.6 Considerations for Agencies When Using Cloud or Contracted Email

308 Services 46

309 4.6.7 Mail Forwarding..... 47

310 4.7 Authenticating Mail Messages with Digital Signatures 48

311 4.7.1 End-to-End Authentication Using S/MIME Digital Signatures..... 49

312 4.8 Recommendation Summary 50

313 **5 Protecting Email Confidentiality 52**

314 5.1 Introduction 52

315 5.2 Email Transmission Security..... 52

316 5.2.1 TLS Configuration and Use 53

317 5.2.2 X.509 Certificates 54

318 5.2.3 STARTTLS 57

319 5.2.4 SMTP Security via Opportunistic DNS-based Authentication of Named

320 Entities (DANE) Transport Layer Security (TLS) 59

321 5.2.5 Deployable Enhanced Email Privacy (DEEP)..... 60

322 5.3 Email Content Security 61

323 5.3.1 S/MIME and SMIMEA..... 61

324 5.3.2 OpenPGP and OPENPGPKEY 63

325 5.4 Security Recommendation Summary..... 64

326 **6 Reducing Unsolicited Bulk Email 65**

327 6.1 Introduction 65

328 6.2 Why an Organization May Want to Reduce Unsolicited Bulk Email..... 65

329 6.3 Techniques to Reduce Unsolicited Bulk Email..... 65

330 6.3.1 Approved/Non-approved Sender Lists..... 66

331 6.3.2 Domain-based Authentication Techniques 67

332 6.3.3 Content Filtering 68

333 6.4 User Education 68

334 **7 End User Email Security..... 70**

335 7.1 Introduction 70

336 7.2 Webmail Clients 70

337 7.3 Standalone Clients..... 70

338 7.3.1 Sending via SMTP 70

339 7.3.2 Receiving via IMAP 71

340 7.3.3 Receiving via POP3..... 71

341 7.4 Mailbox Security..... 72

342 7.4.1 Confidentiality of Data in Transit..... 72

343 7.4.2 Confidentiality of Data at Rest 72

344 7.5 Security Recommendation Summary..... 73

345

346 **List of Appendices**

347 **Appendix A— Acronyms 74**

348 **Appendix B— References 75**

349 B.1 NIST Publications 75

350 B.2 Core Email Protocols 76

351 B.3 Sender Policy Framework (SPF)..... 77

352 B.4 DomainKeys Identified Mail (DKIM) 77

353 B.5 Domain-based Message Authentication, Reporting and Conformance

354 (DMARC) 78

355 B.6 Cryptography and Public Key Infrastructure (PKI) 78

356 B.7 Other..... 80

357

358 **List of Figures**

359 Fig 2-1: Main Components Used for Email..... 3

360 Fig 2-2: Basic SMTP Connection Set-up..... 7

361 Fig 4-1: Two models for sending digitally signed mail. 49

362 Fig 5-1: Example of X.509 Certificate 56
363 Fig 6-1 Inbound email "pipeline" for UBE filtering 65
364 Fig 6-2 Outbound email "pipeline" for UBE filtering 66

365

366

List of Tables

367 Table 2-1: Comparison of S/MIME and OpenPGP operations 12
368 Table 4-1: SPF Mechanisms 28
369 Table 4-2: SPF Mechanism Qualifiers 29
370 Table 4-3: Recommended Cryptographic Key Parameters 34
371 Table 4-4: DKIM Signature Tag and Value Descriptions 35
372 Table 4-5: DKIM RR Tag and Value Descriptions 36
373 Table 4-6: DMARC RR Tag and Value Descriptions 41
374 Table 4-7: Common relay techniques and their impact on domain-based authentication
375 47

376

377 **1 Introduction**

378 **1.1 What This Guide Covers**

379 This guide provides recommendations for deploying protocols and technologies that improve the
380 trustworthiness of email. These recommendations reduce the risk of spoofed email being used as
381 an attack vector and reduce the risk of email contents being disclosed to unauthorized parties.
382 These recommendations cover both the email sender and receiver.

383 Several of the protocols discussed in this guide use technologies beyond the core email protocols
384 and systems. These includes the Domain Name System (DNS), Public Key Infrastructure (PKI)
385 and other core Internet protocols. This guide discusses how these systems can be used to provide
386 security services for email.

387 **1.2 What This Guide Does Not Cover**

388 This guide views email as a service, and thus it does not discuss topics such as individual server
389 hardening, configuration and network planning. These topics are covered in NIST Special
390 Publication 800-45, Version 2 of February 2007, *Guidelines on Electronic Mail Security* [SP800-
391 45]. This guide should be viewed as a companion document to SP 800-45 that provides more
392 updated guidance and recommendations that covers multiple components. This guide attempts to
393 provide a holistic view of email and will only discuss individual system recommendations as
394 examples warrant.

395 Likewise, this guide does not give specific configuration details for email components. There are
396 a variety of hardware and software components that perform one or multiple email related tasks
397 and it would be impossible to list them all in one guide. This guide will discuss protocols and
398 configuration in an implementation neutral manner and administrators will need to consult their
399 system documentation on how to execute the guidance for their specific implementations.

400 **1.3 Document Structure**

401 The rest of the document is presented in the following manner:

- 402 • **Section 2:** Discusses the core email protocols and the main components such as Mail
403 Transfer Agents (MTA) and Mail User Agents (MUA), and cryptographic email formats.
404
- 405 • **Section 3:** Discusses the threats against an organization's email service such as phishing,
406 spam and denial of service (DoS).
407
- 408 • **Section 4:** Discusses the protocols and techniques a sending domain can use to
409 authenticate valid email senders for a given domain. This includes protocols such as
410 Sender Policy Framework (SPF), DomainKeys Identified Mail (DKIM) and Domain-
411 based Message and Reporting Conformance (DMARC).
412

- 413 • **Section 5:** Discusses server-to-server and end-to-end email authentication and
414 confidentiality of message contents. This includes email sent over Transport Layer
415 Security (TLS), Secure Multipurpose Internet Mail Extensions (S/MIME) and OpenPGP.
416
- 417 • **Section 6:** Discusses technologies to reduce unsolicited and (often) malicious email
418 messages sent to a domain.
419
- 420 • **Section 7:** Discusses email security as it relates to end users and the final hop between
421 local mail delivery servers and email clients. This includes Internet Message Access
422 Protocol (IMAP), Post Office Protocol (POP3), and techniques for email encryption.
423

424 **1.4 Conventions Used in this Guide**

425 Throughout this guide, the following format conventions are used to denote special use text:

426 **keyword** - The text relates to a protocol keyword or text used as an example.

427 **Security Recommendation:** - Denotes a recommendation that administrators should note
428 and account for when deploying the given protocol or security feature.


429 URLs are also included in the text and references to guide readers to a given website or online
430 tool designed to aid administrators. This is not meant to be an endorsement of the website or any
431 product/service offered by the website publisher. All URLs were considered valid at the time of
432 writing.

433 2 Elements of Email

434 2.1 Email Components

435 There are a number of software components used to produce, send and transfer email. These
 436 components can be classified as clients or servers, although some components act as both. Some
 437 components are used interactively, and some are completely automated. In addition to the core
 438 components, some organizations use special purpose components that provide a specific set of
 439 security features. There are also other components used by mail servers when performing
 440 operations. These include the Domain Name System (DNS) and other network infrastructure
 441 pieces.

442 Fig 2-1 shows the relationship between the email system components on a network, which are
 443 described below in greater detail.



444

445

Fig 2-1: Main Components Used for Email

446 2.1.1 Mail User Agents (MUAs)

447 Most end users interact with their email system via a Mail User Agent (MUA). A MUA is a
 448 software component (or web interface) that allows an end user to compose and send messages
 449 and to one or more recipients. A MUA transmits new messages to a server for further processing
 450 (either final delivery or transfer to another server). The MUA is also the component used by end
 451 users to access a mailbox where in-bound emails have been delivered. MUAs are available for a
 452 variety of systems including mobile hosts. The proper secure configuration for an MUA depends
 453 on the MUA in question and the system it is running on. Some basic recommendations can be
 454 found in Section 7.

455 MUAs may utilize several protocols to connect to and communicate with email servers, (see
 456 Section 2.3.2 below). There may also be other features as well such as a cryptographic interface
 457 for producing encrypted and/or digitally signed email.

458 2.1.2 Mail Transfer Agents (MTAs)

459 Email is transmitted, in a “store and forward” fashion, across networks via Mail Transfer Agents
460 (MTAs). MTAs communicate using the Simple Mail Transfer Protocol (SMTP) described below
461 and act as both client and server, depending on the situation. For example, an MTA can act as a
462 server when accepting an email message from an end user's MUA, then act as a client in
463 connecting to and transferring the message to the recipient domain's MTA for final delivery.

464 MTAs can be described with more specialized language that denotes specific functions:

- 465 • **Mail Submission Agents (MSA):** An MTA that accepts mail from MUAs and begins the
466 transmission process by sending it to a MTA for further processing. Often the MSA and
467 first-hop MTA is the same process, just fulfilling both roles.
468
- 469 • **Mail Delivery Agent (MDA):** An MTA that receives mail from an organization's
470 inbound MTA and ultimately places the message in a specific mailbox. Like the MSA,
471 the MDA could be a combined in-bound MTA and MDA component.
472

473 Mail servers may also perform various security functions to prevent malicious email from being
474 delivered or include authentication credentials such as digital signatures (see Sender Policy
475 Framework Section 4.5 and DomainKeys Identified Mail (DKIM) Section 4.3). These security
476 functions may be provided by other components that act as lightweight MTAs or these functions
477 may be added to MTAs via filters or patches.

478 2.1.3 Special Use Components

479 In addition to MUAs and MTAs, an organization may use one or more special purpose
480 components for a particular task. These components may provide a security function such as
481 malware filtering, or may provide some business process functionality such as email archiving or
482 content filtering. These components may exchange messages with other parts of the email
483 infrastructure using all or part of the Simple Mail Transfer Protocol (see below) or use another
484 protocol altogether.

485 Given the variety of components, there is no one single set of configurations for an administrator
486 to deploy, and different organizations have deployed very different email architectures. An
487 administrator should consult the documentation for their given component and their existing site-
488 specific architecture.

489 2.1.4 Special Considerations for Cloud and Hosted Service Customers

490 Organizations that outsource their email service (whole or in part) may not have direct access to
491 MTAs or any possible special use components. In cases of Email as a Service (EaaS), the service
492 provider is responsible for the email infrastructure. Customers of Infrastructure as a Service
493 (IaaS) may have sufficient access privileges to configure their email servers themselves. In either
494 architecture, the enterprise may have complete configuration control over MUAs in use.

495 **2.1.5 Email Server and Related Component Architecture**

496 How an organization architects its email infrastructure is beyond the scope of this document. It is
497 up to the organization and administrators to identify key requirements (availability, security, etc.)
498 and available product or service offerings to meet those requirements. Federal IT administrators
499 also need to take relevant federal IT policies into account when acquiring and deploying email
500 systems.

501 Guidance for deploying and configuring a MTA for federal agency use exists as NIST SP 800-45
502 "Guidelines on Electronic Mail Security" [SP800-45]. In addition, the Dept. of Homeland
503 Security (DHS) has produced the "Email Gateway Reference Architecture" [REFARCH] for
504 agencies to use as a guide when setting up or modifying the email infrastructure for an agency.

505 **2.2 Related Components**

506 In addition to MUAs and MTAs, there are other network components used to support the email
507 service for an organization. Most obviously is the physical infrastructure: the cables, wireless
508 access points, routers and switches that make up the network. In addition, there are network
509 components used by email components in the process of completing their tasks. This includes the
510 Domain Name System, Public Key Infrastructure, and network security components that are used
511 by the organization.

512 **2.2.1 Domain Name System**

513 The Domain Name System (DNS) is a global, distributed database and associated lookup
514 protocol. DNS is used to map a piece of information (most commonly a domain name) to an IP
515 address used by a computer system. The DNS is used by MUAs to find MSAs and MTAs to find
516 the IP address of the next-hop server for mail delivery. Sending MTAs query DNS for the Mail
517 Exchange Resource Record (MX RR) of the recipient's domain (the part of an email address to
518 the right of the "@" symbol) in order to find the receiving MTA to contact.

519 In addition to the "forward" DNS (translate domain names to IP addresses or other data), there is
520 also the "reverse" DNS reverse tree that is used to map IP addresses to their corresponding DNS
521 name, or other data. Traditionally, the reverse tree is used to obtain the domain name for a given
522 client based on the source IP address of the connection, but it is also used as a crude, highly
523 imperfect authentication check. A host compares the forward and reverse DNS trees to check
524 that the remote connection is likely valid and not a potential attacker abusing a valid IP address
525 block. This can be more problematic in IPv6, where even small networks can be assigned very
526 large address blocks. Email anti-abuse consortiums recommend that enterprises should make
527 sure that DNS reverse trees identify the authoritative mail servers for a domain [M3AAWG].

528 The DNS is also used as the publication method for protocols designed to protect email and
529 combat malicious, spoofed email. Technologies such as Sender Policy Framework (SPF),
530 DomainKeys Identified Mail (DKIM) and other use the DNS to publish policy artifacts or public
531 keys that can be used by receiving MTAs to validate that a given message originated from the
532 purported sending domain's mail servers. These protocols are discussed in Section 4. In addition,
533 there are new proposals to encode end-user certificates (for S/MIME or OpenPGP) in the DNS
534 using a mailbox as the hostname. These protocols are discussed in Section 5.3.

535 A third use of the DNS with email is with reputation services. These services provide
536 information about the authenticity of an email based on the purported sending domain or
537 originating IP address. These services do not rely on the anti-spoofing techniques described
538 above but through historical monitoring, domain registration history, and other information
539 sources. These services are often used to combat unsolicited bulk email (i.e. spam) and malicious
540 email that could contain malware or links to subverted websites.

541 The Domain Name System Security Extensions (DNSSEC) [RFC4033] provides cryptographic
542 security for DNS queries. Without security, DNS can be subjected to a variety of spoofing and
543 man-in-the-middle attacks. Recommendations for deploying DNS in a secure manner are beyond
544 the scope of this document. Readers are directed to NIST SP 800-81 [SP800-81] for
545 recommendations on deploying DNSSEC.

546 **2.2.2 Enterprise Perimeter Security Components**

547 Organizations may utilize security components that do not directly handle email, but may
548 perform operations that affect email transactions. These include network components like
549 firewalls, Intrusion Detection Systems (IDS) and similar malware scanners. These systems may
550 not play any direct role in the sending and delivering of email but may have a significant impact
551 if misconfigured. This could result in legitimate SMTP connections being denied and the failure
552 of valid email to be delivered. Network administrators should take the presence of these systems
553 into consideration when making changes to an organization's email infrastructure.

554 **2.2.3 Public Key Infrastructure (PKIX)**

555 Organizations that send and receive S/MIME or OpenPGP protected messages will also need to
556 rely on the certificate infrastructure used with these protocols. The certificate infrastructure does
557 not always require the deployment of a dedicated system, but does require administrator time to
558 obtain, configure and distribute security credentials to end-users.

559 S/MIME uses X.509 certificates [RFC5280] to certify and store public keys used to validate
560 digital signatures and encrypt email. The Internet X.509 Public Key Infrastructure Certificate and
561 Certificate Revocation List (CRL) Profile is commonly called PKIX and is specified by
562 [RFC5280]. Certificate Authorities (CA) (or the organization itself) issues X.509 certificates for
563 an individual end-user or enterprise/business role (performed by a person or not) that sends email
564 (for S/MIME). Separately, X.509 certificates can also be used to authenticate one (or both) ends
565 of a TLS connection when SMTP runs over TLS (usually MUA to MTA). Recommendations for
566 S/MIME protected email are given in Section 5. Recommendations for SMTP over TLS are
567 given in Section 5. Federal agency network administrators should also consult NIST SP 800-57
568 Part 3 [SP800-57P3] for further guidance on cryptographic parameters and deployment of any
569 PKI components and credentials within an organization.

570 **2.3 Email protocols**

571 There are two types of protocols used in the transmission of email. The first are the protocols
572 used to transfer messages between MTAs and their end users (using MUAs). The second is the
573 protocol used to transfer messages between mail servers.

574 This guide is not meant to be an in-depth discussion of the protocols used in email. The protocols
575 discussed here simply for background information.

576 2.3.1 Simple Mail Transfer Protocol (SMTP)

577 Email messages are transferred from one mail server to another (or from an MUA to
578 MSA/MTA) using the Simple Mail Transfer Protocol (SMTP). SMTP was originally specified in
579 1982 as RFC 821 and has undergone several revisions, the most current being RFC 5321
580 [RFC5321]. SMTP is a text-based client-server protocol where the client (email sender) contacts
581 the server (next-hop MTA) and issues a set of commands to tell the server about the message to
582 be sent, and then transmits the message itself. The majority of these commands are ASCII text
583 messages sent by the client and a resulting return code (also ASCII text) returned by the server.
584 The basic SMTP connection procedure is shown below in Fig 2-2:

```

585 Client connects to port 25
586 Server: 220 mx.example.com
587 Client: HELO mta.example.net
588 S: 250 Hello mta.example.net, I am glad to meet you
589 C: MAIL FROM:<alice@example.org>
590 S: 250 Ok
591 C: RCPT TO:<bob@example.com>
592 S: 354 End data with <CR><LF>.<CR><LF>
593 Client sends message headers and body
594 C: .
595 S: 250 Ok: queued as 12345
596 C: QUIT
597 S: 221 Bye
598 Server closes the connection

```

599 **Fig 2-2: Basic SMTP Connection Set-up**

600 In the above, the client initiates the connection using TCP over port 25¹. After the initial
601 connection the client and server perform a series of SMTP transactions to send the message.
602 These transactions take the form of first stating the return address of the message (known as the
603 return path) using the **MAIL** command, then the recipient(s) using the **RCPT** command and
604 ending with the **DATA** command which contains the header and body of the email message.
605 After each command the server response with either a positive or negative (i.e. error) code.

606 SMTP servers can advertise the availability of options during the initial connection. These
607 extensions are currently defined in RFC 5321 [RFC5321]. These options usually deal with the
608 transfer of the actual message and will not be covered in this guide except for the STARTTLS
609 option. This option advertised by the server is used to indicate to the client that Transport Layer
610 Security (TLS) is available. SMTP over TLS allows the email message to be sent over an

¹ Although MUAs often use TCP port 587 when submitting email to be sent.

611 encrypted channel to protect against monitoring a message in transit. Recommendations for
612 configuring SMTP over TLS are given in Section 5.2.

613 **2.3.2 Mail Access Protocols (POP3, IMAP, MAPI/RPC)**

614 MUAs typically do not use SMTP when retrieving mail from an end-user's mailbox. MUAs use
615 another client-server protocol to retrieve the mail from a server for display on an end-user's host
616 system. These protocols are commonly called Mail Access Protocols and are either Post Office
617 Protocol (POP3) or Internet Message Access Protocol (IMAP). Most modern MUAs support
618 both protocols but an enterprise service may restrict the use of one in favor of a single protocol
619 for ease of administration or other reasons. Recommendations for the secure configuration of
620 these protocols are given in Section 7.

621 POP version 3 (POP3) [STD35] is the simpler of the two protocols and typically downloads all
622 mail for a user from the server, then deletes the copy on the server, although there is an option to
623 maintain it on the server. POP3 is similar SMTP, in that the client connects to a port (normally
624 port 110 or port 995 when using TLS) and sends ASCII commands, to which the server
625 responds. When the session is complete, the client terminates the connection. POP3 transactions
626 are normally done in the clear, but an extension is available to do POP3 over TLS using the
627 STLS command, which is very similar to the STARTTLS option in SMTP. Clients may connect
628 initially over port 110 and invoke the STLS command, or alternatively, most servers allow TLS
629 by default connections on port 995.

630 IMAP [RFC3501] is an alternative to POP3 but includes more built-in features that make it more
631 appealing for enterprise use. IMAP clients can download email messages, but the messages
632 remain on the server. This and the fact that multiple clients can access the same mailbox
633 simultaneously mean that end-users with multiple devices (laptop and smartphone for example),
634 and keep their email synchronized across multiple devices. Like POP3, IMAP also has the ability
635 to secure the connection between a client and a server. Traditionally, IMAP uses port 143 with
636 no encryption. Encrypted IMAP runs over port 993, although modern IMAP servers also support
637 the STARTTLS option on port 143.

638 In addition to POP3 and IMAP, there are other proprietary protocols in use with certain
639 enterprise email implementations. Microsoft Exchange clients² can use the Messaging
640 Application Programming Interface (MAPI/RPC) to access a mailbox on a Microsoft Exchange
641 server (and some other compatible implementations). Some cloud providers require clients to
642 access their cloud-based mailbox using a web portal as the MUA instead of a dedicated email
643 client. With the exception of Microsoft's Outlook Web Access, most web portals use IMAP to
644 access the user's mailbox.

645 **2.3.3 Internet Email Addresses**

646 Two distinct email addresses are used when sending an email via SMTP: the SMTP MAIL

² Administrators should consult their implementation's version-specific documentation on the correct security configuration.

647 FROM address and the email header FROM address. The SMTP envelope MAIL FROM (also
648 sometimes referred to as the *RFC5321.From*, or the *return-path* address, or *envelope From:*), is
649 from address used in the client SMTP **mail from:** command as shown in Fig. 2-2 above. This
650 email address is often altered by a sending MTA is may not always match the email address of
651 the original sender. In the rest of this document, the term *envelope-From:* will be used. The
652 second is the sender email address (sometimes referred to as the *RFC5322.From*). This is
653 address end-users see in the message header. In the rest of this document, the term *message-*
654 *From:* will be used to denote this email address. The full details of the syntax and semantics of
655 email addresses are defined in RFC 3696 [RFC3696], RFC 5321 [RFC5321] and RFC 5322
656 [RFC5322].

657 Both types of contemporary email addresses consist of a local-part separated from a domain-part
658 (a fully-qualified domain name) by an at-sign ("@") (e.g., **local-part@domain-part**). Typically,
659 the local-part identifies a user of the mail system or server identified by the domain-part. The
660 domain-part is typically a fully qualified domain name of the system or service that hosts the
661 user account that is identified in the local-part (e.g., **user@example.com**).

662 While the **user@example.com** is by far the most widely used form of email address, other
663 forms of addresses are sometimes used. For example, the local-part may include “sub-
664 addressing” that typically specifies a specific mailbox/folder within a user account (e.g.,
665 **user+folder@example.com**). Exactly how such local-parts are interpreted can vary across
666 specific mail system implementations. The domain-part can refer to a specific MTA server, the
667 domain of a specific enterprise or email service provider (ESP).

668 The remainder of this document will use the terms *email-address*, *local-part* and *domain-part* to
669 refer the Internet email addresses and their component parts.

670 2.4 Email Formats

671 Email messages may be formatted as plain text or as compound documents containing one or
672 more components and attachments. Modern email systems layer security mechanisms on top of
673 these underlying systems.

674 2.4.1 Email Message Format: Multi-Purpose Internet Mail Extensions (MIME)


675 Internet email was originally sent as plain text ASCII messages [RFC2822]. The Multi-purpose
676 Internet Mail Extensions (MIME) [RFC2045][RFC2046][RFC2047] allows email to contain
677 non-ASCII character sets as well as other non-text message components and attachments.
678 Essentially MIME allows for an email message to be broken into parts, with each part identified
679 by a content type. Typical content types include **text/plain** (for ASCII text), **image/jpeg**,
680 **text/html**, etc. A mail message may contain multiple parts, which themselves may contain
681 multiple parts, allowing MIME-formatted messages to be included as attachments in other
682 MIME-formatted messages. The available types are listed in an IANA registry³ for developers,
683 but not all may be understood by all MUAs.

³ <http://www.iana.org/assignments/media-types/media-types.xhtml>

684 2.4.2 Security in MIME Messages (S/MIME)

685 The Secure Multi-purpose Internet Mail Extensions (S/MIME) is a set of widely implemented
 686 proposed Internet standards for cryptographically securing email [RFC5750][RFC5751].
 687 S/MIME provides authentication, integrity and non-repudiation (via digital signatures) and
 688 confidentiality (via encryption). S/MIME utilizes asymmetric keys for cryptography (i.e. public
 689 key cryptography) where the public portion is normally encoded and presented as X.509 digital
 690 certificates.

691 With S/MIME, signing digital signatures and message encryption are two distinct operations:
 692 messages can be digitally signed, encrypted, or both digitally signed *and* encrypted (Fig 2-5).
 693 Because the process is first to sign and then encrypt, S/MIME is vulnerable to re-encryption
 694 attacks⁴; a protection is to include the name of the intended recipient in the encrypted message.



695

696 Fig 2-5: S/MIME Messages can be signed, encrypted, or both signed and encrypted

697 2.4.3 Pretty Good Privacy (PGP/OpenPGP)

698 OpenPGP [RFC3156][RFC4880] is an alternative proposed Internet standard for digitally
 699 signing and encrypting email. OpenPGP is an adaption of the message format implemented by
 700 the Pretty Good Privacy (PGP) email encryption system that was first released in 1991. Whereas
 701 the PGP formats were never formally specified, OpenPGP specifies open, royalty-free formats
 702 for encryption keys, signatures, and messages. Today the most widely used implementation of
 703 OpenPGP is Gnu Privacy Guard (gpg)⁵, an open source command-line program that runs on
 704 many platforms. Most desktop and web-based applications that allow users to send and receive
 705 OpenPGP-encrypted mail rely on gpg as the actual cryptographic engine.

706 OpenPGP provides similar functionality as S/MIME, with two significant differences:

⁴ Don Davis. 2001. Defective Sign & Encrypt in S/MIME, PKCS#7, MOSS, PEM, PGP, and XML. In *Proceedings of the General Track: 2001 USENIX Annual Technical Conference*, Yoonho Park (Ed.). USENIX Association, Berkeley, CA, USA, 65-78.

⁵ <https://www.gnupg.org/>

- 707 • **Key Certification:** Whereas X.509 certificates are issued by Certificate Authorities (or
 708 local agencies that have been delegated authority by a CA to issue certificates), users
 709 generate their own OpenPGP public and private keys and then solicit signatures for their
 710 public keys from individuals or organizations to which they are known. Whereas X.509
 711 certificates can be signed by a single party, OpenPGP public keys can be signed by any
 712 number of parties. Whereas X.509 certificates are trusted if there is a valid PKIX chain to
 713 a trusted root, an OpenPGP public key is trusted if it is signed by another OpenPGP
 714 public key that is trusted by the recipient. This is called the “Web-of-Trust.”
 715
- 716 • **Key Distribution:** OpenPGP does not always include the sender’s public key with each
 717 message, so it may be necessary for recipients to of OpenPGP-messages to separately
 718 obtain the sender’s public key in order to verify the message or respond to the sender
 719 with an encrypted message. Many organizations post OpenPGP keys on SSL-protected
 720 websites: people who wish to verify digital signatures or send these organizations
 721 encrypted mail need to manually download these keys and add them to their OpenPGP
 722 clients. Essentially this approach leverages the X.509 certificate infrastructure to certify
 723 OpenPGP keys, albeit with a process that requires manual downloading and verification.
 724
- 725 OpenPGP keys may also be registered with the OpenPGP “public key servers” (described
 726 below). OpenPGP “public key servers” are computers that maintain a database of PGP
 727 public keys organized by email address. Anyone may post a public key to the OpenPGP
 728 key servers, and that public key may contain any email address. Some OpenPGP clients
 729 can search the key servers for all of the keys that belong to a given email address and
 730 download the keys that match. Because there are no access controls on the servers,
 731 attackers are free to submit a fraudulent certificate, and it is the responsibility of the
 732 person or program that downloads the certificate to validate it.

733 The Web-of-Trust is designed to minimize the problems of the key server. After an OpenPGP
 734 user downloads *all* of the keys associated with a particular email address, the correct OpenPGP
 735 certificate is selected by the signatures that it carries. Because Web-of-Trust supports arbitrary
 736 validation geometries, it allows both the top-down certification geometry of X.509 as well as
 737 peer-to-peer approaches. However, academic studies demonstrate that users find this process
 738 confusing [WHITTEN1999], and the Web-of-Trust has not seen widespread adoption.

739 An alternative way to publish OpenPGP keys using the DNS is described in Section 5.3.2,
 740 OpenPGP, although the technique has not been widely adopted.

741 Like S/MIME, one of the biggest hurdles of deploying OpenPGP has been the need for users to
 742 create certificates in advance and the difficulty of obtaining the certificate of another user in
 743 order to send an encrypted message. However, in OpenPGP this difficulty impacts both digital
 744 signatures and encryption, since OpenPGP messages may not include the sender’s certificate.

745 These differences are summarized in Table 2-1.

746

Table 2-1: Comparison of S/MIME and OpenPGP operations

Action	S/MIME	OpenPGP
Key creation	Users obtain X.509 certificates from employer (e.g. a US Government PIV card [FIPS 201]) or a Certificate Authority	Users make their own public/private key pairs and have them certified by associates.
Certificate Verification	PKIX: Certificates are verified using trusted roots that are installed on the end user's computer.	Web-of-Trust: Keys can be signed by any number of certifiers. Users base their trust decisions on whether or not they "trust" the keys that were used to sign the key.
Certificate Revocation	Certificates can be revoked by the CA or Issuer	Certificates can only be revoked by the public key's owner.
Obtaining public keys	Querying an LDAP server or exchanging digitally signed email messages.	PGP public key server or out-of-band mechanisms (e.g. posting a public key on a web page.)

747 **2.5 Secure Web-Mail Solutions**

748 Whereas S/MIME and OpenPGP provide a security overlay for traditional Internet email, some
 749 organizations have adopted secure web-mail systems as an alternative approach for sending
 750 encrypted e-mail messages between users. Secure web-mail systems can protect email messages
 751 solely with host-based security, or they can implement a cryptographic layer using S/MIME,
 752 OpenPGP, or other algorithms, such as the Boneh-Franklin (BF) and Boneh-Boyen (BB1)
 753 Identity-Based Encryption (IBE) algorithms [RFC5091][RFC5408][RFC5409].

754 Secure webmail systems can perform message decryption at the web server or on the end-users
 755 client. In general, these systems are less secure than end-to-end systems because the private key
 756 is under the control of the web server, which also has access to the encrypted message. These
 757 systems cannot guarantee non-repudiation, since the the server has direct access to the signing
 758 key.

759 An exception is webmail-based systems that employ client-side software to make use of a private
 760 key stored at the client—for example, a webmail plug-in that allows the web browser to make
 761 use of a private key stored in a FIPS-201 compliant smartcard. In these cases, the message is
 762 decrypted and displayed at the client, and the server does not access the decrypted text of the
 763 message.

764 **3 Security Threats to an Email Service**

765 The security threats to email service discussed in this section are related to canonical functions of
 766 the service such as: message submission (at the sender end), message transmission (transfer) and
 767 message delivery (at the recipient end).

768 Threats to the core email infrastructure functions can be classified as follows:

- 769 • **Integrity-related threats to the email system**, which could result in unauthorized access
 770 to an enterprises' email system, or spoofed email used to initiate an attack.
- 771 • **Confidentiality-related threats to email**, which could result in unauthorized disclosure
 772 of sensitive information.
- 773 • **Availability-related threats to the email system**, which could prevent end users from
 774 being able to send or receive email.

775 The security threats due to insufficiency of core security functions are not covered. These
 776 include threats to support infrastructure such as network components and firewalls, host OS and
 777 system threats, and potential attacks due to lax security policy at the end user or administrator
 778 level (e.g., poor password choices). Threats directed to these components and recommendations
 779 for enterprise security policies are found in other documents.

780 **3.1 Integrity-related Threats**

781 Integrity in the context of an email service assumes multiple dimensions. Each dimension can be
 782 the source of one or more integrity-related threats:

- 783 • Unauthorized email senders within an organization's IP address block
- 784 • Unauthorized email receivers within an organization's IP address block
- 785 • Unauthorized email messages from a valid DNS domain
- 786 • Tampering/Modification of email content from a valid DNS domain
- 787 • DNS Cache Poisoning
- 788 • Phishing and spear phishing

789 **3.1.1 Unauthorized Email Senders within an organization's IP address block**

790 An unauthorized email sender is some MSA or MTA that sends email messages that appear to be
 791 from a user in a specific domain (e.g. **user@example.com**), but is not identified as a legitimate
 792 mail sender by the organization that runs the domain.

793 The main risk that an unauthorized email sender may pose to an enterprise is that a sender may
 794 be sending malicious email and using the enterprise's IP address block and reputation to avoid
 795 anti-spam filters. A related risk is that the sender may be sending emails that present themselves
 796 as legitimate communications from the enterprise itself.

797 There are many scenarios that might result in an unauthorized email sender:

- 798 • Malware present on an employee’s laptop may be sending out email without the
799 employee’s knowledge.
800 • An employee (or intruder) may configure and operate a mail server without authorization.
801 • A device such as a photocopier or an embedded system may contain a mail sender that is
802 sending mail without anyone’s knowledge.

803 One way to mitigate the risk of unauthorized senders is for the enterprise to block outbound port
804 25 (used by SMTP) for all hosts except those authorized to send mail. In addition, domains can
805 deploy the sender authentication mechanism described in Section 4.3 (Sender Policy Framework
806 (SPF)), using which senders can assert the IP addresses of the authorized MTAs for their domain
807 using a DNS Resource Record.

808 **Security Recommendation 3-1:** To mitigate the risk of unauthorized sender, an enterprise
809 administrator should block outbound port 25 (except for authorized mail senders) and look to
810 deploy firewall or intrusion detection systems (IDS) that can alert the administrator when an
811 unauthorized host is sending mail via SMTP to the Internet.

812 The proliferation of virtualization greatly increases the risk that an unauthorized virtual server
813 running on a virtual machines (VMs) within a particular enterprise might send email. This is
814 because many VMs are configured by default to run email servers (MTAs), and many VM
815 hypervisors use network address translation (NAT) to share a single IP address between multiple
816 VMs. Thus, a VM that is unauthorized to send email may share an IP address with a legitimate
817 email sender. To prevent such a situation, ensure that VMs that are authorized mail senders and
818 those VMs that are not authorized, do not share the same set of outbound IP addresses. An easy
819 way to do this is assigning these VMs to different NAT instances. Alternatively, internal firewall
820 rules can be used to block outbound port 25 for VMs that are not authorized to send outbound
821 email.

822 **Security Recommendation 3-2:** Systems that are not involved in the organization’s email
823 infrastructure should be configured to not run Mail Transfer Agents (MTAs). Internal systems
824 that need to send mail should be configured to use a trusted internal MSA.

825 **3.1.2 Unauthorized Email Receiver within an Organization’s IP Address Block**

826 Unauthorized mail receivers are a risk to the enterprise IT security posture because they may be
827 an entry point for malicious email. If the enterprise email administrator does not know of the
828 unauthorized email receiver, they cannot guarantee the server is secure and provides the
829 appropriate mail handling rules for the enterprise such as scanning for malicious links/code,
830 filtering spam, etc. This could allow malware to bypass the enterprise perimeter defenses and
831 enter the local network undetected.

832 **Security Recommendation 3-3:** To mitigate the risk of unauthorized receivers, an enterprise
833 administrator should block inbound port 25 and look to deploy firewall or intrusion detection
834 systems (IDS) that can alert the administrator when an unauthorized host is accepting mail via
835 SMTP from the Internet.

836 **3.1.3 Unauthorized Email Messages from a Valid DNS Domain (Address Spoofing)**

837 Just as organizations face the risk of unauthorized email senders, they also face the risk that they
838 might receive email from an unauthorized sender. This is sometimes called “spoofing,”
839 especially when one group or individual sends mail that appears to come from another. In a
840 spoofing attack, the adversary spoofs messages using another (sometimes even non-existent)
841 user’s email address.

842 For example, an attacker sends emails that purport to come from user@example.com, when in
843 fact the email messages are being sent from a compromised home router. Spoofing the message-
844 From: address is trivial, as the SMTP protocol [RFC2821] allows clients to set any message-
845 From: address. Alternatively, the adversary can simply configure a MUA with the name and
846 email address of the spoofed user and send emails to an open SMTP relay (see [RFC2505] for a
847 discussion of open relays).

848 The same malicious configuration activity can be used to configure and use wrong misleading or
849 malicious display names. When a display name that creates a degree of trust such as
850 “Administrator” shows up on the email received at the recipient’s end, it might make the
851 recipient reveal some sensitive information which the recipient will not normally do. Thus
852 the spoofing threat/attack also has a social engineering aspect dimension as well.

853 Section 4 discusses a variety of countermeasures for this type of threat. The first line of defense
854 is to deploy domain-based authentication mechanisms (see Section 4). These mechanisms can be
855 used to alert or block email that was sent using a spoofed domain. Another end-to-end
856 authentication technique is to use digital signatures to provide integrity for message content and
857 since the issue here is the email address of the sender, the digital signature used should cover the
858 header portion of the email message that contains the address of the sender.

859 **3.1.4 Tampering/Modification of Email Content**

860 The content of an email message, just like any other message content traveling over the Internet,
861 is liable to be altered in transit. Hence the content of the received email may not be the same as
862 what the sender originally composed. The countermeasure for this threat is for the sender to
863 digitally sign the message, attach the signature to the plaintext message and for the receiver to
864 verify the signature.

865 There are several solutions available to mitigate this risk by either encrypting the transmission of
866 email messages between servers using Transport Layer Security (TLS) for SMTP or using an
867 end-to-end solution to digitally sign email between initial sender and final receiver.
868 Recommendations for using TLS with SMTP are discussed in Section 5.2.1 and end-to-end
869 email encryption protocols are discussed in Section 4.6. The use of digital signatures within the
870 S/MIME and OpenPGP protocols is described in section 5.3.

871 **3.1.5 DNS Cache Poisoning**

872 Email systems rely on DNS for many functions. Some of them are:

- 873 • The sending MTA uses the DNS to find the IP address of the next-hop email server
874 (assuming the To: address is not a local mailbox).
- 875 • The recipient email server (if domain based email authentication is supported) uses the
876 DNS to look for appropriate records in the sending DNS domain either to authenticate the
877 sending email server (using SPF) or to authenticate an email message for its origin
878 domain (using DKIM). See Section 5 for details domain based authentication
879 mechanisms.

880 There are risks to using the DNS as a publication mechanism for authenticating email. First,
881 those highly motivated to conduct phishing/spam campaigns, may attempt to spoof a given
882 domain's DNS-based email authentication mechanisms in order to continue to deliver spoofed
883 email masquerading as the domain in question. The second risk is that an attacker would spoof a
884 domain's DNS-based authentication mechanisms in order to disrupt legitimate email from the
885 source domain. For example, maliciously spoofing the SPF record of authorized mail relays, to
886 exclude the domains legitimate MTAs, could result in all legitimate email from the target domain
887 being dropped by other MTAs. Lastly, a resolver whose cache has been poisoned can potentially
888 return the IP address desired by an attacker, rather than the legitimate IP address of a queried
889 domain name. In theory, this allows email messages to be redirected or intercepted.

890 Another impact of a DNS server with a poisoned cache as well as a compromised web server is
891 that the users are redirected to a malicious server/address when attempting to visit a legitimate
892 web site. If this phenomenon occurs due to a compromised web server, it is termed as *pharming*.
893 Although the visit to a legitimate web site can occur by clicking on a link in a received email,
894 this use case has no direct relevance to integrity of an email service and hence is outside the
895 scope of this document.

896 As far as DNS cache poisoning is concerned, DNSSEC security extension [RFC4033]
897 [RFC4034] [RFC4035] can provide protection from these kind of attacks since it ensures the
898 integrity of DNS resolution through an authentication chain from the root to the target domain of
899 the original DNS query. However, even the presence of a single non-DNSSEC aware server in
900 the chain can compromise the integrity of the DNS resolution.

901 **3.1.6 Phishing and Spear Phishing**

902 *Phishing* is the process of illegal collection of private/sensitive information using a spoofed
903 email as the means. This is done with the intention of committing identity theft, gaining access to
904 credit cards and bank accounts of the victim etc. Adversaries use a variety of several tactics to
905 make the recipient of the email into believing that they have received the phishing email from a
906 legitimate user or a legitimate domain, including:

- 907 • Using a message-From: address that looks very close to one of the legitimate addresses
908 the user is familiar with or from someone claiming to be an authority (IT administrator,
909 manager, etc.).

- 910 • Using the email’s content to present to the recipient an alarm, a financial lure, or
911 otherwise attractive situation, that either makes the recipient panic or tempts the recipient
912 into taking an action or providing requested information.
- 913 • Sending the email from an email using a legitimate account holder’s software or
914 credentials, typically using a bot that has taken control of the email client or malware that
915 has stolen the user’s credentials (described in detail in Section 3.3.1 below)

916 As part of the email message, the recipient may be asked to click on a link to what appears like a
917 legitimate website, but in fact is a URL that will take the recipient into a spoofed website set up
918 by the adversary. If the recipient clicks on the embedded URL, the victim often finds that the
919 sign-in page, logos and graphics are identical to the legitimate website in the adversary-
920 controlled website, thereby creating the trust necessary to make the recipient submit the required
921 information such as user ID and the password. Some attackers use web pages to deliver malware
922 directly to the victim’s web browser.

923 In many instances, the phishing emails are generated in thousands without focus on profile of the
924 victims. Hence they will have a generic greeting such as “Dear Member”, “Dear Customer” etc.
925 A variant of phishing is *spear phishing* where the adversary is aware of, and specific about, the
926 victim’s profile. More than a generic phishing email, a spear phishing email makes use of more
927 context information to make users believe that they are interacting with a legitimate source. For
928 example, a spear phishing email may appear to relate to some specific item of personal
929 importance or a relevant matter at the organization –for instance, discussing payroll
930 discrepancies or a legal matter. As in phishing, the ultimate motive is the same – to lure the
931 recipient to an adversary-controlled website masquerading as a legitimate website to collect
932 sensitive information about the victim or attack the victim’s computer.

933 There are two minor variations of phishing: *clone phishing* and *whaling*. Clone phishing is the
934 process of cloning an email from a legitimate user carrying an attachment or link and then
935 replacing the link or attachment alone with a malicious version and then sending altered email
936 from an email address spoofed to appear to come from the original sender (carrying the pretext
937 of re-sending or sending an updated version). Whaling is a type of phishing specifically targeted
938 against high profile targets so that the resulting damage carries more publicity and/or financial
939 rewards for the perpetrator is more.

940 The most common countermeasures used against phishing are domain-based checks such as SPF,
941 DKIM and DMARC (see Section 4). More elaborate is to design anti-phishing filters that can
942 detect text commonly used in phishing emails, recovering hidden text in images, intelligent word
943 recognition – detecting cursive, hand-written, rotated or distorted texts as well as the ability to
944 detect texts on colored backgrounds.

945 **3.2 Confidentiality-related Threats**

946 A confidentiality-related threat occurs when the data stream containing email messages with
947 sensitive information are accessible to an adversary. The type of attack that underlies this threat
948 can be passive since the adversary only requires read access but not write access to the email
949 data being transmitted. There are two variations of this type of attack include:

- 950 • The adversary may have access to the packets that make up the email message as they move
951 over a network. This access may come in the form of a passive wiretapping or eavesdropping
952 attack.
- 953 • Software may be installed on a MTA that makes copies of email messages and delivers them
954 to the adversary. For example, the adversary may have modified the target’s email account so
955 that a copy of every received message is forwarded to an email address outside the
956 organization.

957 Encryption is the best defense against eavesdropping attacks. Encrypting the email messages
958 either between MTAs (using TLS as described in Section 5) can thwart attacks involving packet
959 interception. End-to-end encryption (described in Section 5.3) can protect against both
960 eavesdropping attacks as well as MTA software compromise.

961 A second form of passive attack is a traffic analysis attack. In this scenario, the adversary is not
962 able to directly interpret the contents of an email message, mostly due to the fact that the
963 message is encrypted. However, since inference of information is still possible in certain
964 circumstances (depending upon interaction or transaction context) from the observation of
965 external traffic characteristics (volume and frequency of traffic between any two entities) and
966 hence the occurrence of this type of attack constitutes a confidentiality threat.

967 Although the impact of traffic analysis is limited in scope, it is much easier to perform this attack
968 in practice—especially if part of the email transmission media uses a wireless network, if packets
969 are sent over a shared network, or if the adversary has the ability to run network management or
970 monitoring tools against the victim’s network. TLS encryption provides some protection against
971 traffic analysis attacks, as the attacker is prevented from seeing any message headers. End-to-end
972 email encryption protocols do not protect message headers, as the headers are needed for
973 delivery to the destination mailbox. Thus, organizations may wish to employ both kinds of
974 encryption to secure email from confidentiality threats.

975 **3.3 Availability-related Threats**

976 An availability threat exists in the email infrastructure (or for that matter any IT infrastructure),
977 when potential events occur that prevents the resources of the infrastructure from functioning
978 according to their intended purpose. The following availability-related threats exist in an email
979 infrastructure.

- 980 • Email Bombing
- 981 • Unsolicited Bulk Email (UBE) – also called “Spam”
- 982 • Availability of email servers

983 **3.3.1 Email Bombing**

984 *Email bombing* is a type of attack that involves sending several thousands of identical messages
985 to a particular mailbox in order to cause overflow. These can be many large messages or a very
986 large number of small messages. Such a mailbox will either become unusable for the legitimate

987 email account holder to access. No new messages can be delivered and the sender receives an
988 error asking to resend the message. In some instances, the mail server may also crash.

989 The motive for Email bombing is denial of service (DoS) attack. A DoS attack by definition
990 either prevents authorized access to resources or causes delay (e.g., long response times) of time-
991 critical operations. Hence email bombing is a major availability threat to an email system since it
992 can potentially consume substantial Internet bandwidth as well as storage space in the message
993 stores of recipients. An email bombing attack can be launched in several ways.

994 There are many ways to perpetrate an email bombing attack, including:

995

- 996 • An adversary can employ any (anonymous) email account to constantly bombard the victim's
997 email account with arbitrary messages (that may contain very long large attachments).

- 998 • If an adversary controls an MTA, the adversary can run a program that automatically
999 composes and transmits messages.

- 1000 • An adversary can post a controversial or significant official statement to a large audience
1001 (e.g., a social network) using the victim's return email address. Humans will read the
1002 message and respond with individually crafted messages that may be very hard to filter with
1003 automated techniques. The responses to this posting will eventually flood the victim's email
1004 account.

- 1005 • An adversary may subscribe the victim's email address to many mailing lists ("listservers").
1006 The generated messages are then sent to the victim, until the victim's email address is
1007 unsubscribed from those lists.

1008 Possible countermeasures for protection against Email bombing are: (a) Use filters that are based
1009 on the logic of filtering identical messages that are received within a chosen short span of time
1010 and (b) configuring email receivers to block messages beyond a certain size and/or attachments
1011 that exceed a certain size.

1012 **3.3.2 Unsolicited Bulk Email (Spam)**

1013 *Spam* is the internet slang for unsolicited bulk email (UBE). Spam refers to indiscriminately sent
1014 messages that are unsolicited, unwanted, irrelevant and/or inappropriate, such as commercial
1015 advertising in mass quantities. Thus spam, generally, is not targeted towards a particular email
1016 receiver or domain. However, when the volume of spam coming into a particular email domain
1017 exceeds a certain threshold, it has availability implications since it results in increased network
1018 traffic and storage space for message stores. Spam that looks for random gullible victims or
1019 targets particular users or groups of users with malicious intent (gathering sensitive information
1020 for physical harm or for committing financial fraud) is called phishing. From the above
1021 discussion of email bombing attacks, it should be clear that spam can sometimes be a type of
1022 email bombing.

1023 Protecting the email infrastructure against spam is a challenging problem. This is due to the fact
1024 that the two types of techniques currently used to combat spam have limitations. See Section 6
1025 for a more detailed discussion of unsolicited bulk email.

1026 **3.3.3 Availability of Email Servers**

1027 The email infrastructure just like any other IT infrastructure should provide for fault tolerance
 1028 and avoid single points of failure. A domain with only a single email server or a domain with
 1029 multiple email servers, but all located in a single IP subnet is likely to encounter availability
 1030 problems either due to software glitches in MTA, hardware maintenance issues or local data
 1031 center network problems. The typical measures for ensuring high availability of email as a
 1032 service are: (a) Multiple MTAs with placement based on the email traffic load encountered by
 1033 the enterprise; and, (b) Distribution of email servers in different network segments or even
 1034 physical locations.

1035 **3.4 Summary of Threats and Mitigations**

1036 A summary of the email related threats to an enterprise is given in Table 3-1. This includes
 1037 threats to both the email the receiver and the purported sender - often spoofed, and who may not
 1038 be aware an email was sent using their domain. Mitigations are listed in the final column to
 1039 reduce the risk of the attack being successful, or to prevent them.

1040 **Table 3-1 Email-based Threats and Mitigations:**

Threat	Impact on Purported Sender	Impact on Receiver	Mitigation
Email sent by unauthorized MTA in enterprise (e.g. malware botnet)	Loss of reputation, valid email from enterprise may be blocked as possible spam/phishing attack.	UBE and/or email containing malicious links may be delivered into user inboxes	Deployment of domain-based authentication techniques (see Section 4). Use of digital signatures over email (see Section 6). Blocking outbound port 25 for all non-mail sending hosts.
Email message sent using spoofed or unregistered sending domain	Loss of reputation, valid email from enterprise may be blocked as possible spam/phishing attack.	UBE and/or email containing malicious links may be delivered into user inboxes	Deployment of domain-based authentication techniques (see Section 4). Use of digital signatures over email (see Section 6).

Threat	Impact on Purported Sender	Impact on Receiver	Mitigation
Email message sent using forged sending address or email address (i.e. phishing, spear phishing)	Loss of reputation, valid email from enterprise may be blocked as possible spam/phishing attack.	UBE and/or email containing malicious links may be delivered. Users may inadvertently divulge sensitive information or PII.	Deployment of domain-based authentication techniques (see Section 4). Use of digital signatures over email (see Section 6). DNS Blacklists (see Section 7).
Email modified in transit	Leak of sensitive information or PII.	Leak of sensitive information, altered message may contain malicious information	Use of TLS to encrypt email transfer between servers (see Section 5). Use of end-to-end email encryption (see Section 7).
Disclosure of sensitive information (e.g. PII) via monitoring and capturing of email traffic	Leak of sensitive information or PII.	Leak of sensitive information, altered message may contain malicious information	Use of TLS to encrypt email transfer between servers (see Section 5). Use of end-to-end email encryption (see Section 7).
Disclosure of metadata of email messages	Possible privacy violation	Possible privacy violation	Use of TLS to encrypt email transfer between servers (see Section 5).
Unsolicited Bulk Email (i.e. spam)	None, unless purported sender is spoofed.	UBE and/or email containing malicious links may be delivered into user inboxes	Techniques to address UBE (see Section 7).
DoS/DDoS attack against an enterprises' email servers	Inability to send email.	Inability to receive email.	Multiple mail servers, use of cloud-based email providers. DNS Blacklists (see Section 7).

Threat	Impact on Purported Sender	Impact on Receiver	Mitigation
Email containing links to malicious site or malware.	None, unless purported sending domain spoofed.	Potential malware installed on enterprise systems.	Techniques to address UBE (Section 7). “Detonation chambers” to open links/attachments for malware scanning before delivery.

1041

1042 **3.5 Security Recommendations Summary**

1043 **Security Recommendation 3-1:** To mitigate the risk of unauthorized sender, an enterprise
 1044 administrator should block outbound port 25 (except for authorized mail senders) and look to
 1045 deploy firewall or intrusion detection systems (IDS) that can alert the administrator when an
 1046 unauthorized host is sending mail via SMTP to the Internet.

1047 **Security Recommendation 3-2:** Systems that are not involved in the organization’s email
 1048 infrastructure should not be configured to run Mail Transfer Agents (MTAs). Internal systems
 1049 that need to send mail should be configured to use a trusted internal MSA.

1050 **Security Recommendation 3-3:** To mitigate the risk of unauthorized receivers, an enterprise
 1051 administrator should block inbound port 25 and look to deploy firewall or intrusion detection
 1052 systems (IDS) that can alert the administrator when an unauthorized host is accepting mail via
 1053 SMTP from the Internet.

1054 **4 Authenticating a Sending Domains and Individual Mail Messages**

1055 **4.1 Introduction**

1056 RFC 5322 defines the Internet Message Format (IMF) for delivery over the Simple Mail Transfer
1057 Protocol (SMTP) [RFC5321], but in its original state any sender can write any envelope-From:
1058 address in the header (see Section 2.3.3). This envelope-From: address can however be
1059 overridden by malicious senders or enterprise mail administrators, who may have organizational
1060 reasons to rewrite the header, and so both RFC 5321 and RFC 5322 defined From: addresses can
1061 be aligned to some arbitrary form not intrinsically associated with the originating IP address. In
1062 addition, any man in the middle attack can modify a header or data content. New protocols were
1063 developed to detect these envelope-From: and message-From: address spoofing or modifications.

1064 Sender Policy Framework (SPF) [RFC4408] uses the Domain Name System (DNS) to allow
1065 domain owners to create records that associate the envelope-From: address domain name with
1066 one or more IP address blocks used by authorized MSAs. It is a simple matter for a receiving
1067 MTA to check a SPF TXT record in the DNS to confirm the purported sender of a message to
1068 the listed approved sending MTA is indeed authorized to transmit email messages for the domain
1069 listed in the envelope-From: address. Mail messages that do not pass this check may be marked,
1070 quarantined or rejected. SPF is described in subsection 4.4 below.

1071 The DomainKeys Identified Mail (DKIM) [RFC6376] protocol allows a sending MTA to
1072 digitally sign selected headers and the body of the message with a RSA signature and include the
1073 signature in a DKIM header that is attached to the message prior to transmission. The DKIM
1074 signature header field includes a selector, which the receiver can use to retrieve the public key
1075 from a record in the DNS to validate the DKIM signature over the message. So, validating the
1076 signature assures the receiver that the message has not been modified in transit – other than
1077 additional headers added by MTAs en route which are ignored during the validation. Use of
1078 DKIM also ties the email message to the domain storing the public key, regardless of the either
1079 From: address (which could be different). DKIM is detailed in subsection 4.5.


1080 Deploying SPF and DKIM may curb illicit activity against a sending domain, but the sender gets
1081 no indication of the extent of the beneficial (or otherwise) effects of these policies. Sending
1082 domain owners may choose to construct pairwise agreements with selected recipients to
1083 manually gather feedback, but this is not a scalable solution. The Domain-based Message
1084 Authentication, Reporting and Conformance protocol (DMARC) [RFC7489] institutes such a
1085 feedback mechanism, to let sending domain owners know the proportionate effectiveness of their
1086 SPF and DKIM policies, and to signal to receivers what action should be taken in various
1087 individual and bulk attack scenarios. After setting a policy to advise receivers to deliver,
1088 quarantine or reject messages that fail both SPF and DKIM, Email receivers then return DMARC
1089 aggregate and/or failure reports of email dispositions to the domain owner, who can review the
1090 results and potentially refine the policy. DMARC is described in subsection 4.6.

1091 While DMARC can do a lot to curb spoofing and phishing (Section 3.1.6 above), it does need
1092 careful configuration. Intermediaries that forward mail have many legitimate reasons to rewrite
1093 headers, usually related to legitimate activities such as operating mailing lists, mail groups, and
1094 end-user mail forwarding. It should be noted that mail server forwarding changes the source IP

1095 address, and without rewriting the envelope-From: field, this can make SPF checks fail. On the
 1096 other hand, header rewriting, or adding a footer to mail content, may cause the DKIM signature
 1097 to fail. Both of these interventions can cause problems for DKIM validation and for message
 1098 delivery. Subsection 4.6 expands on the problems of mail forwarding, and its mitigations.

1099 SPF, DKIM and DMARC authenticate that the sending MTA is an authorized, legitimate sender
 1100 of email messages for the domain-part of the envelope-From: (and message-From: for DMARC)
 1101 address, but these technologies do not verify that the email message is from a specific individual
 1102 or logical account. That kind of assurance is provided by end-to-end security mechanisms such
 1103 as S/MIME (or OpenPGP). The DKIM and S/MIME/OpenPGP signature standards are not-
 1104 interfering: DKIM signatures go in the email header, while S/MIME/OpenPGP signatures are
 1105 carried as MIME body parts. The signatures are also complementary: a message is typically
 1106 signed by S/MIME or OpenPGP immediately after it is composed, typically by the sender's
 1107 MUA, and the DKIM signature is added after the message passes through the sender's MSA or
 1108 MTA.

1109 The interrelation of SPF, DKIM, DMARC, and S/MIME signatures are shown in the Figure 4-1
 1110 below:



1111 **Figure 4-1: the interrelationship of DNSSEC, SPF, DKIM, DMARC and S/MIME for assuring message**
 1112 **authenticity and integrity.**
 1113

1114 **4.2 Visibility to End Users**

1115 As mentioned above, the domain-based authentication protocols discussed in this section were
1116 designed with MTAs in mind. There was thought to be no need for information passed to the
1117 end recipient of the email. The results of SPF and DKIM checks are not normally visible in
1118 MUA components unless the end user views the message headers directly (and knows how to
1119 interpret them). This information may be useful to some end users who wish to filter messages
1120 based on these authentication results. RFC 7601 [RFC7601] specifics how an MTA/MDA can
1121 add a new header to a message upon receipt that provides status information about any
1122 authentication checks done by the receiving MTA. Some MUAs make use of this information to
1123 provide visual cues (an icon, text color, etc.) to end users that this message passed the MTAs
1124 checks and was deemed valid. This does not explicitly mean that the email contents are
1125 authentic or valid, just that the email passed the various domain-based checks performed by the
1126 receiving MTA.

1127 Email administrators should be aware if the MUAs used in their enterprise can interpret and
1128 show results of the authentication headers to end users. Email administrators should educate end
1129 users about what the results mean when evaluating potential phishing/spam email as well as not
1130 assuming positive results means they have a completely secure channel.

1131 **4.3 Requirements for Using Domain-based Authentication Techniques for Federal** 1132 **Systems**

1133 As of the time of writing of this guidance document, the DHS Federal Network Resilience
1134 division (FNR) has called out the use of domain-based authentication techniques for email as
1135 part of the FY16 FISMA metrics [FISMAMET] for anti-phishing defenses. This includes the
1136 techniques discussed below. This section gives best-common-practice guidance of the domain-
1137 based authentication techniques listed (but not described) in [FISMAMET]. This document does
1138 not extend those requirements in anyway, but gives guidance on how to meet existing
1139 requirements.

1140 **4.4 Sender Policy Framework (SPF)**

1141 Sender Policy Framework (SPF) is a standardized way for the domain of the envelope-From:
1142 address to identify and assert the mail originators (i.e. mail senders) for a given domain. The
1143 sending domain does this by placing a specially formatted Text Resource Record (TXT RR) in
1144 the DNS database for the domain. The idea is that a receiving MTA can check the IP address of
1145 the connecting MTA against the purported sending domain (the domain-part of the envelope-
1146 From: address) and see if the domain vouches for the sending MTA. The receiving MTA does
1147 this by sending a DNS query to the purported sending domain for the list of valid senders.

1148 SPF was designed to address phishing and spam being sent by unauthorized senders (i.e.
1149 botnets). SPF does not stop all spam, in that spam email being sent from a domain that asserts its
1150 sending MTAs via an SPF record will pass all SPF checks. That is, a spammer can send email
1151 using an envelope-From: address using a domain that the spammer controls, and that email will
1152 not result in a failed SPF check. SPF checks fail when mail is received from a sending MTA
1153 other than those listed as approved senders for the envelope-From: domain. For example, an
1154 infected botnet of hosts in an enterprise may be sending spam on its own (i.e. not through the

1155 enterprises outgoing SMTP server), but those spam messages would be detected as the infected
 1156 hosts would not be listed as valid senders for the enterprise domain, and would fail SPF checks.
 1157 See [HERZBERG2009] for a detailed review of SPF and its effectiveness.

1158 4.4.1 Background

1159 SPF works by comparing the sender's IP address (IPv4 or IPv6, depending on the transport used
 1160 to deliver the message) with the policy encoded in any SPF record found at the sending domain.
 1161 That is, the domain-part of the envelope-From: address. This means that SPF checks can actually
 1162 be applied before the bulk of the message is received from the sender. For example, in Fig 4-1,
 1163 the sender with IP address 192.168.0.1 uses the envelope **MAIL FROM:** tag as
 1164 **alice@example.org** even though the message header is **alice.sender@example.net**. The
 1165 receiver queries for the SPF RR for example.org and checks if the IP address is listed as a valid
 1166 sender. If it is, or the SPF record is not found, the message is processed as usual. If not, the
 1167 receiver may mark the message as a potential attack, quarantine it for further (possibly
 1168 administrator) analysis or reject the message, depending on the SPF policy and/or the policy
 1169 discovered in any associated DMARC record (see subsection 4.5, below) for example.org.

```

1170 Client connects to port 25
1171 Server: 220 mx.example.com
1172 Client: HELO mta.example.net
1173 S: 250 Hello mta.example.net, I am glad to meet you
1174 C: MAIL FROM:<alice@example.org>
1175 S: 250 Ok
1176 C: RCPT TO:<bob@example.com>
1177 S: 354 End data with <CR><LF>.<CR><LF>
1178 C: To: bob@example.org
1179 From: alice.sender@example.net
1180 Date: Today
1181 Subject: Meeting today
1182 ...
  
```

1183 Fig 4-1: SMTP envelope header vs. message header

1184 Because of the nature of DNS (which SPF uses for publication) an SPF policy is tied to one
 1185 domain. That is, **@example.org** and **@sub.example.org** are considered separate domains just
 1186 like **@example.net** and all three need their own SPF records. This complicates things for
 1187 organizations that have several domains and subdomains that may (or may not) send mail. There
 1188 is a way to publish a centralized SPF policy for a collection of domains using the **include:** tag
 1189 (see Sec 4.2.2.2 below)

1190 SPF was first specified in RFC 4408 as an experimental protocol, since at the same time other,
 1191 similar proposals were also being considered. Over time however, SPF became widely deployed
 1192 and was finalized in RFC 7208 (and its updates) [RFC7208]. The changes between the final
 1193 version and the original version are mostly minor, and those that base their deployments on the
 1194 experimental version are still understood by clients that implement the final version. The most

1195 significant difference is that the final specification no longer calls for the use of a specialized
1196 RRTYPE (simply called a SPF RR) and instead calls for the sender policy to be encoded in a TXT
1197 Resource Record, in part because it proved too difficult to universally upgrade legacy DNS
1198 systems to accept a new RRTYPE. Older clients may still look for the SPF RR, but the majority
1199 will fall back and ask for a TXT RR if it fails to find the special SPF RR. RFC 6686, “Resolution
1200 of the Sender Policy Framework (SPF) and Sender ID Experiments,” [RFC6686] presents the
1201 evidence that was used to justify the abandonment of the SPF RR.

1202 SPF was first called out as a recommended technology for federal agency deployment in 2011
1203 [SPF1]. It is seen as a way to reduce the risk of phishing email being delivered and used as to
1204 install malware inside an agency's network. Since it is relatively easy to check using the DNS,
1205 SPF is seen as a useful layer of email checks.

1206 **4.4.2 SPF on the Sender Side**

1207 Deploying SPF for a sending domain is fairly straightforward. It does not even require SPF
1208 aware code in mail servers, as receivers, not senders, perform the SPF processing. The only
1209 necessary actions are identifying IP addresses or ranges of permitted sending hosts for a given
1210 domain, and adding that information in the DNS as a new resource record.

1211 **4.4.2.1 Identifying Permitted Senders for a Domain and Setting the Policy**

1212 The first step in deploying SPF for a sending domain is to identify all the hosts that send email
1213 out of the domain (i.e. SMTP servers that are tasked with being email gateways to the Internet).
1214 This can be hard to do because:

- 1215 • There may be mail-sending SMTP servers within sub-units of the organization that are
1216 not known to higher-level management.
- 1217 • There may be other organizations that send mail on behalf of the organization (such as e-
1218 mail marketing firms or legitimate bulk-mailers).
- 1219 • Individuals who work remotely for the organization may send mail using their
1220 organization’s email address but a local mail relay.

1221 If the senders cannot be listed with certainty, the SPF policy can indicate that receivers should
1222 not necessarily reject messages that fail SPF checks by using the ‘~’ or ‘?’ mechanisms, rather
1223 than the ‘-’ mechanism (see 4.3.2.2 below) in the SPF TXT record.

1224 Note: Deployment of DMARC [RFC7489] (discussed below) allows for reporting SPF check
1225 results back to sending domain owners, which allows senders to modify and improve their policy
1226 to minimize improper rejections.

1227 **4.4.2.2 Forming the SPF Resource Record**

1228 Once all the outgoing senders are identified, the appropriate policy can be encoded and put into
1229 the domain database. The SPF syntax is fairly rich and can express complex relationships
1230 between senders. Not only can entities be identified and called out, but the SPF statement can
1231 also request what emphasis should be placed on each test.

1232 SPF statements are encoded in ASCII text (as they are stored in DNS TXT resource records) and
 1233 checks are processed in left to right order. Every statement begins with **v=spf1** to indicate that
 1234 this is an SPF (version 1) statement⁶.

1235 Other mechanisms are listed in Table 4-1:

1236

Table 4-1: SPF Mechanisms

Tag	Description
ip4:	Specifies an IPv4 address or range of addresses that are authorized senders for a domain.
ip6:	Specifies an IPv6 address or range of addresses that are authorized senders for a domain.
a	Asserts that the IP address listed in the domain's primary A RR is authored to send mail.
mx	Asserts that the listed hosts for the MX RR's are also valid senders for the domain.
include:	Lists another domain where the receiver should look for an SPF RR for further senders. This can be useful for large organizations with many domains or sub-domains that have a single set of shared senders. The include: mechanism is recursive, in that the SPF check in the record found is tested in its entirety before proceeding. It is not simply a concatenation of the checks.
all	Matches every IP address that has not otherwise been matched.

1237

1238 Each mechanism in the string is separated by whitespace. In addition, there are qualifiers that can
 1239 be used for each mechanism (Table 4-2):

1240

⁶ Note that there is a technology called SenderID that uses "v=spf2.0", but it is not an updated version of SPF, but a different protocol, not recommended in these guidelines.

1241

1242

Table 4-2: SPF Mechanism Qualifiers

Qualifier	Description
+	The given mechanism check must pass. This is the default mechanism and does not need to be explicitly listed.
-	The given mechanism is not allowed to send email on behalf of the domain.
~	The given mechanism is in transition and if an email is seen from the listed host/IP address, that it should be accepted but marked for closer inspection.
?	The SPF RR explicitly states nothing about the mechanism. In this case, the default behavior is to accept the email. (This makes it equivalent to '+' unless some sort of discrete or aggregate message review is conducted).

1243 There are other mechanisms available as well that are not listed here. Administrators interested
 1244 in seeing the full depth of the SPF syntax are encouraged to read the full specification in RFC
 1245 7208 [RFC7208]. To aid administrators, there are some online tools⁷ that can be used assist in
 1246 the generation and testing of an SPF record. These tools take administrator input and generate the
 1247 text that the administrator then places in a TXT RR in the given domain's zone file.

1248 4.4.2.3 Example SPF RRs

1249 Some examples of the mechanisms for SPF are given below. In each example, the purported
 1250 sender in the SMTP envelope is **example.com**

1251 The given domain has one mail server that both sends and receives mail. No other system is
 1252 authorized to send mail. The resulting SPF RR would be:

1253 **example.com IN TXT "v=spf1 mx -all"**

1254 The given enterprise has a DMZ that allows hosts to send mail, but is not sure if other senders
 1255 exist. As a temporary measure, they list the SPF as:

1256 **example.com IN TXT "v=spf1 ip4:192.168.1.0/16 ~all"**

1257 The enterprise has several domains for projects, but only one set of sending MTAs. So for each
 1258 domain, there is an SPF RR with the **include:** declaration pointing to a central TXT RR with the
 1259 SPF policy that covers all the domains. For example, each domain could have:

1260 **example.com IN TXT "v=spf1 include:spf.example.net."**

1261 The follow up query for the spf.example.net then has:

⁷ For example: <http://www.mailradar.com/spf/>

1262 **spf.example.net IN TXT "v=spf1 ip4:192.168.0.1 ..."**

1263 This makes SPF easier to manage for an enterprise with several domains and/or public
1264 subdomains. Administrators only need to edit **spf.example.net** to make changes to the SPF RR
1265 while the other SPF RR's in the other domains simply use the **include:** tag to reference it. No
1266 email should originate from the domain:

1267 **example.com IN TXT "v=spf1 -all"**

1268 The above should be added to all domains that do not send mail to prevent them being used by
1269 phishers looking for sending domains to spoof that they believe may not be monitored as closely
1270 as those that accept and send enterprise email. This is an important principle for domains that
1271 think they are immune from email related threats. Domain names that are only used to host web
1272 or services are advised to publish a **"-all"** record, to protect their reputation.

1273 Notice that semicolons are not permitted in the SPF TXT record.

1274 **Security Recommendation 4-1:** Organizations are recommended to deploy SPF to specify
1275 which IP addresses are authorized to transmit email on behalf of the domain. Domains controlled
1276 by an organization that are not used to send email should include an SPF RR with the policy
1277 indicating that there are no valid email senders for the given domain.

1278 **4.4.3 SPF and DNS**

1279 Since SPF policies are now only encoded in DNS TXT resource records, no specialized software
1280 is needed to host SPF RRs. Organizations can opt to include the old (no longer mandated) unique
1281 SPF RRType as well, but it is usually not needed, as clients that still query for the type
1282 automatically query for a TXT RR if the SPF RR is not found.

1283 Organizations that deploy SPF should also deploy DNS security (DNSSEC) [RFC4033],
1284 [RFC4034], [RFC4035]. DNSSEC provides source authentication and integrity protection for
1285 DNS data. Its use is more fully described in Section 5.

1286 **4.4.3.1 Changing an Existing SPF Policy**

1287 Changing the policy statement in an SPF RR is straightforward, but requires timing
1288 considerations due to the caching nature of DNS. It may take some time for the new SPF RR to
1289 propagate to all authoritative servers. Likewise, the old, outgoing SPF RR may be cached in
1290 client DNS servers for the length of the SPF's TXT RR Time-to-Live (TTL). An enterprise
1291 should be aware that some clients might still have the old version of the SPF policy for some
1292 time before learning the new version. To minimize the effect of DNS caching, it is useful to
1293 decrease the DNS timeout to a small period of time (e.g. 300 seconds) before making changes,
1294 and then restoring DNS to a longer time period (e.g. 3600 seconds) after the changes have been
1295 made, tested, and confirmed to be correct.

1296 **4.4.4 Considerations for SPF when Using Cloud Services or Contracted Services**

1297 When an organization outsources its email service (whole or part) to a third party such as a cloud

1298 provider or contracted email service, that organization needs to make sure any email sent by
 1299 those third parties will pass SPF checks. To do this, the enterprise administrator should include
 1300 the IP addresses of third party senders in the enterprise SPF policy statement RR. Failure to
 1301 include all the possible senders could result in valid email being rejected due to a failure when
 1302 doing the SPF check.

1303 Including third-parties to an SPF RR is done by adding the IP addresses/hostnames individually,
 1304 or using the **include:** tag to reference a third party's own SPF record (if one exists). In general, it
 1305 is preferable to use the **include:** mechanism, as the mechanism avoids hard-coding IP addresses
 1306 in multiple locations. The **include:** tag does have a hard limit on the number of "chained"
 1307 **include:** tag that a client will look up to prevent an endless series of queries. This value is ten
 1308 unique DNS lookups by default.

1309 For instance, if **example.com** has its own sending MTA at 192.0.0.1 but also uses a third party
 1310 (**third-example.net**) to send non-transactional email as well, the SPF RR for **example.com**
 1311 would look like:

```
1312 example.com IN TXT "v=spf1 ip4:192.0.0.1  

  1313 include:third-example.net -all"  

  1314
```

1315 As mentioned above, the **include:** mechanism does not simply concatenate the policy tests of the
 1316 included domain (here: **third-example.net**), but performs all the checks in the SPF policy
 1317 referenced and returns the final result. An administrator should not include the modifier "+"
 1318 (requiring the mechanism to pass in order for the whole check to pass) to the **include:** unless
 1319 they are also in control of the included domain, as any change to the SPF policy in the included
 1320 domain will affect the SPF validation check for the sending domain.

1321 **4.4.5 SPF on the Receiver Side**

1322 Unlike senders, receivers need to have SPF-aware mail servers to check SPF policies. SPF has
 1323 been around in some form (either experimental or finalized) and available in just about all major
 1324 mail server implementations. There are also patches and libraries available for other
 1325 implementations to make them SPF-aware and perform SPF queries and processing⁸. There is
 1326 even a plug-in available for the open-source Thunderbird Mail User Agent so end users can
 1327 perform SPF checks even if their incoming mail server does not.⁹

1328 As mentioned above, SPF uses the envelope-From: address domain-part and the IP address of the
 1329 sender. This means that SPF checks can be started before the actual text of the email message is
 1330 received. Alternatively, messages can be quickly received and held in quarantine until all the
 1331 checks are finished. In either event, checks must be completed before the mail message is sent to
 1332 an end user's inbox (unless the only SPF checks are performed by the end user using their own

⁸ A list of some SPF implementations can be found at <http://www.openspf.org/Implementations>

⁹ See <https://addons.mozilla.org/en-us/thunderbird/addon/sender-verification-anti-phish/>

1333 MUA).

1334 The resulting action based on the SPF checks depends on local receiver policy and the statements
1335 in the purported sending domain's SPF statement. The action should be based on the modifiers
1336 (listed above) on each mechanism. If no SPF TXT RR is returned in the query, or the SPF has
1337 formatting errors that prevent parsing, the default behavior is to accept the message. This is the
1338 same behavior for mail servers that are not SPF-aware.

1339 4.4.5.1 SPF Queries and DNS

1340 Just as an organization that deploys SPF should also deploy DNSSEC [SP800-81], receivers that
1341 perform SPF processing should also perform DNSSEC validation (if possible) on responses to
1342 SPF queries. A mail server should be able to send queries to a validating DNS recursive server if
1343 it cannot perform its own DNSSEC validation.

1344 **Security Recommendation 4-2:** Organizations should deploy DNSSEC for all DNS name
1345 servers and validate DNSSEC queries on all systems that receive email.

1346 4.5 DomainKeys Identified Mail (DKIM)

1347 DomainKeys Identified Mail (DKIM) permits a person, role, or organization that owns the
1348 signing domain to claim some responsibility for a message by associating the domain with the
1349 message. This can be an author's organization, an operational relay, or one of their agents. DKIM
1350 separates the question of the identity of the signer of the message from the purported author of
1351 the message. Assertion of responsibility is validated through a cryptographic signature and by
1352 querying the signer's domain directly to retrieve the appropriate public key. Message transit from
1353 author to recipient is through relays that typically make no substantive change to the message
1354 content and thus preserve the DKIM signature. Because the DKIM signature covers the message
1355 body, it also protects the integrity of the email communication. Changes to a message body will
1356 result in a DKIM signature validation failure, which is why some mailing lists (that add footers
1357 to email messages) will cause DKIM signature validation failures (discussed below).

1358 A DKIM signature is generated by the original sending MTA using the email message body and
1359 headers and places it in the header of the message along with information for the client to use in
1360 validation of the signature (i.e. key selector, algorithm, etc.). When the receiving MTA gets the
1361 message, it attempts to validate the signature by looking for the public key indicated in the
1362 DKIM signature. The MTA issues a DNS query for a text resource record (TXT RR) that
1363 contains the encoded key.

1364 Like SPF (see Section 4.4), DKIM allows an enterprise to vouch for an email message sent from
1365 a domain it does not control (as would be listed in the SMTP envelope). The sender only needs
1366 the private portion of the key to generate signatures. This allows an enterprise to have email sent
1367 on its behalf by an approved third party. The presence of the public key in the enterprises' DNS
1368 implies that there is a relationship between the enterprise and the sender.

1369 Since DKIM requires the use of asymmetric cryptographic key pairs, enterprises must have a key
1370 management plan in place to generate, store and retire key pairs. Administrative boundaries
1371 complicate this plan if one organization sends mail on another organization's behalf.

1372 **4.5.1 Background**

1373 DKIM was originally developed as part of a private sector consortium and only later transitioned
1374 to an IETF standard. The threat model that the DKIM protocol is designed to protect against was
1375 published as RFC 4686 [RFC4686], and assumes bad actors with an extensive corpus of mail
1376 messages from the domains being impersonated, knowledge of the businesses being
1377 impersonated, access to business public keys, and the ability to submit messages to MTAs and
1378 MSAs at many locations across the Internet. The original DKIM protocol specification was
1379 developed as RFC 4871, which is now considered obsolete. The specification underwent several
1380 revisions and updates and the current version of the DKIM specification is published as RFC
1381 6376 [RFC6376].

1382 **4.5.2 DKIM on the Sender Side**

1383 Unlike SPF, DKIM requires specialized functionality on the sender MTA to generate the
1384 signatures. Therefore, the first step in deploying DKIM is to ensure that the organization has an
1385 MTA that can support the generation of DKIM signatures. DKIM support is currently available
1386 in some implementations or can be added using open source filters¹⁰. Administrators should
1387 remember that since DKIM involves digital signatures, sending MTAs should also have
1388 appropriate cryptographic tools to create and store keys and perform cryptographic operations.

1389 **4.5.3 Generation and Distribution of the DKIM Key Pair**

1390 The next step in deploying DKIM, after ensuring that the sending MTA is DKIM-aware, is to
1391 generate a signing key pair.

1392 Cryptographic keys should be generated in accordance with NIST SP 800-57,
1393 “Recommendations for Key Management” [SP800-57pt1] and NIST SP 800-133,
1394 “Recommendations for Cryptographic Key Generation.” [SP800-133] Although there exist web-
1395 based systems for generating DKIM public/private key pairs and automatically producing the
1396 corresponding DNS entries, such systems should not be used for federal information systems
1397 because they may compromise the organization’s private key.

1398 Currently the DKIM standard specifies that messages must be signed with one of two digital
1399 signature algorithms: RSA/SHA-1 and RSA/SHA-256. Of these, only RSA/SHA-256 is
1400 approved for use by government agencies with DKIM, as the hash algorithm SHA-1 is no longer
1401 approved for use in conjunction with digital signatures (see Table 4-1).

1402

¹⁰ Mail filters are sometimes called “milters.” A milter is a process subordinate to a MTA that can be deployed to perform special message header or body processing. More information about milters can be found at http://www.sendmail.com/sm/partners/milter_partners/open_source_milter_partners/

1403

1404

Table 4-3: Recommended Cryptographic Key Parameters

DKIM Specified Algorithm	Approved for Government Use?	Recommended Length	Recommended Lifetime
RSA/SHA-1	NO	n/a	n/a
RSA/SHA-256	YES	2048 bits	1-2 years

1405

1406 Once the key pair is generated, the administrator should determine a selector value to use with
 1407 the key. A DKIM selector value is a unique identifier for the key that is used to distinguish one
 1408 DKIM key from any other potential keys used by the same sending domain, allowing different
 1409 MTAs to be configured with different signing keys. This selector value is needed by receiving
 1410 MTAs to query the validating key.

1411 The public part of the key pair is stored in a the DKIM TXT Resource Record (RR). This record
 1412 should be added to the organization's DNS server and tested to make sure that it is accessible
 1413 both within and outside the organization.

1414 The private part of the key pair is used by the MTA to sign outgoing mail. Administrators must
 1415 configure their mail systems to protect the private part of the key pair from exposure to prevent
 1416 an attacker from learning the key and using it to spoof email with the victim domain's DKIM
 1417 key. For example, if the private part of the key pair is kept in a file, file permissions must be set
 1418 so that only the user under which the MTA is running can read it.

1419 As with any cryptographic keying material, enterprises should use a Cryptographic Key
 1420 Management System (CKMS) to manage the generation, distribution, and lifecycle of DKIM
 1421 keys. Federal agencies are encouraged to consult NIST SP 800-130 [SP800-130] and NIST SP
 1422 800-152 [SP800-152] for guidance on how to design and implement a CKMS within an agency.

1423 **Security Recommendation 4-3:** Federal agency administrators shall only use keys with
 1424 approved algorithms and lengths for use with DKIM.

1425 **Security Recommendation 4-4:** Administrators should insure that the private portion of the
 1426 key pair is adequately protected on the sending MTA and that only the MTA software has read
 1427 privileges for the key. Federal agency administrators should follow FISMA control SC-12
 1428 [SP800-53] guidance with regards to distributing and protecting DKIM key pairs.

1429 **Security Recommendation 4-5:** Each sending MTA should be configured with its own
 1430 private key and its own selector value, to minimize the damage that may occur if a private key is
 1431 compromised. This private key must have protection against both accidental disclosure or
 1432 attacker's attempt to obtain or modify.

1433 **4.5.4 Example of a DKIM Signature**

1434 Below is an example of a DKIM signature as would be seen in an email header. A signature is
 1435 made up of a collection of **tag=value** pairs that contain parameters needed to successfully
 1436 validate the signature as well as the signature itself. An administrator usually cannot configure
 1437 the tags individually as these are done by the MTA functionality that does DKIM, though some
 1438 require configuration (such as selector, discussed above). Some common tags are:

1439 **Table 4-4: DKIM Signature Tag and Value Descriptions**

Tag	Name	Description
v=	Version	Version of DKIM in use by the signer. Currently the only defined value is "1".
a=	Algorithm	The algorithm used (rsa-sha1 or rsa-sha256)
b=	Signature ("base")	The actual signature, encoded as a base64 string in textual representations
bh=	Signature Hash ("base hash")	The hash of the body of the email message encoded as a base64 string.
d=	DNS	The DNS name of the party vouching for the signature. This is used to identify the DNS domain where the public key resides.
i=	Identifier	The identifier is normally either the same as, or a subdomain of, the d= domain.
s=	Selector	Required selector value. This, together with the domain identified in the d= tag, is used to form the DNS query used to obtain the key that can validate the DKIM signature.
t=	Timestamp	The time the DKIM signature was generated.
x=	Signature expiration	An optional value to state a time after which the DKIM signature should no longer be considered valid. Often included to provide anti-replay protection.
l=	Length	Length specification for the body in octets. So the signature can be computed over a given length, and this will not affect authentication in the case that a mail forwarder adds an additional suffix to the message.

1440

1441 Thus, a DKIM signature from a service provider sending mail on behalf of **example.gov** might
 1442 appear as an email header:

1443 **DKIM-Signature: v=1; a=rsa-sha256; d=example.gov; c=simple; i=@gov-**
 1444 **sender.example.gov; t=1425066098; s=adkimkey; bh=base64 string; b=base64 string**

1445 Note that, unlike SPF, DKIM requires the use of semicolons between statements.

1446 **4.5.5 Generation and Provisioning of the DKIM Resource Record**

1447 The public portion of the DKIM key is encoded into a DNS TXT Resource Record (RR) and
 1448 published in the zone indicated in the FROM: field of the email header. The DNS name for the
 1449 RR uses the selector the administrator chose for the key pair and a special tag to indicate it is for
 1450 DKIM ("**_domainkey**"). For example, if the selector value for the DKIM key used with
 1451 example.gov is "dkimkey", then the resulting DNS RR has the name
 1452 **dkimkey._domainkey.example.gov**.

1453 Like SPF, there are other **tag=value** pairs that need to be included in a DKIM RR. The full list of
 1454 tags is listed in the specification [RFC6376], but relevant ones are listed below:

1455 **Table 4-5: DKIM RR Tag and Value Descriptions**

Tag	Name	Description
v=	Version	Version of DKIM in use with the domain and required for every DKIM RR. The default value is " DKIM1 ".
k=	Key type	The default is rsa and is optional, as RSA is currently the only specified algorithm used with DKIM
p=	Public Key	The encoded public key (base64 encoded in text zone files). An empty value indicates that the key with the given selector field has been revoked.
t=	Optional flags	One defined flag is " y " indicating that the given domain is experimenting with DKIM and signals to clients to treat signed messages as unsigned (to prevent messages that failed validation from being dropped). The other is " s " to signal that there must be a direct match between the " d= " tag and the " i= " tag in the DKIM signature. That is, the " i= " tag must not be a subdomain of the " d= " tag.

1456 **4.5.6 Example of a DKIM RR**

1457 Below is an example for the DKIM key that would be used to validate the DKIM signature
 1458 above. Here, not all the flags are given:

1459 **adkimkey._domainkey.example.gov. IN TXT "v=DKIM1; k=rsa;**

1460 **p=<base64 string>"**
1461

1462 **4.5.7 DKIM and DNS**

1463 Since DKIM public keys are encoded in DNS TXT resource records, no specialized software is
1464 needed to host DKIM public keys. Organizations that deploy DKIM should also deploy DNS
1465 security (DNSSEC) [RFC4033][RFC4034][RFC4035]. DNSSEC provides source authentication
1466 and integrity protection for DNS data. This prevents attackers from spoofing, or intercepting and
1467 deleting responses for receivers' DKIM key TXT queries.

1468 **Security Recommendation 4-6:** Organizations should deploy DNSSEC to provide
1469 authentication and integrity protection to the DKIM DNS resource records.

1470 **4.5.8 DKIM Operational Considerations**

1471 There are several operations an email administrator will need to perform to maintain DKIM for
1472 an email service. New email services are acquired; DKIM keys are introduced, rolled (i.e.
1473 changed), and eventually retired, etc. Since DKIM requires the use of DNS, administrators need
1474 to take the nature of DNS into account when performing maintenance operations. RFC 5863
1475 [RFC5863] describes the complete set of maintenance operations for DKIM in detail, but the
1476 three most common operations are summarized below.

1477 **4.5.8.1 Introduction of a New DKIM Key**

1478 When initially deploying DKIM for enterprise email, or a new email service to support an
1479 organization, an administrator should insure that the corresponding public key is available for
1480 validation. Thus, the DNS entry with the DKIM public portion should be published in the
1481 sender's domain before the sending MTA begins using the private portion to generate signatures.
1482 The order should be:

- 1483 1. Generate a DKIM key pair and determine the selector that will be used by the MTA(s).
 - 1484 2. Generate and publish the DKIM TXT RR in the sending domain's DNS.
 - 1485 3. Ensure that the DKIM TXT RR is returned in queries.
 - 1486 4. Configure the sending MTA(s) to use the private portion.
 - 1487 5. Begin using the DKIM key pair with email.
- 1488

1489 **4.5.8.2 Changing an Active DKIM Key Pair**

1490 DKIM keys may change for various purposes: suspected weakness or compromise, scheduled
1491 policy, change in operator, or because the DKIM key has reached the end of its lifetime.

1492 Changing, or rolling, a DKIM key pair consists of introducing a new DKIM key before its use
1493 and keeping the old, outgoing key in the DNS long enough for clients to obtain it to validate
1494 signatures. This requires multiple DNS changes with a wait time between them. The relevant
1495 steps are:

- 1496 1. Generate a new DKIM key pair.

- 1497 2. Generate a new DKIM TXT RR, with a different selector value than the outgoing DKIM
 1498 key and publish it in the enterprise's DNS. *At this point, the DNS will be serving both the*
 1499 *old and the new DKIM entries*
- 1500 3. Reconfigure the sending MTA(s) to use the new DKIM key.
- 1501 4. Validate the correctness of the public key.
- 1502 5. Begin using the new DKIM key for signature generation.
- 1503 6. Wait a period of time
- 1504 7. Delete the outgoing DKIM TXT RR.
- 1505 8. Delete or archive the retired DKIM key according to enterprise policy.
- 1506

1507 The necessary period of time to wait before deleting the outgoing DKIM key's TXT RR cannot
 1508 be a universal constant value due to the nature of DNS and SMTP (i.e. mail queuing). An
 1509 enterprise cannot be certain when all of its email has passed DKIM checks using its old key. An
 1510 old DKIM key could still be queried for by a receiving MTA hours (or potentially days) after the
 1511 email had been sent. Therefore, the outgoing DKIM key should be kept in the DNS for a period
 1512 of time (potentially a week) before final deletion.

1513 If it is necessary to revoke or delete a DKIM key, it can be immediately retired by either be
 1514 removing the key's corresponding DKIM TXT RR or by altering the RR to have a blank **p=**.
 1515 Either achieves the same effect (the client can no longer validate the signature), but keeping the
 1516 DKIM RR with a blank **p=** value explicitly signals that the key has been removed.

1517 Revoking a key is similar to deleting it but the enterprise may pre-emptively delete (or change)
 1518 the DKIM RR before the sender has stopped using it. This scenario is possible when an
 1519 enterprise wishes to break DKIM authentication and does not control the sender (i.e. a third party
 1520 or rogue sender). In these scenarios, the enterprise can delete or change the DKIM RR in order to
 1521 break validation of DKIM signatures. Additional deployment of DMARC (see Section 4.5) can
 1522 be used to indicate that this DKIM validation failure should result in the email being rejected or
 1523 deleted.

1524 **4.5.9 DKIM on the Receiver Side**

1525 On the receiver side, email administrators should first make sure their MTA implementation
 1526 have the functionality to verify DKIM signatures. Most major implementations have the
 1527 functionality built-in, or can be included using open source patches or a mail filter (often called a
 1528 *milter*). In some cases, the administrator may need to install additional cryptographic libraries to
 1529 perform the actual validation.

1530 **4.5.9.1 DKIM Queries in the DNS**

1531 Just as an organization that deploys DKIM should deploy DNSSEC, receivers that perform
 1532 DKIM processing should also perform DNSSEC validation (if possible) on responses to DKIM
 1533 TXT queries. A mail server should be able to send queries to a validating DNS recursive server if
 1534 it cannot perform its own DNSSEC validation.

1535 **Security Recommendation 4-7:** Organizations should enable DNSSEC validation on DNS
 1536 servers used by MTAs that verify DKIM signatures.

1537 **4.5.10 Issues with Mailing Lists**

1538 DKIM assumes that the email came from the MTA that generated the signature. This presents
1539 some problems when dealing with certain mailing lists. Often, MTAs that process mailing lists
1540 change the bodies of mailing list messages—for example, adding a footer with mailing list
1541 information or similar. Such actions will invalidate DKIM signatures.

1542 Fundamentally, mailing lists act as active mail parties. They receive messages from senders and
1543 resend them to recipients. Sometimes they send messages as they are received, sometimes the
1544 messages are bundled and sent as a single combined message, and sometimes recipients are able
1545 to chose their delivery means. As such, mailing lists should verify the DKIM signatures of
1546 incoming messages, and then re-sign outgoing messages with their own DKIM signature, made
1547 with the MTA’s public/private key pair. See RFC 6377, “DomainKeys Identified Mail (DKIM)
1548 and Mailing Lists” [RFC6377], also identified as IETF BCP 167, for additional discussion of
1549 DKIM and mailing lists.

1550 Additional assurance can be obtained by providing mailing lists with a role-based (i.e. not a
1551 named individual) S/MIME certificate and digitally signing outgoing. Such signatures will allow
1552 verification of the mailing list signature using S/MIME aware clients such as Microsoft Outlook,
1553 Mozilla Thunderbird, and Apple Mail. See Sections 2.4.2 and 4.7 for a discussion of S/MIME.
1554 Signatures are especially important for broadcast mailing lists that are sent with message-From:
1555 addresses that are not monitored, such as “do-not-reply” email addresses.

1556 **Security Recommendation 4-8:** Mailing list software should verify DKIM signatures on
1557 incoming mail and re-sign outgoing mail with new DKIM signatures.

1558 **Security Recommendation 4-9:** Mail sent to broadcast mailing lists from do-not-reply or
1559 unmonitored mailboxes should be digitally signed with S/MIME signatures so that recipients can
1560 verify the authenticity of the messages.

1561 As with SPF (subsection 4.2 above), DKIM may not prevent a spammer/advertiser from using a
1562 legitimately obtained domain to send unsolicited, DKIM-signed email. DKIM is used to provide
1563 assurance that the purported sender is the originator of the message, and that the message has not
1564 been modified in transit by an unauthorized intermediary.

1565 **4.5.11 Considerations for Enterprises When Using Cloud or Contracted Email Services**

1566 An enterprise that uses third party senders for email services needs to have a policy in place for
1567 DKIM key management. The nature of DKIM requires that the sending MTA have the private
1568 key in order to generate signatures while the domain owner may only have the public portion.
1569 This makes key management controls difficult to audit and or impossible to enforce.
1570 Compartmentalizing DKIM keys is one approach to minimize risk when sharing keying material
1571 between organizations.

1572 When using DKIM with cloud or contracted services, an enterprise should generate a unique key
1573 pair for each service. No private key should be shared between contracted services or cloud
1574 instances. This includes the enterprise itself, if email is sent by MTAs operated within the
1575 enterprise.

1576 **Security Recommendation 4-10:** A unique DKIM key pair should be used for each third
1577 party that sends email on the organization's behalf.

1578 Likewise, at the end of contract lifecycle, all DKIM keys published by the enterprise must be
1579 deleted or modified to have a blank **p=** field to indicate that the DKIM key has been revoked.
1580 This prevents the third party from continuing to send DKIM validated email.

1581 **4.6 Domain-based Message Authentication, Reporting and Conformance (DMARC)**

1582 SPF and DKIM were created so that email sending domain owners could give guidance to
1583 receivers about whether mail purporting to originate from them was valid, and thus whether it
1584 should be delivered, flagged, or discarded. Both SPF and DKIM offer implementation flexibility
1585 and different settings can have different effects at the receiver. However, neither SPF nor DKIM
1586 include a mechanism to tell receivers if SPF or DKIM are in use, nor do they have feedback
1587 mechanism to inform sending domain owners of the effectiveness of their authentication
1588 techniques. For example, if a message arrives at a receiver without a DKIM signature, DKIM
1589 provides no mechanism to allow the receiver to learn if the message is authentic but was sent
1590 from a sender that did not implement DKIM, or if the message is a spoof.

1591 DMARC [RFC7489] allows email sending domain owners to specify policy on how receivers
1592 can verify the authenticity of their email, how the receiver can handle email that fails to verify,
1593 and the frequency and types of report that receivers should send back. DMARC benefits
1594 receivers by removing the guesswork about which security protocols are in use, allowing more
1595 certainty in quarantining and rejecting inauthentic mail.

1596 To further improve authentication, DMARC adds a link between the domain of the sender with
1597 the authentication results for SPF and DKIM. In particular, receivers compare the domain in the
1598 message-From: address in the message to the SPF and DKIM results (if deployed) and the
1599 DMARC policy in the DNS. The results of this data gathering are used to determine how the
1600 mail should be handled. Thus, when an email fails SPF and DKIM verification, or the message-
1601 From: domain-part doesn't match the authentication results, the email can be treated as
1602 illegitimate according to the sending domain owners DMARC policy.

1603 DMARC also provides a mechanism that allows receivers to send reports to the domain owner
1604 about mail claiming to originate from their domain. These reports can be used to illuminate the
1605 extent to which unauthorized users are using the domain, and the proportion of mail received that
1606 is from the purported sender.

1607 **4.6.1 DMARC on the Sender Side**

1608 DMARC policies work in conjunction with SPF and/or DKIM, so a mail domain owner
1609 intending to deploy DMARC must deploy SPF or DKIM or (preferably) both. To deploy
1610 DMARC, the sending domain owner will publish SPF and/or DKIM policies in the DNS, and
1611 calculate a signature for the DKIM header of every outgoing message. The domain owner also
1612 publishes a DMARC policy in the DNS advising receivers on how to treat messages purporting
1613 to originate from the sender's domain. The domain owner does this by publishing its DMARC
1614 policy as a TXT record in the DNS; identified by creating a **_dmarc** DNS record and publishing
1615 it in the sending domain name. For example, the DMARC policy for "example.gov" would

1616 reside at the fully qualified domain name **_dmarc.example.gov**.

1617 When implementing email authentication for a domain for the first time, a sending domain
 1618 owner is advised to first publish a DMARC RR with a “none” policy before deploying SPF or
 1619 DKIM. This allows the sending domain owner to immediately receive reports indicating the
 1620 volume of email being sent that purports to be from their domain. These reports can be used in
 1621 crafting an email authentication policy that reduces the risk of errors.

1622 Since the sending domain owner will be soliciting feedback reports by email from receivers, the
 1623 administrator should establish email addresses to receive aggregate and failure reports. As the
 1624 DMARC RR is easily discovered, the reporting inboxes will likely be subject to voluminous
 1625 unsolicited bulk email (i.e. spam). Therefore, some kind of abuse counter-measures for these
 1626 email in-boxes should be deployed.

1627 Even if a sending domain owner does not deploy SPF or DKIM records it may be useful to
 1628 deploy a DMARC record with policy **p=none** and a **rua** tag, to encourage receivers to send
 1629 aggregate reports about the use to which the sender’s domain is being put. This can help with
 1630 preliminary evaluation to determine whether a mail sender should mount SPF and DKIM
 1631 defenses.

1632 **4.6.2 The DMARC DNS Record**

1633 The DMARC policy is encoded in a TXT record placed in the DNS by the sending domain
 1634 owner. Similar to SPF and DKIM, the DMARC policy is encoded in a series of **tag=value** pairs
 1635 separated by semicolons. Common keys are:

1636 **Table 4-6: DMARC RR Tag and Value Descriptions**

Tag	Name	Description
v=	Version	Version field that must be present as the first element. By default the value is always DMARC1 .
p=	Policy	Mandatory policy field. May take values ‘ none ’ or ‘ quarantine ’ or ‘ reject ’. This allows for a gradually tightening policy where the sender domain recommends no specific action on mail that fails DMARC checks (p=none), through treating failed mail as suspicious (p=quarantine), to rejecting all failed mail (p=reject), preferably at the SMTP transaction stage.
aspf=	SPF Policy	Values are “ r ” (default) for relaxed and “ s ” for strict SPF domain enforcement. Strict alignment requires an exact match between the message-From: address domain and the (passing) SPF check must exactly match the RFC envelope-From: address (i.e. the HELO address). Relaxed requires that only the message-From: and envelope-From: address domains be in alignment. For example, the envelope-From:

		address domain-part " smtp.example.org " and the message-From: address " announce@example.org " are in alignment, but not a strict match.
adkim=	DKIM Policy	Optional. Values are " r " (default) for relaxed and " s " for strict DKIM domain enforcement. Strict alignment requires an exact match between the message-From: domain in the message header and the DKIM domain presented in the " d= " DKIM tag. Relaxed requires only that the domain part is in alignment (as in aspf above).
fo=	Failure Reporting options	Optional. Ignore if a " ruf " argument below is not also present. Value 0 indicates the receiver should generate a DMARC failure report if all underlying mechanisms fail to produce an aligned "pass" result. Value 1 means generate a DMARC failure report if any underlying mechanism produces something other than an aligned "pass" result. Other possible values are " d " and " s ": " d " means generate a DKIM failure report if a signature failed evaluation. " s " means generate an SPF failure report if the message failed SPF evaluation. These values are not exclusive and may be combined together in a colon-separated list.
ruf=		Optional. Lists a series of Universal Resource Indicators (URI's) (currently just " mailto:<emailaddress> ") that list where to send failure feedback reports. This is for reports on message specific failures. Sending domain owners should use this argument sparingly, since it is used to request a report on a per-failure basis, which could result in a large volume of failure reports.
rua=		Optional list of URI's (like in ruf= above, using the " mailto: " URI) listing where to send aggregate feedback back to the sending domain owner. These reports are sent based on the interval requested using the " ri= " option below, with a default of 86400 seconds if not listed.
ri=	Reporting Interval	Optional with the default value of 86400 seconds (one day). The value listed is the reporting interval desired by the sending domain owner.
pct=	Percent	Optional with the default value of 100 (%). Expresses the percentage of a sending domain owner's mail that should be subject to the given DMARC policy in a range from 0 to 100. This allows domain owners to ramp up their policy enforcement gradually and prevent having to commit to a rigorous policy before getting feedback on their existing

		policy. Note: this value must be an integer.
sp=	Subdomain Policy	Optional with a default value of ‘ none ’. Other values include the same range of values as the ‘ p= ’ argument. This is the policy to be applied to mail from all identified subdomains of the given DMARC RR.

1637

1638 Like SPF and DKIM, the DMARC record is actually a DNS TXT RR. Like all DNS information,
 1639 it should be signed using DNSSEC [RFC4033], [RFC4034], and [RFC4035] to prevent an
 1640 attacker from spoofing the DNS response and altering the DMARC check by a client.

1641 **4.6.3 Example of DMARC RR’s**

1642 Below are several examples of DMARC policy records using the above tags. The most basic
 1643 example is a DMARC policy that effectively does not assert anything and does not request the
 1644 receiver send any feedback reports, so it is, in effect, useless.

1645 `_dmarc.example.gov 3600 IN TXT “v=DMARC1; p=none;”`

1646 An agency that is preparing to deploy SPF and/or DKIM, or has deployed these technologies, but
 1647 may not be confident in their current policies may request aggregate reports from receivers, but
 1648 otherwise advises no specific action. The agency can do so by publishing a **p=none** policy as in
 1649 the example below.

1650 `_dmarc.example.gov 3600 IN TXT “v=DMARC1; p=none;
 1651 rua=reports@example.gov;”`

1653 An agency that has deployed SPF and DKIM and advises receivers to reject any messages that
 1654 fail these checks would publish a **p=reject** policy as in the example below. Here, the agency also
 1655 wishes to receive aggregate reports on a daily basis (the default).

1656 `_dmarc.example.gov 3600 IN TXT “v=DMARC1; p=reject;
 1657 rua=reports@example.gov;”`

1659 The agency in the process of deploying DKIM (but has confidence in their SPF policy) may wish
 1660 to receive feedback solely on DKIM failures, but does not wish to be inundated with feedback,
 1661 so requests that the policy be applied to a subset of messages received. In this case, the DMARC
 1662 policy would include the **fo=** option to indicate only DKIM failures are to be reported and a **pct=**
 1663 value of **10** to indicate that only 1 in 10 email messages should be subjected to this policy (and
 1664 subsequent reporting on a failure). Note that this is not a wise strategy in that it reduces the
 1665 enforcement policy and the completeness of reporting. The use of the **pct** value in values other
 1666 than 0 or 100 (i.e. none or full) limits DMARC effectiveness and usefulness of reporting. It is
 1667 also burdensome for receivers to choose that intermediate percentage of mail for testing.

1668 `_dmarc.example.gov 3600 IN TXT “v=DMARC1; p=none; pct=10; fo=d;
 1669 ruf=reports@example.gov;”`

1670

1671 **Security Recommendation 4-11:** Sending domain owners who deploy SPF and/or DKIM are
1672 recommended to publish a DMARC record signaling to mail receivers the disposition expected
1673 for messages purporting to originate from the sender's domain.

1674 **4.6.4 DMARC on the Receiver Side**

1675 Receivers of email purporting to originate from a given domain will look up the SPF, DKIM and
1676 DMARC records in the DNS and act on the policies encoded therein. The recommended
1677 processing order per RFC 7489 [RFC7489] is given below. Note that it is possible that some
1678 steps could be done in parallel and local policy may alter the order of some steps (i.e. steps 2, 3
1679 and 4).

- 1680 1. The receiver extracts the message-From: address from the message. This must contain a
1681 single, valid address or else the mail is refused as an error.
- 1682 2. The receiver queries for the DMARC DNS record based on the message-From: address.
1683 If none exists, terminate DMARC processing.
- 1684 3. The receiver performs DKIM signature checks. If more than one DKIM signature exists
1685 in the message, one must verify.
- 1686 4. The receiver queries for the sending domain's SPF record and performs SPF validation
1687 checks.
- 1688 5. The receiver conducts Identifier Alignment checks between the message-From: and the
1689 results of the SPF and DKIM records (if present). It does so by comparing the domain
1690 extracted from the message-From: (as in step 2 above) with the domain in the verified
1691 SPF and/or DKIM verification steps. If there is a match with either the domain verified
1692 by SPF or DKIM, then the DMARC Identifier Alignment check passes.
- 1693 6. The receiver applies the DMARC policy found in the purported sender's DMARC record
1694 unless it conflicts with the receiver's local policy. The receiver will also store the results
1695 of evaluating each received message for the purpose of compiling aggregate reports sent
1696 back to the domain owner (as specified in the **rua** tag).

1697 Note that local email processing policy may override a sending domain owner's stated DMARC
1698 policy. The receiver should also store the results of evaluating each received message in some
1699 persistent form for the purpose of compiling aggregate reports.

1700 Even if steps 2-5 in the above procedure yield no SPF or DKIM records to evaluate the message,
1701 it is still useful to send aggregate reports based on the sending domain owner's DMARC
1702 preferences, as it helps shape sending domain responses to spam in the system.

1703 **Security Recommendation 4-12:** Mail receivers who evaluate SPF and DKIM results of
1704 received messages are recommended to dispose them in accordance with the sending domain's
1705 published DMARC policy, if any. They are also recommended to initiate failure reports and
1706 aggregate reports according to the sending domain's DMARC policies.

1707 4.6.5 Policy and Reporting

1708 DMARC can be seen as consisting of two components: a policy on linking SPF and DKIM
 1709 checks to the message-From: address, and a reporting mechanism. The reason for DMARC
 1710 reporting is so that domain owners can get feedback on their SPF, DKIM, Identifier Alignment
 1711 and message disposition policies so these can be made more effective. The DMARC protocol
 1712 specifies a system of aggregate reports sent by receivers on a periodic basis, and failure reports
 1713 sent on a message-by-message basis for email that fail some component part of the DMARC
 1714 checks. The specified form in which receivers send aggregate reports is as a compressed (zipped)
 1715 XML file based on the AFRF format [RFC6591], [RFC7489]¹¹. Each aggregate report from a
 1716 mail receiver back to a particular domain owner includes aggregate figures for successful and
 1717 unsuccessful message authentications including:

- 1718 • The sending domain owner's DMARC policy for that interval (domain owners may
 1719 change policies and it is undetermined whether a receiver will respond based on the 'old'
 1720 policy or the 'new' policy).
- 1721 • The message disposition by the receiver (i.e. delivered, quarantined, rejected).
- 1722 • SPF result for a given SPF identifier.
- 1723 • DKIM result for a given DKIM identifier.
- 1724 • Whether identifiers are in alignment or not.
- 1725 • Results classified by sender subdomain (whether or not a separate **sp** policy exists).
- 1726 • The sending and receiving domain pair.
- 1727 • The policy applied, and whether this is different from the policy requested.
- 1728 • The number of successful authentications.
- 1729 • Totals for all messages received.

1730 Based on the return flow of aggregate reports from the aggregation of all receivers, a domain
 1731 owner can build up a picture of the email being sent and how it appears to outside receivers. This
 1732 allows the domain owner to identify gaps in email infrastructure and policy and how (and when)
 1733 it can be improved. In the early stages of building up this picture, the sending domain should set
 1734 a DMARC policy of **p=none**, so the ultimate disposition of a message that fails some checks
 1735 rests wholly on the receiver's local policy. As DMARC aggregate reports are collected, the
 1736 domain owner will have a quantitatively better assessment of the extent to which the sender's
 1737 email is authenticated by outside receivers, and will be able to set a policy of **p=reject**,
 1738 indicating that any message that fails the SPF, DKIM and alignment checks really should be
 1739 rejected. From their own traffic analysis, receivers can develop a determination of whether a
 1740 sending domain owner's **p=reject** policy is sufficiently trustworthy to act on.

1741 Failure reports from receivers to domain owners help debug and tune the component SPF and
 1742 DKIM mechanisms as well as altering the domain owner that their domain is being used as part

¹¹ Appendix C of RFC 7489

1743 of a phishing/spam campaign. Typical initial rollout of DMARC in an enterprise will include the
 1744 **ruf** tag with the values of the **fo** tag progressively modified to capture SPF debugging, DKIM
 1745 debugging or alignment debugging. Failure reports are expensive to produce, and bear a real
 1746 danger of providing a DDoS source back to domain owners, so when sufficient confidence is
 1747 gained in the integrity of the component mechanisms, the **ruf** tag may be dropped from DMARC
 1748 policy statements if the sending domain no longer wants to receive failure reports. Note however
 1749 that failure reports can also be used to alert domain owners about phishing attacks being
 1750 launched using their domain as the purported sender and therefore dropping the **ruf** tag is not
 1751 recommended.

1752 The same AFRF report format as for aggregate reports [RFC6591], [RFC7489] is also specified
 1753 for failure reports, but the DMARC standard updates it for the specificity of a single failure
 1754 report:

- 1755 • Receivers include as much of the message and message header as is reasonable to allow
 1756 the domain to investigate the failure.
- 1757 • Add an Identity-Alignment field, with DKIM and SPF DMARC-method fields as
 1758 appropriate (see above).
- 1759 • Optionally add a Delivery-Result field.
- 1760 • Add DKIM Domain, DKIM Identity and DKIM selector fields, if the message was
 1761 DKIM signed. Optionally also add DKIM Canonical header and body fields.
- 1762 • Add an additional DMARC authentication failure type, for use when some authentication
 1763 mechanisms fail to produce aligned identifiers.

1764 4.6.6 Considerations for Agencies When Using Cloud or Contracted Email Services

1765 The **rua** and **ruf** tags typically specify **mailto:** addresses in the sender's domain. These reporting
 1766 addresses are normally assumed to be in the same domain as the purported sender, but not
 1767 always. Cloud providers and contracted services may provide DMARC report collection as part
 1768 of their service offerings. In these instances, the **mailto:** domain will differ from the sending
 1769 domain. To prevent DMARC reporting being used as a DoS vector, the owner of the **mailto:**
 1770 domain must signal its legitimacy by posting a DMARC TXT DNS record with the Fully
 1771 Qualified Domain Name (FQDN):

1772 *original-sender-domain._report._dmarc.mailto-domain*

1773 For example, an original message sent from **example.gov** is authenticated with a DMARC
 1774 record:

1775 **_dmarc.example.gov. IN TXT "v=DMARC1; p=reject;**
 1776 **rua=mailto:reports.example.net"**
 1777

1778 The recipient then queries for a DMARC TXT RR at
 1779 **example.gov._report._dmarc.example.net** and checks the **rua** tag includes the value
 1780 **rua=mailto:reports.example.net** to insure that the address specified in the sending domain
 1781 owner's DMARC record is the legitimate receiver for DMARC reports.

1782 Note that, as with DKIM, DMARC records require the use of semicolons between tags.

1783 4.6.7 Mail Forwarding

1784 The message authentication devices of SPF, DKIM and DMARC are designed to work directly
 1785 between a sender domain and a receiver domain. The message envelope and RFC5322.From
 1786 address pass through a series of MTAs, and are authenticated by the receiver. The DKIM
 1787 signature, message headers and message body arrive at the receiver unchanged. The email
 1788 system has additional complexities as there are a variety of message forwarding activity that will
 1789 very often either modify the message, or change the apparent message-From: domain. For
 1790 example, user@example.gov sends a message to ourgroup@example.net, which is subsequently
 1791 forwarded to all members of the mail group. If the mail group software simply relays the
 1792 message, the envelope-From: address denoting the forwarder differs from the message-From:
 1793 address, denoting the original sender. In this case DMARC processing will rely on DKIM for
 1794 authentication. If the forwarder modifies the message-From: field to match the HELO of the
 1795 sending MTA (see Section 2.3.1), SPF may authenticate, but the modified header will make the
 1796 DKIM signature invalid. Table 4-2 below summarizes the various forwarding techniques and
 1797 their effect on domain-based authentication mechanisms:

1798 **Table 4-7: Common relay techniques and their impact on domain-based authentication**

Relay Technique	Typical Uses	Negatively Impacts
Aliases	Forwarding, many-to-one consolidation, vanity addresses	SPF
Re-sender	MUA level forwarding, inline forwarding	SPF & DKIM
Mailing Lists	Re-posting to a subscriber list, often with modifications to the message body (such as a footer identifying the mailing list).	SPF & DKIM results may lead to DMARC policy rejection and sender unsubscribe
Gateways	Unrestricted message re-writing, and forwarding	SPF & DKIM
Boundary Filters	Spam or malware filters that change/delete content of an email message	DKIM

1799

1800 Forwarding in general creates problems for DMARC results processing, and as of this writing,
 1801 universal solutions are still in development. There is a currently existing set of mitigations that
 1802 could be used by the mail relay and by the receiver, but would require modified MTA processing
 1803 from traditional SPF and DKIM processing:

- 1804 1. The mediator can alter the message-From: field to match the envelope-From:. In this case
1805 the SPF lookup would be on the mediator's domain.
- 1806 2. After making the customary modifications, which break the originators DKIM signature,
1807 the email relay can generate its own DKIM signature over the modified header and body.
1808 Multiple DKIM signatures in a message are acceptable and DMARC policy is that at
1809 least one of the signatures must authenticate to pass DMARC.

1810 It should also be noted that if one or the other (SPF or DKIM) authentication and domain
1811 alignment checks pass, then the DMARC policy could be satisfied.


1812 At the receiver side, if a message fails DMARC and is bounced (most likely in the case where
1813 the sender publishes a **p=reject** policy), then a mailing list may respond by unsubscribing the
1814 recipient. Mailing list managers should be sensitive to the reasons for rejection and avoid
1815 unsubscribing recipients if the bounce is due to message authentication issues. If the mailing list
1816 is in a domain where the recommendations in this document can be applied, then such mailing
1817 list managers should be sensitive to and accommodate DMARC authentication issues. In the case
1818 where the mailing list is outside the domain of influence, the onus is on senders and receivers to
1819 mitigate the effects of forwarding as best they can.

1820 **4.7 Authenticating Mail Messages with Digital Signatures**

1821 In addition to authenticating the sender of a message, the message contents can be authenticating
1822 with digital signatures. Signed email messages protect against phishing attacks, especially
1823 targeted phishing attacks, as users who have been conditioned to expect signed messages from
1824 co-workers and organizations are likely to be suspicious if they receive unsigned messages
1825 instructing them to perform an unexpected action [GAR2005]. For this reason, the Department of
1826 Defense requires that all e-mails containing a link or an attachment be digitally signed
1827 [DOD2009].

1828 Because it interoperates with existing PKI and most deployed software, S/MIME is the
1829 recommended format for digitally signing messages. Users of most email clients who receive
1830 S/MIME signed messages from organizations that use well-known CAs will observe that the
1831 message signatures are automatically validated, without the need to manually add or trust
1832 certificates for each sender. If users receive mail that originates from a sender that uses a non-
1833 public CA, then either the non-public CA must be added or else each S/MIME sender must be
1834 individually approved. Today, the US Government PIV [FIPS 201] cards are signed by well-
1835 known CAs, whereas the US Department of Defense uses CAs that are generally not trusted
1836 outside the Department of Defense. Thus, email signed by PIV cards will generally be validated
1837 with no further action, while email signed by DoD Common Access Cards will result in a
1838 warning that the sender's certificate is not trusted.

1839 **4.7.1 End-to-End Authentication Using S/MIME Digital Signatures**



1840

1841

Fig 4-1: Two models for sending digitally signed mail.

1842 Organizations can use S/MIME digital signatures to certify email that that is sent within or
 1843 external to the organization. Because support for S/MIME is present in many modern mail
 1844 clients¹², S/MIME messages that are signed with a valid digital signature will automatically
 1845 validate when they are displayed. This is particularly useful for messages that are designed to be
 1846 read but not replied to—for example, status reports and alerts that are sent programmatically, as
 1847 well as messages that are sent to announcement-only distribution lists.

1848 To send S/MIME digitally signed messages, organizations must first obtain an S/MIME
 1849 certificate where the sender matches the message-From: address that will be used to sign the
 1850 messages. Typically, this will be done with a S/MIME certificate and matching private key that
 1851 corresponds to the role, rather than to an individual.¹³ Once a certificate is obtained, the message
 1852 is first composed. Next, software uses both the S/MIME certificate and the private portion of
 1853 their S/MIME key pair to generate the digital signature. S/MIME signatures contain both the
 1854 signature and the signing certificate, allowing recipients to verify the signed message without

¹² Support for S/MIME is included in Microsoft Outlook, Apple Mail, iOS Mail, Mozilla Thunderbird, and other mail programs.

¹³ For example, DoDI 8520.02 (May 24, 2011), “Public Key Infrastructure (PKI) and Public Key (PK) Enabling,” specifically allows certificates to be issued for groups, roles, information system, device, and code signing purposes, in addition to the issuance of certificates to eligible users.

1855 having to fetch the certificate from a remote server; the certificate itself is validated using PKI.
1856 Sending S/MIME signed messages thus requires either a MUA that supports S/MIME and the
1857 necessary cryptographic libraries to access the private key and generate the signature, or else an
1858 intermediate program that will sign the message after it is created but before it is delivered (Fig
1859 4-3).

1860 The receiver of the signed S/MIME message then uses the sender's public key (from the sender's
1861 attached X.509 certificate) and validates the digital signature. The receiver should also check to
1862 see if the senders certificate has a valid PKIX chain back to a root certificate the receiver trusts to
1863 further authenticate the sender. Some organizations may wish to configure MUAs to perform
1864 real-time checks for certificate revocation and an additional authentication check (See Section
1865 5.2.2.4).

1866 The principal barrier to using S/MIME for end-user digital signatures has been the difficulty of
1867 arranging for end-users to obtain S/MIME certificates. One approach is to issue S/MIME
1868 credentials in physical identity tokens, as is done with the US Government's PIV (Personal
1869 Identity Verification) cards [FIPS 201]. Individuals can obtain free S/MIME certificates from a
1870 number of online providers, who verify the individual's address with an email challenge.

1871 The principal barrier to using S/MIME for signing organizational email has been the lack of
1872 attention to the issue, since only a single certificate is required for signing mail and software for
1873 verifying S/MIME signatures is already distributed.

1874 **Security Recommendation 4-11:** Use S/MIME signatures for assuring message authenticity
1875 and integrity.

1876 **4.8 Recommendation Summary**

1877 **Security Recommendation 4-1:** Organizations are recommended to deploy SPF to specify
1878 which IP addresses are authorized to transmit email on behalf of the domain. Domains controlled
1879 by an organization that are not used to send email should include an SPF RR with the policy
1880 indicating that there are no valid email senders for the given domain.

1881 **Security Recommendation 4-2:** Organizations should deploy DNSSEC for all DNS name
1882 servers and validate DNSSEC queries from all systems that receive email.

1883 **Security Recommendation 4-3:** Federal agency administrators shall only use keys with
1884 approved algorithms and lengths for use with DKIM.

1885 **Security Recommendation 4-4:** Administrators should insure that the private portion of the
1886 key pair is adequately protected on the sending MTA and that only the MTA software has read
1887 privileges for the key. Federal agency administrators should follow FISMA control SC-12
1888 [SP800-53] guidance with regards to distributing and protecting DKIM key pairs.

1889 **Security Recommendation 4-5:** Each sending MTA should be configured with its own
1890 private key and its own selector value, to minimize the damage that may occur if a private key is
1891 compromised.

- 1892 **Security Recommendation 4-6:** Organizations should deploy DNSSEC to provide
1893 authentication and integrity protection to the DKIM DNS resource records.
- 1894 **Security Recommendation 4-7:** Organizations should enable DNSSEC validation on DNS
1895 servers used by MTAs that verify DKIM signatures.
- 1896 **Security Recommendation 4-8:** Mailing list software should verify DKIM signatures on
1897 incoming mail and re-sign outgoing mail with new DKIM signatures.
- 1898 **Security Recommendation 4-9:** Mail sent to broadcast mailing lists from do-not-reply or
1899 unmonitored mailboxes should be digitally signed with S/MIME signatures so that recipients can
1900 verify the authenticity of the messages.
- 1901 **Security Recommendation 4-10:** A unique DKIM key pair should be used for each third
1902 party that sends email on the organization's behalf.
- 1903 **Security Recommendation 4-11:** Use S/MIME signatures for assuring message authenticity
1904 and integrity.

1905 **5 Protecting Email Confidentiality**

1906 **5.1 Introduction**

1907 Cleartext mail messages are submitted by a sender, transmitted hop-by-hop over a series of
1908 relays, and delivered to a receiver. Any successful man-in-the-middle can intercept such traffic
1909 and read it directly. Any bad actor, or organizationally privileged actor, can read such mail on
1910 the submission or delivery systems. Email transmission security can be assured by encrypting the
1911 traffic along the path. The Transport Layer Security protocol (TLS) [RFC5246] protects
1912 confidentiality by encrypting bidirectional traffic and prevents passive monitoring. TLS relies on
1913 public key cryptography and uses X.509 certificates [RFC5280] to encapsulate the public key,
1914 and the Certificate Authority (CA) system to issue certificates and authenticate the origin of the
1915 key.

1916 In recent years the CA system has become the subject of attack and has been successfully
1917 compromised on several occasions¹⁴¹⁵. The DANE protocol [RFC6698] is designed to overcome
1918 problems in the CA system by providing an alternative channel for authenticating public keys
1919 based on DNSSEC, with the result that the same trust relationships used to certify IP addresses
1920 are used to certify servers operating on those addresses The mechanisms that combine to
1921 improve the assurance of email transmission security are described in section 5.2.

1922 Encryption at the transport layer gives assurance of the integrity of data in transit, but senders
1923 and receivers who want end-to-end assurance, (i.e. mailbox to mailbox) of confidentiality have
1924 two alternative mechanisms for achieving this: S/MIME [RFC5750] and OpenPGP [RFC4880].
1925 Both protocol are capable of signing (for authentication) and encryption (for confidentiality).
1926 The S/MIME protocol is deployed to sign and/or encrypt message contents, using keys stored as
1927 X.509 certificates and a PKI (See Section 2.4.2) while OpenPGP uses a different certificate and a
1928 Web-of-Trust model for authentication of identities (See Section 2.4.3). Both of these protocols
1929 have the issue of trustworthy certificate publication and discovery. These certificates can be
1930 published through the DNS by a different implementation of the DANE mechanism for
1931 S/MIME[draft-smime] and OpenPGP [draft-openpgpkey]. S/MIME and OpenPGP, with their
1932 strengthening by DANE authentication are discussed below.

1933 **5.2 Email Transmission Security**

1934 Email proceeds towards its destination from a Message Submission Agent, through a sequence of
1935 Message Transfer Agents, to a Message Delivery Agent, as described in Section 2. This
1936 translates to the use of SMTP [RFC5321] for submission and hop-by-hop transmission and
1937 IMAP [RFC3501] or POP3 [RFC1939] for final delivery into a recipient's mailbox. TLS
1938 [RFC5246] can be used to protect email in transit, but intervening hops may be under
1939 autonomous control, so a securely encrypted end-to-end path cannot be guaranteed. This is

¹⁴ “Comodo SSL Affiliate The Recent RA Compromise,” Phillip Hallam Baker, Comodo, March 15, 2011.
<https://blog.comodo.com/other/the-recent-ra-compromise/>

¹⁵ Peter Bright, “Independent Iranian hacker claims responsibility for Comodo hack,” Ars Technica, March 28, 2011.
<http://arstechnica.com/security/2011/03/independent-iranian-hacker-claims-responsibility-for-comodo-hack/>

1940 discussed further in section 5.2.1. Opportunistic encryption over some portions of the path can
 1941 provide “better-than-nothing” security. The use of STARTTLS [RFC3207] is a standard method
 1942 for establishing a TLS connection. TLS has a secure handshake that relies on asymmetric
 1943 encryption, to establish a secure session (using symmetric encryption). As part of the handshake,
 1944 the server sends the client an X.509 certificate containing its public key, and the cipher suite and
 1945 symmetric key are negotiated with a preference for the optimally strongest cipher that both
 1946 parties support. SMTP clients have traditionally not verified the server’s certificate due to the
 1947 lack of an appropriate mechanism to specify allowable certificates and certificate authorities. The
 1948 newly adopted RFC 7672 [RFC 7672] rectifies this, by providing rules for applying the DANE
 1949 protocol to SMTP servers. The use of DANE in conjunction with SMTP is discussed Section
 1950 **Error! Reference source not found..**

1951 From early 2015 there was an initiative in the IETF to develop a standard that allows for the
 1952 implicit (default) use of TLS in email transmission. This goes under the title of Deployable
 1953 Enhanced Email Privacy (DEEP). This scheme goes some steps beyond the triggering of
 1954 STARTTLS, and is discussed further in Section 5.2.4.

1955 Ultimately, the entire path from sender to receiver will be protected by TLS. But this may consist
 1956 of many hops between MTAs, each the subject of a separate transport connection. These are not
 1957 compelled to upgrade to TLS at the same time, however in the patchwork evolutionary
 1958 development of the global mail system, this cannot be completely guaranteed. There may be
 1959 some MTAs along the route uncontrolled by the sender or receiver domains that have not
 1960 upgraded to TLS. In the interim until all mail nodes are certifiably secure, the principle is that
 1961 some incrementally improving security is better than no security, so opportunistic TLS (using
 1962 DANE or other methods to validate certificates) should be employed at every possible hop.

1963 **5.2.1 TLS Configuration and Use**

1964 Traditionally, sending email begins by opening a SMTP connection over TCP and entering a
 1965 series of cleartext commands, possibly even including usernames and passwords. This leaves the
 1966 connection exposed to potential monitoring, spoofing, and various man-in-the-middle
 1967 interventions. A clear improvement would be to open a secure connection, encrypted so that the
 1968 message contents cannot be passively monitored, and third parties cannot spoof message headers
 1969 or contents. Transport Layer Security (TLS) offers the solution to these problems.

1970 TCP provides a reliable, flow-controlled connection for transmitting data between two peers.
 1971 Unfortunately, TCP provides no built-in security. Transport connections carry all manner of
 1972 sensitive traffic, including web pages with financial and sign in information, as well as email
 1973 messages. This traffic can only be secured through physical isolation, which is not possible on
 1974 the Internet, or encryption.

1975 Secure Sockets Layer was developed to provide a standard protocol for encrypting TCP
 1976 connections. SSL evolved into Transport Layer Security (TLS), currently at Version 1.2
 1977 [RFC5246]. TLS negotiates a secure connection between initiator and responder (typically client
 1978 and server) parties. The negotiation entails the exchange of the server’s certificate, and possibly
 1979 the client’s certificate, and agreement on a cipher to use for encrypting the data. In essence, the
 1980 protocol uses the public-private key pair: the public key in the server’s certificate, and the

1981 server's closely held private key, to negotiate a symmetric key known to both parties, and with
 1982 which both can encrypt, transmit and decrypt the application data. RFC 5246 Appendix A
 1983 describes a range of permissible ciphers, and the parties agree on one from this set. This range of
 1984 ciphers may be restricted on some hosts by local policy (such as only ciphers Approved for
 1985 federal use). Data transmitted over the connection is encrypted using the negotiated session key.
 1986 At the end, the connection is closed and the session key can be deleted (but not always, see
 1987 below).

1988 Negotiating a TLS connection involves a significant time and processor load, so when the two
 1989 parties have the need to establish frequent secure connections between them, a session
 1990 resumption mechanism allows them to pick up with the previously negotiated cipher, for a
 1991 subsequent connection.

1992 TLS gains its security from the fact that the server holds the private key securely and the public
 1993 key is authenticated by its being wrapped in an X.509 certificate that is guaranteed by some
 1994 Certificate Authority. If the Certificate Authority is somehow compromised, there is no
 1995 guarantee that the key in the certificate is truly the one belonging to the server, and a client may
 1996 inadvertently negotiate with a man-in-the-middle. An investigation of what X.509 certificates
 1997 are, how they work, and how they can be better secured, follows.

1998 **Security Recommendation 5-1:** NIST SP800-52 currently requires TLS 1.1 configured with
 1999 FIPS based cipher suites as the minimum appropriate secure transport protocol. Organizations
 2000 are recommended to migrate to TLS 1.2 with all practical speed.

2001 **5.2.2 X.509 Certificates**

2002 The Federal Public Key Infrastructure (FPKI) Policy Authority has specified profiles (called the
 2003 FPIX profile) for two types of X.509 version 3 certificates that can be used for confidentiality
 2004 and integrity protection of federal email systems [FPKI-CERT]. The applicable certificate profile
 2005 is identified by the **KeyPurposeId** with value **id-kp-emailProtection (1.3.6.1.5.5.7.3.4)** and
 2006 includes the following:

- 2007 • End Entity Signature Certificate Profile (Worksheet 5)
- 2008 • Key Management Certificate Profile (Worksheet 6)

2009 The overall FPIX profile is an instantiation of IETF's PKI profile developed by the PKIX
 2010 working group (and hence called the PKIX profile) [PKIX] with unique parameter settings for
 2011 Federal PKI systems. Thus a FPIX certificate profile complements the corresponding PKIX
 2012 certificate profile. The following is a brief overview of the two applicable FPIX profiles referred
 2013 above.

2014 **5.2.2.1 X.509 Description**

2015 A trusted Certificate Authority (CA) is licensed to validate applicants' credentials, store their
 2016 public key in a X.509 [RFC5280] structure, and digitally sign it with the CA's private key.

2017 Applicants must first generate their own public and private key pair, save the private key
 2018 securely, and bind the public key into an X.509 request. The **openssl req** command is an
 2019 example way to do this on Unix/Linux systems with OpenSSL¹⁶ installed. Many CAs will
 2020 generate a certificate without receiving a request (in effect, generating the request themselves on
 2021 the customer's behalf). The resulting digitally encoded structure is transmitted to the CA, vetted
 2022 according to the CA's policy, and a certificate is issued. An example certificate is given below in
 2023 Fig 5-1, with salient fields described.

- 2024 • **Issuer:** The Certificate Authority certificate that issued and signed this end entity
 2025 certificate. Often this is an intermediate certificate that in turn was signed by either a
 2026 higher intermediate certificate, or by the ultimate root. If the issuer is a well known
 2027 reputable entity, its root certificate may be listed in host systems' root certificate
 2028 repository.
- 2029 • **Subject:** The entity to which this certificate is issued, in this CA. Here:
 2030 **www.example.com.**
- 2031 • **Public Key:** (this field truncated for convenience). This is the public key corresponding
 2032 to the private key held by the subject. In use, clients who receive the certificate in a
 2033 secure communication attempt extract the public key and use it for one of the stated key
 2034 usages.
- 2035 • **X509v3 Key Usage:** The use of this certificate is restricted to digital signature, key
 2036 encipherment or key agreement. So an attempt to use it for encryption, for example,
 2037 should result in rejection.
- 2038 • **X509v3 Basic Constraints:** This document is an end certificate so the constraint is set to
 2039 **CA:FALSE**. It is not a CA and cannot be used to sign downstream certificates for other
 2040 entities.
- 2041 • **X509v3 SubjectAltName:** Together with the Common Name in the Subject field, this
 2042 represents the binding of the public key with a domain. Any attempt by another domain
 2043 to transmit this certificate to try to establish a connection, should result in failure to
 2044 authenticate and connection closure.
- 2045 • **Signature Algorithm** (truncated for convenience). The signature generated by the CA
 2046 over this certificate, demonstrating the CA's authentication of the subject and its public
 2047 key.

2048 Certificate: 2049 Data: 2050 Version: 3 (0x2) 2051 Serial Number: 760462 (0xb9a8e) 2052 Signature Algorithm: sha1WithRSAEncryption
--

¹⁶ <https://www.openssl.net/>

2053 **Issuer:** C=IL, O=ExampleCA LLC, OU=Secure Digital Certificate Signing, CN=ExampleCA Primary
 2054 Intermediate Server CA
 2055 Validity
 2056 Not Before: Aug 20 15:32:55 2013 GMT
 2057 Not After : Aug 21 10:17:18 2014 GMT
 2058 **Subject: description=I0Yrz4bhzFN7q1Ib, C=US,**
 2059 **CN=www.example.com/emailAddress=admin@example.com**
 2060 Subject Public Key Info:
 2061 Public Key Algorithm: rsaEncryption
 2062 **Public-Key: (2048 bit)**
 2063 Modulus:
 2064 00:b7:14:03:3b:87:aa:ea:36:3b:b2:1c:19:e3:a7:
 2065 7d:84:5b:1e:77:a2:44:c8:28:b7:c2:27:14:ef:b5:
 2066 04:67
 2067 Exponent: 65537 (0x10001)
 2068 X509v3 extensions:
 2069 **X509v3 Basic Constraints:**
 2070 **CA:FALSE**
 2071 **X509v3 Key Usage:**
 2072 Digital Signature, Key Encipherment, Key Agreement
 2073 X509v3 Extended Key Usage:
 2074 TLS Web Server Authentication
 2075 X509v3 Subject Key Identifier:
 2076 C2:64:A8:A0:3B:E6:6A:D5:99:36:C2:70:9B:24:32:CF:77:46:28:BD
 2077 X509v3 Authority Key Identifier:
 2078 keyid:EB:42:34:D0:98:B0:AB:9F:F4:1B:6B:08:F7:CC:64:2E:EF:0E:
 2079 2C:45
 2080 **X509v3 Subject Alternative Name:**
 2081 DNS:www.example.com, DNS:example.com
 2082 X509v3 Certificate Policies:
 2083 Policy: 2.23.140.1.2.1
 2084 Policy: 1.3.6.1.4.1.23223.1.2.3
 2085 CPS: http://www.exampleCA.com/policy.txt
 2086 User Notice:
 2087 Organization: ExampleCA Certification Authority
 2088 Number: 1
 2089 Explicit Text: This certificate was issued according to the Class 1 Validation requirements of
 2090 the ExampleCA CA policy, reliance only for the intended purpose in compliance of the relying party
 2091 obligations.
 2092
 2093 X509v3 CRL Distribution Points:
 2094 Full Name:
 2095 URI:http://crl.exampleCA.com/crl.crl
 2096
 2097 Authority Information Access:
 2098 OCSP - URI:http://ocsp.exampleCA.com/class1/server/ocsp
 2099 CA Issuers - URI:http://aia.exampleCA.com/certs/ca.crt
 2100
 2101 X509v3 Issuer Alternative Name:
 2102 URI:http://www.exampleCA.com/
 2103 **Signature Algorithm:** sha1WithRSAEncryption
 2104 93:29:d1:ed:3a:2a:91:50:b4:64:1d:0f:06:8a:79:cf:d5:35:
 2105 ba:25:39:b0:dd:c0:34:d2:7f:b3:04:5c:46:50:2b:97:72:15:
 2106 ea:3a:4f:b6
 2107

Fig 5-1: Example of X.509 Certificate

2108 5.2.2.2 Overview of Key Management Certificate Profile

2109 The public key of a Key Management certificate is used by a device (e.g., Mail Transfer Agent
2110 (MTA) in our context) to set up a session key (a symmetric key) with its transacting entity (e.g.,
2111 next hop MTA in our context). The parameter values specified in the profile for this certificate
2112 type, for some of the important fields are:

- 2113 • **Signature:** (of the cert issuer) If the RSA is used as the signature algorithm for signing the
2114 certificate by the CA, then the corresponding hash algorithms can only be either SHA-256 or
2115 SHA-512.
- 2116 • **subjectPublicKeyInfo:** The allowed algorithms for public key are RSA, Diffie-Hellman
2117 (DH), Elliptic Curve (ECC), or Key Exchange Algorithm (KEA).
- 2118 • **KeyUsage:** The keyEncipherment bit is set to 1 when the subject public key is RSA. The
2119 KeyAgreement bit is said to 1, when the subject public key is Diffie-Hellman (DH), Elliptic
2120 Curve (ECC), or Key Exchange Algorithm (KEA).
- 2121 • **KeyPurposeId:** Should include the value **id-kp-emailProtection (1.3.6.1.5.5.7.3.4)**
- 2122 • **subjectAltName:** Since this certificate is used by devices (as opposed to a human subject),
2123 this field should contain the DNS name or IP Address.

2124 5.2.2.3 X.509 Authentication

2125 The certificate given above is an example of an end certificate. Although it claims to be signed
2126 by a well-known CA, anyone receiving this certificate in communication has the problem of
2127 authenticating that signature. For this, full PKIX authentication back to the root certificate is
2128 required. The CA issues a well-known self-signed certificate containing its public key. This is
2129 the root certificate. A set of current root certificates, often numbering in the hundreds of
2130 certificates, are held by individual browser developer and operating system supplier as their set
2131 of trusted root certificates. The process of authentication is the process of tracing the end
2132 certificate back to this root certificate, through a chain of zero or more intermediate certificates.

2133 5.2.2.4 Certificate Revocation

2134 Every certificate has a period of validity typically ranging from 30 days up to a number of years.
2135 There may however be reasons to revoke a certificate prior to its expiration, such as the
2136 compromise or loss of the private key [RFC5280]. The act of revocation is associated with the
2137 CA publishing a certificate revocation list. Part of authenticating a certificate chain is perusing
2138 the certificate revocation list (CRL) to determine if any certificate in the chain is no longer valid.
2139 The presence of a revoked certificate in the chain results in failure of authentication. Among the
2140 problems of CRL management, the lack of a truly real-time revocation checks leads to non-
2141 determinism in the authentication mechanism. Problems with revocation led the IETF to develop
2142 a real-time revocation management protocol, the Online Certificate Status Protocol (OCSP)
2143 [RFC6960]. Mozilla has now taken the step to deprecate CRLs in favor of OCSP.

2144 5.2.3 STARTTLS

2145 Unlike the World Wide Web, where the URL indicates that the secure variant (i.e. HTTPS) is in

2146 use, an email sender has only the email address, “**user@domain**”, to signal the destination and
2147 no way to direct that the channel must be secured. This is an issue not just on a sender to receiver
2148 basis, but also on a transitive basis as SMTP is not an end-to-end protocol but instead a protocol
2149 that sends mail messages as a series of hops. Not only is there no way to signal that message
2150 submission must be secure, there is also no way to signal that any hop in the transmission should
2151 be secure. STARTTLS was developed to address some of the shortcomings of this system.

2152 RFC 3207 [RFC3207] describes an extension to SMTP that allows an SMTP client and server to
2153 use TLS to provide private, authenticated communication across the Internet. This gives SMTP
2154 agents the ability to protect some or all of their communications from eavesdroppers and
2155 attackers. If the client does initiate the connection over a TLS-enabled port (e.g. port 465 was
2156 previously used for SMTP over SSL) the server advertises that the STARTTLS option is
2157 available to connecting clients. The client can then issue the STARTTLS command in the SMTP
2158 command stream, and the two parties proceed to establish a secure TLS connection. An
2159 advantage of using STARTTLS is that the server can offer SMTP service on a single port, rather
2160 than requiring separate port numbers for secure and cleartext operations. Similar mechanisms are
2161 available for running TLS over IMAP and POP protocols.

2162 When STARTTLS is initiated as a request by the server side, it may be susceptible to a
2163 downgrade attack, where a man-in-the-middle (MITM) is in place. In this case the MITM
2164 receives the STARTLS suggestion from the server reply to a connection request, and scrubs it
2165 out. The initiating client sees no TLS upgrade request and proceeds with an unsecured
2166 connection (as originally anticipated). Likewise, most MTAs default to sending over
2167 unencrypted TCP if certificate validation fails during the TLS handshake.

2168 If the client wants to ensure an encrypted channel, it should initiate the TLS request directly.
2169 This is discussed in Deployable Enhanced Email Privacy (DEEP), which is current work-in-
2170 progress in the IETF. If the server wishes to indicate that an encrypted channel should be used to
2171 clients, this can be indicated through an advertisement using DANE. If the end user wants
2172 security over the message content, then the message should be encrypted using S/MIME or
2173 OpenPGP, as discussed in section 5.3.

2174 In this long transition period towards “TLS everywhere,” there will be security gaps where some
2175 MTA to MTA hop offers TCP only. In these cases, the receiving MTA suggestion of
2176 STARTTLS can be downgraded by the above MITM attack. In such cases, a channel thought
2177 secure by the end user can be compromised. A mitigating consolation is that opportunistic
2178 security is better than no security. The more mail administrators who actively deploy TLS, the
2179 fewer opportunities for effective MITM attacks. In this way global email security improves
2180 incrementally.

2181 **5.2.3.1 Recommendations**

2182 **Security Recommendation 5-1:** TLS capable servers must prompt clients to invoke the
2183 STARTTLS command. TLS clients should attempt to use STARTTTL for SMTP, either initially,
2184 or issuing the command when offered.

2185 **5.2.4 SMTP Security via Opportunistic DNS-based Authentication of Named Entities**
 2186 **(DANE) Transport Layer Security (TLS)**

2187 TLS has for years solved the problem of distributing public keys by using a certificate, signed by
 2188 some well-known Certification Authority (CA). Every browser developer and operating system
 2189 supplier maintains a list of CA root certificates as trust anchors. These are called the software's
 2190 *root certificates* and are stored in the *root certificate store*. The PKIX procedure allows the
 2191 certificate recipient to trace a certificate back to the root. So long as the root certificate remains
 2192 trustworthy, and the authentication concludes successfully, the client can proceed with the
 2193 connection.

2194 Currently, there are hundreds of organizations acting as CAs on the Internet. If one CA
 2195 infrastructure or vetting procedure is compromised, the attacker can obtain the CA's private key,
 2196 or get issued certificates under a false name. There is no limitation of scope for the global PKI
 2197 and a compromise of a single CA damages the integrity of the entire PKI system.

2198 Aside from CA compromise, some CAs have engaged in poor security practices. In particular,
 2199 some CAs have issued wildcard certificates that allow the holder to issue sub-certificates for any
 2200 domain or entity, anywhere in the world.¹⁷

2201 DANE introduces mechanisms for domains to specify to clients which certificates should be
 2202 trusted for the domain. With DANE a domain can declare that clients should only trust
 2203 certificates from a particular CA or that they should only trust a specific certificate or public key.
 2204 Essentially, DANE replaces reliance on the security of the CA system with reliance on the
 2205 security provided by DNSSEC.

2206 The TLS handshake yields an encrypted connection and an X.509 certificate from server to
 2207 client.¹⁸ The TLS protocol does not define how the certificate should be authenticated. Some
 2208 implementations may do this as part of the TLS handshake, and some may leave it to the
 2209 application to decide. Whichever way the implementation goes, there is still a vulnerability: a
 2210 CA can issue certificates for any domain, and if that CA is compromised (as has happened more
 2211 than once all too recently), it can issue a replacement certificate for any domain, and take control
 2212 of that server's connections. Ideally, certificate issue and delivery should be tied absolutely to the
 2213 given domain. DANE creates this explicit link by allowing the server domain owner to create a
 2214 TLSA resource record in the DNS [RFC6698], which identifies the certificate, its public key, or
 2215 a hash of either. When the client receives an X.509 certificate in the TLS negotiation, it looks up
 2216 the TLSA RR for that domain and matches the TLSA data against the certificate as part of the
 2217 client's certificate validation procedure.

¹⁷ For examples of poor CA issuing practices involving sub-certificates, see "Bug 724929—Remove Trustwave Certificate(s) from trusted root certificates," February 7, 2012. https://bugzilla.mozilla.org/show_bug.cgi?id=724929. Also "Bug 698753—Entrust SubCA: 512-bit key issuance and other CPS violations; malware in wild," November 8, 2011. https://bugzilla.mozilla.org/show_bug.cgi?id=698753. Also "Revoking Trust in one CNNIC Intermediate Certificate," Mozilla Security Blog, March 23, 2015. <https://blog.mozilla.org/security/2015/03/23/revoking-trust-in-one-cnnic-intermediate-certificate/>

¹⁸ Also possibly from client to server.

2218 DANE has a variety of usage models (called Certificate Usage) to accommodate users who
2219 require different forms of authentication. These Certificate Usages are given mnemonic names.
2220 In usages PKIX-TA and DANE-TA, the TLSA RR contains a trust anchor that issued one of the
2221 certificates in the PKIX chain, whereas in usages PKIX-EE and DANE-EE, the TLSA RR
2222 matches an end entity, or leaf certificate. In uses DANE-TA and DANE-EE, the server certificate
2223 chain is self-issued and does not need (or likely fails) to verify against a trusted root stored in the
2224 client. In PKIX-TA and PKIX-EE, the server certificate chain must pass PKIX validation that
2225 terminates with a trusted root certificate stored in the client. As with PKIX validation, neither the
2226 TLS protocol nor the DANE specification stipulate when DANE validation should be done.
2227 Some implementations may do it after the connection is negotiated, or leave it to the application.
2228 A more secure model would be to use a TLS implementation that takes care of both PKIX and
2229 DANE validations, before presenting a secure open connection to the application.

2230 Using DANE to secure SMTP communications involves additional complications because of use
2231 of mail exchanger (MX) and canonical name (CNAME) DNS RRs, which may cause mail to be
2232 routed through intermediate hosts or to final destinations that reside at different domain names.
2233 RFC 7672 [RFC 7672] describes a set of rules that are to be used for finding and interpreting
2234 DANE policy statements.

2235 TLS does not offer a client the possibility to specify a particular hostname when connecting to a
2236 server. This may be a problem in the case where the server offers multiple virtual hosts from one
2237 IP address, and would prefer to associate a single certificate with a single hostname. RFC 6066
2238 [RFC6066] defines a set of extensions to TLS that include the Server Name Indication (SNI),
2239 allowing a client to specifically reference the desired server by hostname and the server can
2240 respond with the correct certificate. DANE matching condition also requires that the connecting
2241 server match the SubjectAltName from the delivered end certificate to the certificate indicated in
2242 the TLSA RR. DANE-EE authentication allows for the server to deliver a self-signed certificate.
2243 In effect, DANE-EE is simply a vehicle for delivering the public key. Authentication is inherent
2244 in the trust provided by DNSSEC, and the SNI check is not required.

2245 **Security Recommendation 5-2:** Federal agency use requires certificate chain authentication
2246 against a known CA, so use of PKIX-TA or DANE-TA Certificate Usage values is
2247 recommended when deploying DANE.

2248 **5.2.5 Deployable Enhanced Email Privacy (DEEP)**

2249 STARTTLS is an opportunistic protocol. A client may issue the STARTTLS command to initiate
2250 a secure TLS connection; the server may support it as a default connection, or may only offer it
2251 as an option after the initial connection is established.

2252 Deployable Enhanced Email Privacy (DEEP) is an IETF work-in-progress that proposes a
2253 security improvement to this protocol by advocating that clients initiate TLS directly over POP,
2254 IMAP or SMTP submission software. This work proposes a confidence level that indicates an
2255 assurance of confidentiality between a given sender domain and a given receiver domain. This
2256 aims to provide a level of assurance that current usage does not.

2257 DEEP is currently not ready for deployment. Until DEEP is fully matured and standardized, the

2258 use of STARTTLS is recommended for servers to signal to clients that TLS is preferred. In the
2259 future, the principle of client initiation of TLS for email connections should be adhered to in
2260 protocol design.

2261 **5.3 Email Content Security**

2262 End users and their institutions have an interest in rendering the contents of their messages
2263 completely secure against unauthorized eyes. They can take direct control over message content
2264 security using either S/MIME [RFC5751] or OpenPGP [RFC4880]. In each of these protocols,
2265 the sender signs a message with a private key, and the receiver authenticates the signature with
2266 the public key obtained (somehow) from the sender. Signing provides a guarantee of the message
2267 source, but any man in the middle can use the public key to decode and read the signed message.
2268 For proof against unwanted readers, the sender encrypts a message with the recipient's public
2269 key, obtained (somehow) from the receiver. The receiver decrypts the message with the
2270 corresponding private key, and the content is kept confidential from mailbox to mailbox. Both
2271 S/MIME and OpenPGP are protocols that facilitate signing and encryption, but secure open
2272 distribution of public keys is still a hurdle. Two recent DANE protocols have been proposed to
2273 address this. The SMIMEA (for S/MIME certificates) and OPENPGPKEY (for OpenPGP keys)
2274 initiatives specify new DNS RR types for storing email end user key material in the DNS.
2275 S/MIME and SMIMEA are described in subsection 5.3.1 while OpenPGP and OPENPGPKEY
2276 are described in subsection 5.3.2.

2277 **5.3.1 S/MIME and SMIMEA**

2278 S/MIME is a protocol that allows email users to authenticate messages by digitally signing with
2279 a private key, and including the public key in an attached certificate. The recipient of the
2280 message performs a PKIX validation on the certificate, authenticating the message's originator.
2281 On the encryption side, the S/MIME sender encrypts the message text using the public key of the
2282 recipient, which was previously distributed using some other, out of band, method. Within an
2283 organization it is common to obtain a correspondent's S/MIME certificate is from an LDAP
2284 directory server. Another way to obtain an S/MIME certificate is by exchanging digitally signed
2285 messages.


2286 S/MIME had the advantage of being based on X.509 certificates, allowing existing software and
2287 procedures developed for X.509 PKI to be used for email. Hence, where the domain-owning
2288 enterprise has an interest in securing the message content, S/MIME is preferred.

2289 The Secure/Multipurpose Internet Mail Extensions (S/MIME) [RFC5751] describes a protocol
2290 that will sign, encrypt or compress some, or all, of the body contents of a message. Signing is
2291 done using the sender's private key, while encryption is done with the recipient's known public
2292 key. Encryption, signing and compression can be done in any order and any combination. The
2293 operation is applied to the body, not the RFC 5322 headings of the message. In the signing case,
2294 the certificate containing the sender's public key is also attached to the message.

2295 The receiver uses the associated public key to authenticate the message, demonstrating proof of
2296 origin and non-repudiation. The usual case is for the receiver to authenticate the supplied
2297 certificate using PKIX back to the certificate Authority. Users who want more assurance that the
2298 key supplied is bound to the sender's domain will advocate for the use of the work-in-progress

2299 DANE/SMIMEA mechanism [draft-smimea], in which the certificate and key can be
 2300 independently retrieved from the DNS and authenticated per the DANE mechanism described in
 2301 Sub-section 5.2.5, above. The user who wants to encrypt a message retrieves the receiver's
 2302 public key: which may have been sent on a prior signed message. If no prior signed message is at
 2303 hand, or if the user seeks more authentication than PKIX, then the key can be retrieved from the
 2304 DNS in an SMIMEA record. The receiver decrypts the message using the corresponding private
 2305 key, and reads or stores the message as appropriate.

2306



2307

2308

Fig 2-4: Sending an Encrypted Email

2309 To send a S/MIME encrypted message (Fig 2-4) to a user, the sender must first obtain the
 2310 recipient's X.509 certificate and use the certificate's public key to encrypt the composed
 2311 message. When the encrypted message is received, the recipient's MUA uses the private portion
 2312 of the key pair to decrypt the message for reading. In this case the sender must possess the
 2313 recipient's certificate before sending the message.

2314 An enterprise looking to use S/MIME to provide email confidentiality will need to obtain or
 2315 produce credentials for each end user in the organization. An organization can generate its own
 2316 root certificate and give its members a certificate generated from that root, or purchase
 2317 certificates for each member from a well-known Certificate Authority (CA).

2318 Using S/MIME for end-user encryption is further complicated by the need to distribute each end-
 2319 users' certificate to potential senders. Traditionally this is done by having correspondents
 2320 exchange email messages that are digitally signed but not encrypted, since signed messages
 2321 include public keys. Alternatively, organizations can configure LDAP servers to make S/MIME
 2322 public keys available as part of a directory lookup; mail clients such as Outlook and Apple Mail
 2323 can be configured to query LDAP servers for public keys necessary for message encryption.

2324 5.3.1.1 S/MIME Recommendations

2325 Official use requires certificate chain authentication against a known Certificate Authority.

2326 Current MUAs use S/MIME private keys to decrypt the email message each time it is displayed,
 2327 but leave the message encrypted in the email store. This mode of operation is not recommended,
 2328 as it forces the recipient of the encrypted email to maintain their private key indefinitely. Instead,

2329 the email should be decrypted prior to being stored in the mail store. The mail store, in turn,
 2330 should be secured using an appropriate cryptographic technique (for example, disk encryption),
 2331 extending protection to both encrypted and unencrypted email. If it is necessary to store mail
 2332 encrypted on the mail server (for example, if the mail server is outside the control of the end-
 2333 user’s organization), then the messages should be re-encrypted with a changeable session key on
 2334 a message-by-message basis.

2335 **5.3.2 OpenPGP and OPENPGPKEY**

2336 OpenPGP [RFC4880] is a proposed Internet Standard for providing authentication and
 2337 confidentiality for email messages. Although similar in purpose to S/MIME, OpenPGP is
 2338 distinguished by using message and key formats that are built on the “Web of Trust” model (see
 2339 Section 2.4.3).

2340 The OpenPGP standard is implemented by PGP-branded software from Symantec¹⁹ and by the
 2341 open source GNU Privacy Guard.²⁰ These OpenPGP programs have been widely used by
 2342 activists and security professionals for many years, but have never gained a widespread
 2343 following among the general population owing to usability programs associated with installing
 2344 the software, generating keys, obtaining the keys of correspondents, encrypting messages, and
 2345 decrypting messages. Academic studies have found that even “easy-to-use” versions of the
 2346 software that received good reviews in the technical media for usability were found to be not
 2347 usable when tested by ordinary computer users. [WHITTEN1999]

2348 Key distribution was an early usability problem that OpenPGP developers attempted to address.
 2349 Initial efforts for secure key distribution involved *key distribution parties*, where all participants
 2350 are known to and can authenticate each other. This method does a good job of authenticating
 2351 users to each other and building up webs of trust, but it does not scale at all well, and it is not
 2352 greatly useful where communicants are geographically widely separated.

2353 To facilitate the distribution of public keys, a number of publicly available key servers have been
 2354 set up and they have been in operation for many years. Among the more popular of these is the
 2355 pool of SKS key servers²¹. Users can freely upload public key on an opportunistic basis. In
 2356 theory, anyone wishing to send a PGP user encrypted content can retrieve that user’s key from
 2357 the SKS server, use it to encrypt the message, and send it. However there is no authentication of
 2358 the identity of the key owners: an attacker can upload their own key to the key server, then
 2359 intercept the email sent to the unsuspecting user.

2360 A renewed interest in personal control over email authentication and encryption has led to further
 2361 work within the IETF on key sharing, and the DANE mechanism [draft-openpgp] is being
 2362 adopted to place a domain and user’s public key in an OPENPGPKEY record in the DNS.
 2363 Unlike DANE/TLS and SMIMEA, OPENPGPKEY does not use X.509 certificates, or require
 2364 full PKIX authentication as an option. Instead, full trust is placed in the DNS records as certified

¹⁹ <http://www.symantec.com/products-solutions/families/?fid=encryption>

²⁰ <https://www.gnupg.org/>

²¹ An incomplete list of well known key servers can be found at <https://www.sks-keyservers.net>

2365 by DNSSEC: The domain owner publishes a public key together with minimal ‘certificate’
2366 information. The key is available for the receiver of a signed message to authenticate, or for the
2367 sender of a message to encrypt.

2368 **Security Recommendation 5-3:** For Federal use OpenPGP is not preferred for message
2369 confidentiality. Use of S/MIME with a certificate signed by a known CA is preferred.

2370 **5.3.2.1 Recommendations**

2371 Where an institution requires signing and encryption of end-to-end email, S/MIME is preferred
2372 over OpenPGP. Where the DNS performs canonicalization of email addresses, a client
2373 requesting a hash encoded OPENPGPKEY RR shall perform no transformation on the left part
2374 of the address offered, other than UTF-8 and lower-casing.

2375 **5.4 Security Recommendation Summary**

2376 **Security Recommendation 5-1:** TLS capable servers must prompt clients to invoke the
2377 STARTTLS command. TLS clients should attempt to use STARTTLS for SMTP, either initially,
2378 or issuing the command when offered

2379 **Security Recommendation 5-2:** Official use requires certificate chain authentication against
2380 a known CA and use PKIX-TA or DANE-TA Certificate Usage values when deploying DANE.

2381 **Security Recommendation 5-3:** Do not use OpenPGP for message confidentiality. Instead,
2382 use S/MIME with a certificate that is signed by a known CA.

2383 **6 Reducing Unsolicited Bulk Email**

2384 **6.1 Introduction**

2385 Unsolicited Bulk Email (UBE) is often compared to art, in that it is often in the eye of the
 2386 beholder. To some senders, it is a low-cost marketing campaign for a valid product or service. To
 2387 many receivers and administrators, it is a scourge that fills up message inboxes and a vector for
 2388 criminal activity or malware. Both of these views can be true, as the term Unsolicited Bulk Email
 2389 (or *spam*, as it is often referred to) comprises a wide variety of email received by an enterprise.


2390 **6.2 Why an Organization May Want to Reduce Unsolicited Bulk Email**

2391 While some unsolicited email is from legitimate marketing firms and may only rise to the level
 2392 of nuisance, it can also lead to increased resource usage in the enterprise. UBE can end up filling
 2393 up user inbox storage, consume bandwidth in receiving and consume end user's time as they sort
 2394 through and delete unwanted email. However, some UBE may rise to the level of legitimate
 2395 threat to the organization in the form of fraud, illegal activity, or the distribution of malware.

2396 Depending on the organization's jurisdiction, UBE may include advertisements for goods or
 2397 services that are illegal. Enterprises or organizations may wish to limit their employees' (and
 2398 users') exposure to these offers. Other illegitimate UBE are fraud attempts aimed at the users of a
 2399 given domain and used to obtain money or private information. Lastly, some UBE is simply a
 2400 transport aimed at trying to infiltrate the enterprise to install malware.

2401 **6.3 Techniques to Reduce Unsolicited Bulk Email**

2402 There are a variety of techniques an email administrator can use to reduce the amount of UBE
 2403 delivered to end user's inboxes. Enterprises can use one or multiple technologies to provide a
 2404 layered defense against UBE since no solution is completely effective against all UBE.
 2405 Administrators should consider using a combination of tools for processing incoming, and
 2406 outgoing email.




2407

2408

Fig 6-1 Inbound email "pipeline" for UBE filtering

2409 These techniques can be performed in serial as a "pipeline" for both incoming and outgoing
 2410 email [REFARCH]. Less computationally expensive checks should be done early in the pipeline

2411 to prevent wasted effort later. For example, a UBE/SMTP connection that would be caught and
 2412 refused by a blacklist filter should be done before more computationally expensive content
 2413 analysis is performed on an email that will ultimately be rejected or deleted. In Figure 6-1, an
 2414 example pipeline for incoming email checks is given. Fig 6-2 shows an example outbound
 2415 pipeline for email checks.



2416

2417

Fig 6-2 Outbound email "pipeline" for UBE filtering

2418 6.3.1 Approved/Non-approved Sender Lists

2419 The most basic technique to reduce UBE is to simply accept or deny messages based on some
 2420 list of known bad or known trusted senders. This is often the first line of UBE defense utilized by
 2421 an enterprise because if a message was received from a known bad sender, it could reasonably be
 2422 dropped without spending resources in further processing. Or email originating from a trusted
 2423 source could be marked so as not to be subject to other anti-UBE checks and inadvertently
 2424 deleted or thrown out.

2425 A *non-approved sender list* can be composed of individual IP address, IP block, or sending
 2426 domain basis [RFC5782]. For example, it is normal for enterprises to refuse email from senders
 2427 using a source address that has not be allocated, or part of a block reserved for private use (such
 2428 as 192.168/16). Or an administrator could choose to not accept email from a given domain if the
 2429 have a reason to assume that they have no interaction with senders using a given domain. This
 2430 could be the case where an organization does not do business with certain countries and may
 2431 refuse mail from senders using those ccTLDs.

2432 Given the changing nature of malicious UBE, static lists are not effective. Instead, a variety of
 2433 third party services produce dynamic lists of known bad UBE senders that enterprise
 2434 administrators can subscribe to and use. These lists are typically accessed by DNS queries and
 2435 include the non-commercial ventures such as the Spamhaus Project²² and the Spam and Open

²² <https://www.spamhaus.org/>

2436 Relay Blocking System (SORBS)²³, as well as commercial vendors such as SpamCop.²⁴ An
2437 extensive list of DNS-based blacklists can be found at <http://www.dnsbl.info>. Because an
2438 individual service may be unavailable many organizations configure their mailers to use multiple
2439 lists. Email administrators should use these services to maintain a dynamic reject list rather than
2440 attempting to maintain a static list for a single organization.

2441 An *approved list* is the opposite of a non-approved list. Instead of refusing email from a list of
2442 known bad actors, an approved list is composed of known trusted senders. It is often a list of
2443 business partners, community members, or similar trusted senders that have an existing
2444 relationship with the organization or members of the organization. This does not mean that all
2445 email sent by members on an approved list should be accepted without further checks. Email sent
2446 by an approved sender may not be subject to other anti-UBE checks but may still be checked for
2447 possible malware or malicious links. Email administrators wishing to use approved list should be
2448 very stringent about which senders make the list. Frequent reviews of the list should also occur
2449 to remove senders when the relationship ends, or add new members when new relationships are
2450 formed. Some email tools allow for end users to create their own approved list, so administrators
2451 should make sure end users does not approve a known bad sender.

2452 A list of approved/non-approved receivers can also be constructed for outgoing email to identify
2453 possible victims of malicious UBE messages or infected hosts sending UBE as part of a botnet.
2454 That is, a host or end user sending email to a domain, or setting the message-From: address
2455 domain to one listed in a non-approved receiver list. Again since this is a relatively easy
2456 (computational-wise) activity, it should be done before any more intensive scanning tools are
2457 used.

2458 **6.3.2 Domain-based Authentication Techniques**

2459 Techniques that use sending policy encoded in the DNS such as Sender Policy Framework (SPF)
2460 and DomainKeys Identified Mail (DKIM) and Domain-based Message Authentication and
2461 Reporting Conformance (DMARC) can also be used to reduce some UBE. Receiving MTAs use
2462 these protocols to see if a message was sent by an authorized sending MTA for the purported
2463 domain. These protocols are discussed in Section 4 and should be utilized by email
2464 administrators for both sending and receiving email.

2465 These protocols only authenticate that an email was sent by a mail server that is considered a
2466 valid email sender by the purported domain and does not authenticated the contents of the email
2467 message. Messages that pass these checks should not automatically be assumed to not be UBE,
2468 as a malicious bulk email sender can easily set up and use their own sending infrastructure to
2469 pass these checks. Likewise, malicious code that uses an end user's legitimate account to send
2470 email will also pass domain-based authentication checks.

2471 Domain-based authentication checks require more processing by the receiver MTA and thus
2472 should be performed on any mail that has passed the first set of blacklist checks. These checks do

²³ <http://www.sorbs.net/>

²⁴ <https://www.spamcop.net/>

2473 not require the MTA to have the full message and can be done before any further and more
2474 computationally expensive content checks.²⁵

2475 **6.3.3 Content Filtering**

2476 The third type of UBE filtering measures involves analysis of the actual contents of an email
2477 message. These filtering techniques examine the content of a mail message for words, phrases or
2478 other elements (images, web links, etc.) that indicate that the message may be UBE.

2479 Examining the textual content of an email message is done using word/phrase filters or Bayesian
2480 filters [UBE1] to identify possible UBE. Since these techniques are not foolproof, most tools that
2481 use these techniques allow for administrators or end users to set the threshold for UBE
2482 identification or allow messages to be marked as possible UBE to prevent false positives and the
2483 deletion of valid transactional messages.

2484 Messages that contain URLs or other non-text elements (or attachments) can also be filtered and
2485 tested for possible malware, UBE advertisements, etc. This could be done via blacklisting
2486 (blocking email containing links to known malicious sites) or by opening the links in a
2487 sandboxed browser-like component²⁶ in an automated fashion to record the results. If the activity
2488 corresponds to anomalous or known malicious activity the message will be tagged as malicious
2489 UBE and deleted before placed into the end-user's in-box.

2490 Content filtering and URL analysis is more computationally expensive than other UBE filtering
2491 techniques since the checks are done over the message contents. This means the checks are often
2492 done after blacklisting and domain-based authentication checks have completed. This avoids
2493 accepting and processing email from a known bad or malicious sender.

2494 Content filtering could also be applied to outgoing email to identify possible botnet infection or
2495 malicious code attempting to use systems within the enterprise to send UBE. Some content filters
2496 may include organization specific filters or keywords to prevent loss of private or confidential
2497 information.

2498 **6.4 User Education**

2499 The final line of defense against malicious UBE is an educated end user. An email user that is
2500 aware of the risks inherent to email should be less likely to fall victim to fraud attempts, social
2501 engineering or convinced into clicking links containing malware. While such training may not
2502 stop all suspicious email, often times an educated end user can detect and avoid malicious UBE
2503 that passes all automated checks.

2504 How to setup a training regime that includes end user education on the risks of UBE to the
2505 enterprise is beyond the scope of this document. There are several federal programs to help in

²⁵ Messages are transmitted incrementally with SMTP, header by header and then body contents and attachments. This allows for incremental and 'just-in-time' header and content filtering.

²⁶ Sometimes called a "detonation chamber"

2506 end user IT security training such as the “Stop. Think. Connect.”²⁷ program from the Department
2507 of Homeland Security (DHS). Individual organizations should tailor available IT security
2508 education programs to the needs of their organization.

2509 User education does not fit into the pipeline model in Section 6.3 above as it takes place at the
2510 time the end user views the email using their MUA. At this point all of the above techniques
2511 have failed to identify the threat that now has been placed in the end user's in-box. For outgoing
2512 UBE, the threat is being sent out (possibly using the user's email account) via malicious code
2513 installed on the end user's system. User education can help to prevent users from allowing their
2514 machines to become infected with malicious code, or teach them to identify and remediate the
2515 issue when it arises.

²⁷ <http://www.dhs.gov/stothinkconnect>

2516 **7 End User Email Security**

2517 **7.1 Introduction**

2518 In terms of the canonical email processing architecture as described in Section 2, the client may
 2519 play the role of the MUA. In this section we will discuss clients and their interactions and
 2520 constraints through POP3, IMAP, and SMTP. The range of an end user's interactions with a
 2521 mailbox is usually done using one of two classes of clients: webmail clients and standalone
 2522 clients. These communicate with the mailbox in different ways. Webmail clients use HTTPS.
 2523 These are discussed in section 7.2. Mail client applications for desktop or mobile may use IMAP
 2524 or POP3 for receiving and SMTP for sending and these are examined in section 7.3. There is also
 2525 the case of command line clients, the original email clients, and still used for certain embedded
 2526 system accesses. However, these represent no significant proportion of the enterprise market and
 2527 will not be discussed in this document.

2528 **7.2 Webmail Clients**

2529 Many enterprises permit email access while away from the workplace or the corporate LAN. The
 2530 mechanisms for this are access via VPN or a web interface through a browser. In the latter case
 2531 the security posture is determined at the web server. Actual communication between client and
 2532 server is conducted over HTTP or HTTPS. Federal agencies implementing a web-based solution
 2533 should refer to NIST SP 800-95 [SP800-95] and adhere to other federal policies regarding web-
 2534 based services. Federal agencies are required to provide a certificate that can be authenticated
 2535 through PKIX to a well-known Trust Anchor. An enterprise may choose to retain control of its
 2536 own trusted roots. In this case, DANE can be used to configure a TLSA record and authenticate
 2537 the certificate using the DNS (see Section 5.2.5).

2538 **7.3 Standalone Clients**

2539 For the purposes of this guide, *standalone client* refers to a software component used by an end
 2540 user to send and/or receive email. Examples of such clients include Mozilla Thunderbird and
 2541 Microsoft Outlook²⁸. These components are typically found on a host computer, laptop or mobile
 2542 device. These components may have many features beyond basic email processing but these are
 2543 beyond the scope of this document.

2544 Sending requires connecting to an MSA or an MTA using SMTP. This is discussed in Section
 2545 7.3.2. Receiving is typically done via POP3 and IMAP,²⁹ and mailbox management differs in
 2546 each case.

2547 **7.3.1 Sending via SMTP**

2548 Email message submission occurs between a client and a server using the Simple Mail Transfer

²⁸ These clients are given as an example and should not be interpreted as an endorsement.

²⁹ Other protocols (MAPI/RPC or proprietary protocols) will not be discussed.

2549 Protocol (SMTP) [RFC5321], either using port 25 or 993. The client is operated by an end-user
2550 and the server is hosted by a public or corporate mail service. Clients should authenticate using
2551 client authentication schemes such as usernames and passwords or PKI-based authentication as
2552 provided by the protocol.

2553 It is further recommend that the connection between the client and MSA is secured using TLS
2554 [RFC5246], associated with the full range of protective measures described in Section 5.2.

2555 **7.3.2 Receiving via IMAP**

2556 Email message receiving and management occurs between a client and a server using the Internet
2557 Message Access Protocol (IMAP) protocol [RFC3501] over port 143. A client may be located
2558 anywhere on the Internet, establish a transport connection with the server, authenticate itself, and
2559 manipulate the remote mailbox with a variety of commands. Depending on the server
2560 implementation it is feasible to have access to the same mailbox from multiple clients. IMAP has
2561 operations for creating, deleting and renaming mailboxes, checking for new messages,
2562 permanently removing messages, parsing, searching and selective fetching of message attributes,
2563 texts and parts thereof. It is equivalent to local control of a mailbox and its folders.

2564 Establishing a connection with the server over TCP and authenticating to a mailbox with a
2565 username and password sent without encryption is not recommended. IMAP clients should
2566 connect to servers using TLS [RFC5246], associated with the full range of applicable protective
2567 measures described in Section 5.2.

2568 **7.3.3 Receiving via POP3**

2569 Before IMAP [RFC3501] was invented, the Post Office Protocol (POP3) had been created as a
2570 mechanism for remote users of a mailbox to connect to, download mail, and delete it off the
2571 server. It was expected at the time that access be from a single, dedicated user, with no conflicts.
2572 Provision for encrypted transport was not made.

2573 The protocol went through an evolutionary cycle of upgrade, and the current instance, POP3
2574 [RFC5034] is aligned with the Simple Authentication Security Layer (SASL) [RFC4422] and
2575 optionally operated over a secure encrypted transport layer, TLS [RFC5246]. POP3 defines a
2576 simpler mailbox access alternative to IMAP, without the same fine control over mailbox file
2577 structure and manipulation mechanisms. Users who access their mailboxes from multiple hosts
2578 or devices are recommended to use IMAP clients instead, to maintain synchronization of clients
2579 with the single, central mailbox.

2580 Clients with POP3 access should configure them to connect over TLS, associated with the full
2581 range of protective measures described above in Section 5.2, Email Transmission Security.

2582 **Security Recommendation 7-1:** IMAP and POP3 clients are recommended to connect to
2583 servers using TLS [RFC5246] associated with the full range of protective measures described in
2584 section 5.2, Email Transmission Security. Connecting with unencrypted TCP and authenticating
2585 with username and password is strongly discouraged.

2586 7.4 Mailbox Security

2587 The security of data in transit is only useful if the security of data at rest can be assured. This
2588 means maintaining confidentiality at the sender and receiver endpoints of:

- 2589 • The user's information (e.g. mailbox contents), and
- 2590 • Private keys for encrypted data.

2591 Confidentiality and encryption for data in transit is discussed in Section 7.4.1, while
2592 confidentiality of data at rest is discussed in Section 7.4.2.

2593 7.4.1 Confidentiality of Data in Transit

2594 A common element for users of TLS for SMTP, IMAP and POP3, as well as for S/MIME and
2595 OpenPGP, is the need to maintain current and accessible private keys, as used for decryption of
2596 received mail, and signing of authenticated mail. A range of different users require access to
2597 these disparate private keys:

- 2598 • The email server must have use of the private key used for TLS and the private key must
2599 be protected.
- 2600 • The end user (and possibly an enterprise security administrator) must have access to
2601 private keys for S/MIME or OpenPGP message signing and decryption.

2602 Special care is needed to ensure that only the relevant parties have access and control over the
2603 respective keys. For federal agencies, this means compliance with all relevant policy and best
2604 practice on protection of key material [SP800-57pt1].

2605 **Security Consideration 7-2:** Enterprises should establish a cryptographic key management
2606 system (CKMS) for keys associated with protecting email sessions with end users. For federal
2607 agencies, this means compliance with all relevant policy and best practice on protection of key
2608 material [SP800-57pt1].

2609 7.4.2 Confidentiality of Data at Rest

2610 This publication is about securing email and its associated data. This is one aspect of securing
2611 data in motion. To the extent that email comes to rest in persistent storage in mailboxes and file
2612 stores, there is some overlap with NIST SP 800-111 [SP800-111].

2613 There is an issue in the tradeoff between accessibility and confidentiality when using mailboxes
2614 as persistent storage. End users and their organizations are expected to manage their own private
2615 keys, and historical versions of these may remain available to decrypt mail encrypted by
2616 communicating partners, and to authenticate (and decrypt) cc: mail sent to partners, but also
2617 stored locally. Partners who sign their mail, and decrypt received mail, make their public keys
2618 available through certificates, or through DANE records (i.e. TLSA, OPENPGPKEY, SMIMEA)
2619 in the DNS. These certificates generally have a listed expiry date and are rolled over and replaces
2620 with new certificates containing new keys. Such partners' mail stored persistently in a mailbox
2621 beyond the key expiry and rollover date may cease to be readable if the mailbox owner does not
2622 maintain a historical inventory of partners' keys and certificates. For people who use their

2623 mailboxes as persistent, large-scale storage, this can create a management problem. If keys
2624 cannot be found, historical encrypted messages cannot be read.

2625 We recommend that email keys for S/MIME and OpenPGP only be used for messages in transit.
2626 Messages intended for persistent local storage should be decrypted, stored in user controllable
2627 file store, and if necessary re-encrypted with user controlled keys. For maximum security all
2628 email should be stored encrypted—for example, with a cryptographic file system.

2629 **Security Recommendation 7-3:** Cryptographic keys used for encrypting data in persistent
2630 storage (e.g. in mailboxes) should be different from keys used for transmission of email
2631 messages.

2632 **7.5 Security Recommendation Summary**

2633 **Security Recommendation 7-1:** IMAP and POP3 clients are recommended to connect to
2634 servers using TLS [RFC5246] associated with the full range of protective measures described in
2635 section 5.2, Email Transmission Security. Connecting with unencrypted TCP and authenticating
2636 with username and password is strongly discouraged.

2637 **Security Consideration 7-2:** Enterprises should establish a cryptographic key management
2638 system (CKMS) for keys associated with protecting email sessions with end users. For federal
2639 agencies, this means compliance with all relevant policy and best practice on protection of key
2640 material [SP800-57pt1].

2641 **Security Recommendation 7-3:** Cryptographic keys used for encrypting data in persistent
2642 storage (e.g. in mailboxes) should be different from keys used for transmission of email
2643 messages.

2644

2645 **Appendix A—Acronyms**

2646 Selected acronyms and abbreviations used in this paper are defined below.

DHS	Department of Homeland Security
DKIM	DomainKeys Identified Mail
DMARC	Domain-based Message Authentication, Reporting and Conformance
DNS	Domain Name System
DNSSEC	Domain Name System Security Extensions
FISMA	Federal Information Security Management Act
FRN	Federal Network Resiliency
IMAP	Internet Message Access Protocol
MDA	Mail Delivery Agent
MSA	Mail Submission Agent
MTA	Mail Transport Agent
MUA	Mail User Agent
MIME	Multipurpose Internet Message Extensions
NIST SP	NIST Special Publication
PGP/OpenPGP	Pretty Good Privacy
PKI	Public Key Infrastructure
POP3	Post Office Protocol, Version 3
RR	Resource Record
S/MIME	Secure/Multipurpose Internet Mail Extensions
SMTP	Simple Mail Transport Protocol
SPF	Sender Policy Framework
TLS	Transport Layer Security
VM	Virtual Machine
VPN	Virtual Private Network

2647 **Appendix B—References**2648 **B.1 NIST Publications**

- [FIPS 201] Federal Information Processing Standards Publication 201-2: *Personal Identity Verification (PIV) of Federal Employees and Contractors*. National Institute of Standards and Technology, Gaithersburg, Maryland, August 2013. <http://nvlpubs.nist.gov/nistpubs/FIPS/NIST.FIPS.201-2.pdf>
- [SP800-45] NIST Special Publication 800-45 version 2. *Guidelines on Electronic Mail Security*. National Institute of Standards and Technology, Gaithersburg, Maryland, Feb. 2007. <http://csrc.nist.gov/publications/nistpubs/800-45-version2/SP800-45v2.pdf>
- [SP800-52] NIST Special Publication 800-52r1. *Guidelines for the Selection, Configuration, and Use of Transport Layer Security (TLS) Implementations*. National Institute of Standards and Technology, Gaithersburg, Maryland, Aug 2014. <http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r1.pdf>
- [SP800-53] NIST Special Publication 800-53r4. *Security and Privacy Controls for Federal Information Systems and Organizations*. National Institute of Standards and Technology, Gaithersburg, Maryland, Arp 2013. <http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-53r4.pdf>
- [SP800-57pt1] NIST Special Publication 800-57 Part 1 Rev 3. *Recommendation for Key Management – Part 1: General (Revision 3)*. National Institute of Standards and Technology, Gaithersburg, Maryland, July 2012. http://csrc.nist.gov/publications/nistpubs/800-57/sp800-57_part1_rev3_general.pdf
- [SP800-57pt3] NIST Special Publication 800-57 Part 3 Rev 1. *Recommendation for Key Management Part 3: Application-Specific Key Management Guidance*. National Institute of Standards and Technology, Gaithersburg, Maryland, Jan 2015. <http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-57Pt3r1.pdf>
- [SP800-81] NIST Special Publication 800-81 Revision 2, *Secure Domain Name System (DNS Deployment Guide)*, National Institute of Standards and Technology, Gaithersburg, Maryland, Sept 2013. <http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-81-2.pdf>
- [SP800-95] NIST Special Publication 800-95. *Guide to Secure Web Services*. National Institute of Standards and Technology, Gaithersburg, Maryland, Aug 2007. <http://csrc.nist.gov/publications/nistpubs/800-95/SP800-95.pdf>

- [SP800-111] NIST Special Publication 800-111. *Guide to Storage Encryption Technologies for End User Devices*. National Institute of Standards and Technology, Gaithersburg, Maryland, Nov 2007. <http://csrc.nist.gov/publications/nistpubs/800-111/SP800-111.pdf>
- [SP800-130] NIST Special Publication 800-130. *A Framework for U.S. Federal Cryptographic Key Management Systems (CKMS)*. National Institute of Standards and Technology, Gaithersburg, Maryland, Aug 2013. <http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-130.pdf>
- [SP800-152] NIST Special Publication 800-152. *A Profile for Designing Cryptographic Key Management Systems*. National Institute of Standards and Technology, Gaithersburg, Maryland, Oct 2015. <http://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-152.pdf>

2649 B.2 Core Email Protocols

- [STD35] J. Myers and M. Rose. *Post Office Protocol - Version 3*. Internet Engineering Task Force Standard 35. May 1996. <https://datatracker.ietf.org/doc/rfc1939/>
- [RFC2045] N. Freed and N. Borenstein. *Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies*. Internet Engineering Task Force Request for Comments 2045, Nov 1996. <https://datatracker.ietf.org/doc/rfc2045/>
- [RFC2046] N. Freed and N. Borenstein. *Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types* Internet Engineering Task Force Request for Comments 2046, Nov 1996. <https://datatracker.ietf.org/doc/rfc2046/>
- [RFC2047] N. Freed and N. Borenstein. *Multipurpose Internet Mail Extensions (MIME) Part Three: Message Headers for Non-ASCII Text* Internet Engineering Task Force Request for Comments 2047, Nov 1996. <https://datatracker.ietf.org/doc/rfc2047/>
- [RFC2822] P. Resnick. *Internet Message Format*. Internet Engineering Task Force Request for Comments 2822, Apr 2001. <https://datatracker.ietf.org/doc/rfc2822/>
- [RFC3501] M. Crispin. *INTERNET MESSAGE ACCESS PROTOCOL - VERSION 4rev1*. Internet Engineering Task Force Request for Comments 3501, Mar 2003. <https://datatracker.ietf.org/doc/rfc3501/>
- [RFC3696] J. Klensin. *Application Techniques for Checking and Transformation of Names*. Internet Engineering Task Force Request for Comments 3696, Feb 2004. <https://datatracker.ietf.org/doc/rfc3696/>

- [RFC5321] J. Klensin. *Simple Mail Transfer Protocol*. Internet Engineering Task Force Request for Comments 5321, Apr 2008. <https://datatracker.ietf.org/doc/rfc5321/>
- [RFC5322] P. Resnick. *Internet Message Format*. Internet Engineering Task Force Request for Comments 5322, Oct 2008. <https://datatracker.ietf.org/doc/rfc5322/>
- [RFC7601] M. Kucherawy. *Message Header Field for Indicating Message Authentication Status*. Internet Engineering Task Force Request for Comments 7601, Aug 2015. <https://datatracker.ietf.org/doc/rfc7601/>

2650 **B.3 Sender Policy Framework (SPF)**

- [HERZBERG 2009] Amir Herzberg. 2009. DNS-based email sender authentication mechanisms: A critical review. *Comput. Secur.* 28, 8 (November 2009), 731-742. DOI=10.1016/j.cose.2009.05.002 <http://dx.doi.org/10.1016/j.cose.2009.05.002>
- [RFC7208] S. Kitterman. *Sender Policy Framework (SPF) for Authorizing Use of Domains in Email, Version 1*. Internet Engineering Task Force Request for Comments 7208, Apr 2014. <https://datatracker.ietf.org/doc/rfc7208/>
- [SPF1] *Considerations and Lessons Learned for Federal Agency Implementation of DNS Security Extensions and E-mail Authentication*. Federal CIO Council Report. Nov. 2011. <https://cio.gov/wp-content/uploads/downloads/2013/05/DNSSEC-and-E-Mail-Authentication-Considerations-and-Lessons-Learned.pdf>

2651 **B.4 DomainKeys Identified Mail (DKIM)**

- [RFC4686] J. Fenton. *Analysis of Threats Motivating DomainKeys Identified Mail (DKIM)*. Internet Engineering Task Force Request for Comments 4686, Sept 2006. <https://www.ietf.org/rfc/rfc4686.txt>
- [RFC5863] T. Hansen, E. Siegel, P. Hallam-Baker and D. Crocker. *DomainKeys Identified Mail (DKIM) Development, Deployment, and Operations*. Internet Engineering Task Force Request for Comments 5863, May 2010. <https://datatracker.ietf.org/doc/rfc5863/>
- [RFC6376] D. Cocker, T. Hansen, M. Kucherawy. *DomainKeys Identified Mail (DKIM) Signatures*. Internet Engineering Task Force Request for Comments 6376, Sept 2011. <https://datatracker.ietf.org/doc/rfc6376/>
- [RFC6377] M. Kucherawy. *DomainKeys Identified Mail (DKIM) and Mailing Lists*. Internet Engineering Task Force Request for Comments 6377, Sept 2011.

<https://datatracker.ietf.org/doc/rfc6377/>

- 2652 **B.5 Domain-based Message Authentication, Reporting and Conformance**
2653 **(DMARC)**
- [RFC6591] H. Fontana. *Authentication Failure Reporting Using the Abuse Reporting Format*. Internet Engineering Task Force Request for Comments 6591, Nov 2007. <https://datatracker.ietf.org/doc/rfc6591/>
- [RFC7489] M. Kucherawy and E. Zwicky. *Domain-based Message Authentication, Reporting, and Conformance (DMARC)*. Internet Engineering Task Force Request for Comments 7489, March 2015. <https://datatracker.ietf.org/doc/rfc7489/>
- 2654 **B.6 Cryptography and Public Key Infrastructure (PKI)**
- [RFC3207] P. Hoffman. *SMTP Service Extension for Secure SMTP over Transport Layer Security*. Internet Engineering Task Force Request for Comments 3207, Feb 2002. <https://datatracker.ietf.org/doc/rfc3207/>
- [RFC3156] M. Elkins, D. Del Torto, R. Levien and T. Roessler. *MIME Security with OpenPGP*. Internet Engineering Task Force Request for Comments 3156, Aug 2001. <https://datatracker.ietf.org/doc/rfc3156/>
- [RFC4422] A. Melnikov and K. Zeilenga. *Simple Authentication and Security Layer (SASL)*. Internet Engineering Task Force Request for Comments 4422, June 2006. <https://datatracker.ietf.org/doc/rfc4422/>
- [RFC4880] J. Callas, L. Donnerhacke, H. Finney, D. Shaw and R. Thayer. *OpenPGP Message Format*. Internet Engineering Task Force Request for Comments 4880, Nov 2007. <https://datatracker.ietf.org/doc/rfc4880/>
- [RFC5034] R. Siemborski and A. Menon-Sen. *The Post Office Protocol (POP3) Simple Authentication and Security Layer (SASL) Authentication Mechanism*. Internet Engineering Task Force Request for Comments 5034, July 2007. <https://datatracker.ietf.org/doc/rfc5034/>
- [RFC5091] X. Boyen and L. Martin. *Identity-Based Cryptography Standard (IBCS) #1: Supersingular Curve Implementations of the BF and BB1 Cryptosystems*. Internet Engineering Task Force Request for Comments 5091, Dec 2007. <https://datatracker.ietf.org/doc/rfc5091/>
- [RFC5246] T. Dierks and E. Rescorla. *The Transport Layer Security (TLS) Protocol Version 1.2*. Internet Engineering Task Force Request for Comments 5246, Aug 2008. <https://datatracker.ietf.org/doc/rfc5246/>

- [RFC5280] D. Cooper, S. Santesson, S. Farrell, S. Boeyen, R. Housley, and W. Polk. *Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile*. Internet Engineering Task Force Request for Comments 5280, May 2008. <https://datatracker.ietf.org/doc/rfc5280/>
- [RFC5408] G. Appenzeller, L. Martin, and M. Schertler. *Identity-Based Encryption Architecture and Supporting Data Structures*. Internet Engineering Task Force Request for Comments 5408, Jan 2009. <https://datatracker.ietf.org/doc/rfc5408/>
- [RFC5409] L. Martin and M. Schertler. *Using the Boneh-Franklin and Boneh-Boyen Identity-Based Encryption Algorithms with the Cryptographic Message Syntax (CMS)*. Internet Engineering Task Force Request for Comments 5409, Jan 2009. <https://datatracker.ietf.org/doc/rfc5409/>
- [RFC5750] B. Ramsdell and S. Turner. *Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Certificate Handling*. Internet Engineering Task Force Request for Comments 5750, Jan 2010. <https://datatracker.ietf.org/doc/rfc5750/>
- [RFC5751] B. Ramsdell et. al. *Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification*. Internet Engineering Task Force Request for Comments 5751, Jan 2010. <https://datatracker.ietf.org/doc/rfc5751/>
- [RFC6066] D. Eastlake 3rd. *Transport Layer Security (TLS) Extensions: Extension Definitions*. Internet Engineering Task Force Request for Comments 6066, Jan 2011. <https://datatracker.ietf.org/doc/rfc6066/>
- [RFC6698] P. Hoffman and J. Schlyter. *The DNS-Based Authentication of Named Entities (DANE) Transport Layer Security (TLS) Protocol: TLSA*. Internet Engineering Task Force Request for Comments 6698, Aug 2012. <https://datatracker.ietf.org/doc/rfc6698/>
- [RFC6960] S. Santesson, M. Myers, R. Ankney, A. Malpani, S. Galperin and C. Adams. *X.509 Internet Public Key Infrastructure Online Certificate Status Protocol – OCSP*. Internet Engineering Task Force Request for Comments 6960, June 2013. <https://datatracker.ietf.org/doc/rfc6960/>
- [draft-deep] K. Moore and C. Newman. *Deployable Enhanced Email Privacy (DEEP)*. Internet Engineering Task Force Work in Progress. <https://datatracker.ietf.org/doc/draft-ietf-uta-email-deep/>
- [draft-smimea] P. Hoffman and J. Schlyter. *Using Secure DNS to Associate Certificates with Domain Names For S/MIME*. Internet Engineering Task Force Work in Progress. <https://datatracker.ietf.org/doc/draft-ietf-dane-smimea/>
- [draft- P. Wouters. Using DANE to Associate OpenPGP public keys with email

openpgpkey] addresses. Internet Engineering Task Force Work in Progress.
<https://datatracker.ietf.org/doc/draft-ietf-dane-openpgpkey/>

2655 **B.7 Other**

- [FISMAMET] FY15 CIO Annual FISMA Metrics. Dept. of Homeland Security Federal Network Resiliency. Version 1.2 July 2015.
<http://www.dhs.gov/publication/fy15-fisma-documents>
- [GAR2005] Simson L. Garfinkel and Robert C. Miller. 2005. Johnny 2: a user test of key continuity management with S/MIME and Outlook Express. In *Proceedings of the 2005 symposium on Usable privacy and security* (SOUPS '05). ACM, New York, NY, USA, 13-24.
DOI=10.1145/1073001.1073003
<http://doi.acm.org/10.1145/1073001.1073003>
- [DOD2009] “Digital Signatures on Email Now a DoD Requirement,” Press Release, Naval Network Warfare Command, February 2, 2009.
- [M3AAWG] *M3AAWG Policy Issues for Receiving Email in a World with IPv6 Hosts*. Messaging, Malware and Mobile Anti-Abuse Working Group. Sept 2014.
https://www.m3aawg.org/sites/default/files/document/M3AAWG_Inbound_IPv6_Policy_Issues-2014-09.pdf
- [REFARCH] *Electronic Mail (Email) Gateway Reference Architecture*. Dept. of Homeland Security Federal Network Resiliency Federal Interagency Technical Reference Architectures. DRAFT Version 1.3, June 2015.
<https://community.max.gov/display/DHS/Email+Gateway>
- [RFC1034] P. Mockapetris. *DOMAIN NAMES - CONCEPTS AND FACILITIES*. Internet Engineering Task Force Request for Comments 1034. Nov 1987.
<https://datatracker.ietf.org/doc/rfc1034/>
- [RFC1035] P. Mockapetris. *DOMAIN NAMES - IMPLEMENTATION AND SPECIFICATION*. Internet Engineering Task Force Request for Comments 1035. Nov 1987. <https://datatracker.ietf.org/doc/rfc1035/>
- [RFC2505] G. Lindberg. *Anti-Spam Recommendations for SMTP MTAs*. Internet Engineering Task Force Request for Comments 2505. Feb 1999.
<https://datatracker.ietf.org/doc/rfc2505/>
- [RFC4033] R. Arends, R. Austein, M. Larson, D. Massey and S. Rose. *DNS Security Introduction and Requirements*. Internet Engineering Task Force Request for Comments 4033. Mar 2005. <https://datatracker.ietf.org/doc/rfc4033/>
- [RFC4034] R. Arends, et. al. *Resource Records for the DNS Security Extensions*. Internet Engineering Task Force Request for Comments 4034, Mar 2005.

- <https://datatracker.ietf.org/doc/rfc4034/>
- [RFC4035] R. Arends, et. al. *Protocol Modifications for the DNS Security Extensions*. Internet Engineering Task Force Request for Comments 4035, Mar 2005. <https://datatracker.ietf.org/doc/rfc4035/>
- [RFC5782] J. Levine. *DNS Blacklists and Whitelists*. Internet Engineering Task Force Request for Comments 5782, Feb 2010. <https://datatracker.ietf.org/doc/rfc5782/>
- [RFC5322] P. Resnick. *Internet Message Format*. Internet Engineering Task Force Request for Comments 5322, Oct 2008. <https://datatracker.ietf.org/doc/rfc5322/>
- [THREAT1] R. Oppliger. *Secure Messaging on the Internet*. Artech House, 2014.
- [THREAT2] C. Pfleeger and S. L. Pfleeger. *Analyzing Computer Security: A Threat/Vulnerability/Countermeasure Approach*. Prentice Hall, 2011.
- [WHITTEN1999] Alma Whitten and J. D. Tygar. 1999. Why Johnny can't encrypt: a usability evaluation of PGP 5.0. In *Proceedings of the 8th conference on USENIX Security Symposium - Volume 8 (SSYM'99)*, Vol. 8. USENIX Association, Berkeley, CA, USA, 14-14.

2656