

NATL INST. OF STAND. & TECH. R.I.C.



NIST  
PUBLICATIONS

REFERENCE

U.S. DEPARTMENT OF COMMERCE  
Technology Administration  
National Institute of Standards and Technology



## FIPS PUB 186

---

FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATION

# DIGITAL SIGNATURE STANDARD (DSS)

CATEGORY: COMPUTER SECURITY

SUBCATEGORY: CRYPTOGRAPHY

---

1994 May 19

FIPS PUB 186

JK  
468  
.A8A3  
NO.186  
1994



# FIPS PUB 186

---

FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATION

## DIGITAL SIGNATURE STANDARD (DSS)

**CATEGORY: COMPUTER SECURITY**

**SUBCATEGORY: CRYPTOGRAPHY**

---

Computer Systems Laboratory  
National Institute of Standards and Technology  
Gaithersburg, MD 20899

Issued May 19, 1994



U.S. Department of Commerce  
Ronald H. Brown, Secretary

**Technology Administration**  
Mary L. Good, Under Secretary for Technology

National Institute of Standards  
and Technology  
Arati Prabhakar, Director

## Foreword

The Federal Information Processing Standards Publication Series of the National Institute of Standards and Technology (NIST) is the official publication relating to standards and guidelines adopted and promulgated under the provisions of Section 111(d) of the Federal Property and Administrative Services Act of 1949 as amended by the Computer Security Act of 1987, Public Law 100-235. These mandates have given the Secretary of Commerce and NIST important responsibilities for improving the utilization and management of computer and related telecommunications systems in the Federal Government. The NIST, through its Computer Systems Laboratory, provides leadership, technical guidance, and coordination of Government efforts in the development of standards and guidelines in these areas.

Comments concerning Federal Information Processing Standards Publications are welcomed and should be addressed to the Director, Computer Systems Laboratory, National Institute of Standards and Technology, Gaithersburg, MD 20899.

James H. Burrows, Director  
Computer Systems Laboratory

---

## Abstract

This standard specifies a Digital Signature Algorithm (DSA) which can be used to generate a digital signature. Digital signatures are used to detect unauthorized modifications to data and to authenticate the identity of the signatory. In addition, the recipient of signed data can use a digital signature in proving to a third party that the signature was in fact generated by the signatory. This is known as nonrepudiation since the signatory cannot, at a later time, repudiate the signature.

Key words: ADP security; computer security; digital signatures; Federal Information Processing Standard; public-key cryptography.

---

National Institute of Standards  
and Technology  
FIPS PUB 186  
23 pages (May 19, 1994)  
CODEN: FIPPAT

U.S. Government Printing Office  
Washington: 1994

For sale by the National  
Technical Information  
Service  
U.S. Department of Commerce  
Springfield, VA 22161

**Federal Information  
Processing Standards Publication 186**

**1994 May 19**

**Announcing the**

**DIGITAL SIGNATURE STANDARD (DSS)**


Federal Information Processing Standards Publications (FIPS PUBS) are issued by the National Institute of Standards and Technology (NIST) after approval by the Secretary of Commerce pursuant to Section 111(d) of the Federal Property and Administrative Services Act of 1949 as amended by the Computer Security Act of 1987, Public Law 100-235.

**Name of Standard:** Digital Signature Standard (DSS).

**Category of Standard:** Computer Security, Cryptography.

**Explanation:** This Standard specifies a Digital Signature Algorithm (DSA) appropriate for applications requiring a digital, rather than written, signature. The DSA digital signature is a pair of large numbers represented in a computer as strings of binary digits. The digital signature is computed using a set of rules (i.e., the DSA) and a set of parameters such that the identity of the signatory and integrity of the data can be verified. The DSA provides the capability to generate and verify signatures. Signature generation makes use of a private key to generate a digital signature. Signature verification makes use of a public key which corresponds to, but is not the same as, the private key. Each user possesses a private and public key pair. Public keys are assumed to be known to the public in general. Private keys are never shared. Anyone can verify the signature of a user by employing that user's public key. Signature generation can be performed only by the possessor of the user's private key.

A hash function is used in the signature generation process to obtain a condensed version of data, called a message digest (see Figure 1). The message digest is then input to the DSA to generate the digital signature. The digital signature is sent to the intended verifier along with the signed data (often called the message). The verifier of the message and signature verifies the signature by using the sender's public key. The same hash function must also be used in the verification process. The hash function is specified in a separate standard, the Secure Hash Standard (SHS), FIPS 180. Similar procedures may be used to generate and verify signatures for stored as well as transmitted data.



**Figure 1:** Using the SHA with the DSA

**Approving Authority:** Secretary of Commerce.

**Maintenance Agency:** U.S. Department of Commerce, National Institute of Standards and Technology (NIST), Computer Systems Laboratory (CSL).

**Applicability:** This standard is applicable to all Federal departments and agencies for the protection of unclassified information that is not subject to section 2315 of Title 10, United States Code, or section 3502(2) of Title 44, United States Code. This standard shall be used in designing and implementing public-key based signature systems which Federal departments and agencies operate or which are operated for them under contract. Adoption and use of this standard is available to private and commercial organizations.

**Applications:** The DSA authenticates the integrity of the signed data and the identity of the signatory. The DSA may also be used in proving to a third party that data was actually signed

by the generator of the signature. The DSA is intended for use in electronic mail, electronic funds transfer, electronic data interchange, software distribution, data storage, and other applications which require data integrity assurance and data origin authentication.

**Implementations:** The DSA may be implemented in software, firmware, hardware, or any combination thereof. NIST is developing a validation program to test implementations for conformance to this standard. Information about the planned validation program can be obtained from the National Institute of Standards and Technology, Computer Systems Laboratory, Attn: DSS Validation, Gaithersburg, MD 20899.

**Export Control:** Implementations of this standard are subject to Federal Government export controls as specified in Title 15, Code of Federal Regulations, Parts 768 through 799. Exporters are advised to contact the Department of Commerce, Bureau of Export Administration for more information.

**Patents:** The Department of Commerce is not aware of any patents that would be infringed by this standard.

**Implementation Schedule:** This standard becomes effective December 1, 1994.

**Specifications:** Federal Information Processing Standard (FIPS 186) Digital Signature Standard (affixed).

**Cross Index:**

- a. Federal Information Resources Management Regulations (FIRMR) subpart 201.20.303, Standards, and subpart 201.39.1002, Federal Standards.
- b. FIPS PUB 46-2, Data Encryption Standard.
- c. FIPS PUB 73, Guidelines for Security of Computer Applications.
- d. FIPS PUB 140-1, Security Requirements for Cryptographic Modules.
- e. FIPS PUB 171, Key Management Using ANSI X9.17.
- f. FIPS PUB 180, Secure Hash Standard.

**Qualifications:** The security of a digital signature system is dependent on maintaining the secrecy of users' private keys. Users must therefore guard against the unauthorized acquisition of their private keys. While it is the intent of this standard to specify general security requirements for generating digital signatures, conformance to this standard does not assure that a particular implementation is secure. The responsible authority in each agency or department shall assure that an overall implementation provides an acceptable level of security. This standard will be

reviewed every five years in order to assess its adequacy.

**Waiver Procedure:** Under certain exceptional circumstances, the heads of Federal departments and agencies may approve waivers to Federal Information Processing Standards (FIPS). The head of such agency may redelegate such authority only to a senior official designated pursuant to section 3506(b) of Title 44, United States Code. Waiver shall be granted only when:

- a. Compliance with a standard would adversely affect the accomplishment of the mission of an operator of a Federal computer system; or
- b. Cause a major adverse financial impact on the operator which is not offset by Government wide savings.

Agency heads may act upon a written waiver request containing the information detailed above. Agency heads may also act without a written waiver request when they determine that conditions for meeting the standard cannot be met. Agency heads may approve waivers only by a written decision which explains the basis on which the agency head made with required finding(s). A copy of each such decision, with procurement sensitive or classified portions clearly identified, shall be sent to: National Institute of Standards and Technology; ATTN: FIPS Waiver Decisions, Technology Building, Room B-154, Gaithersburg, MD 20899.

In addition, notice of each waiver granted and each delegation of authority to approve waivers shall be sent promptly to the Committee on Government Operations of the House of Representatives and the Committee on Governmental Affairs of the Senate and shall be published promptly in the Federal Register.

When the determination on a waiver applies to the procurement of equipment and/or services, a notice of the waiver determination must be published in the Commerce Business Daily as a part of the notice of solicitation for offers of an acquisition or, if the waiver determination is made after that notice is published, by amendment to such notice.

A copy of the waiver, any supporting documents, the document approving the waiver and any supporting and accompanying documents, with such deletions as the agency is authorized and decides to make under 5 U.S.C. Sec. 552(b), shall be part of the procurement documentation and retained by the agency.

**Where to Obtain Copies of the Standard:** Copies of this publication are for sale by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161. When ordering, refer to Federal Information Processing Standards Publication 186 (FIPS PUB 186), and identify the title. When microfiche is desired, this should be specified. Prices are published by NTIS in current catalogs and other issuances. Payment may be made by check, money order, deposit account or charged to a credit card accepted by NTIS.



**Federal Information  
Processing Standards Publication 186**

**1994 May 19**

**Specifications for the**

**DIGITAL SIGNATURE STANDARD (DSS)**

**1. INTRODUCTION**

This publication prescribes the Digital Signature Algorithm (DSA) for digital signature generation and verification. Additional information is provided in Appendices 1 through 5.

**2. GENERAL**

When a message is received, the recipient may desire to verify that the message has not been altered in transit. Furthermore, the recipient may wish to be certain of the originator's identity. Both of these services can be provided by the DSA. A digital signature is an electronic analogue of a written signature in that the digital signature can be used in proving to the recipient or a third party that the message was, in fact, signed by the originator. Digital signatures may also be generated for stored data and programs so that the integrity of the data and programs may be verified at any later time.

This publication prescribes the DSA for digital signature generation and verification. In addition, the criteria for the public and private keys required by the algorithm are provided.

**3. USE OF THE DSA ALGORITHM**

The DSA is used by a *signatory* to generate a digital signature on data and by a *verifier* to verify the authenticity of the signature. Each signatory has a public and private key. The private key is used in the signature generation process and the public key is used in the signature verification process. For both signature generation and verification, the data which is referred to as a message, *M*, is reduced by means of the Secure Hash Algorithm (SHA) specified in FIPS 180. An adversary, who does not know the private key of the signatory, cannot generate the correct signature of the signatory. In other words, signatures cannot be forged. However, by using the signatory's public key, anyone can verify a correctly signed message.

A means of associating public and private key pairs to the corresponding users is required. That is, there must be a binding of a user's identity and the user's public key. This binding may be certified by a mutually trusted party. For example, a certifying authority could sign credentials containing a user's public key and identity to form a certificate. Systems for certifying credentials and distributing certificates are beyond the scope of this standard. NIST intends to publish separate document(s) on certifying credentials and distributing certificates.

#### 4. DSA PARAMETERS

The DSA makes use of the following parameters:

1.  $p =$  a prime modulus, where  $2^{L-1} < p < 2^L$  for  $512 \leq L \leq 1024$  and  $L$  a multiple of 64
2.  $q =$  a prime divisor of  $p - 1$ , where  $2^{159} < q < 2^{160}$
3.  $g = h^{(p-1)/q} \bmod p$ , where  $h$  is any integer with  $1 < h < p - 1$  such that  $h^{(p-1)/q} \bmod p > 1$   
( $g$  has order  $q \bmod p$ )
4.  $x =$  a randomly or pseudorandomly generated integer with  $0 < x < q$
5.  $y = g^x \bmod p$
6.  $k =$  a randomly or pseudorandomly generated integer with  $0 < k < q$

The integers  $p$ ,  $q$ , and  $g$  can be public and can be common to a group of users. A user's private and public keys are  $x$  and  $y$ , respectively. They are normally fixed for a period of time. Parameters  $x$  and  $k$  are used for signature generation only, and must be kept secret. Parameter  $k$  must be regenerated for each signature.

Parameters  $p$  and  $q$  shall be generated as specified in Appendix 2, or using other FIPS approved security methods. Parameters  $x$  and  $k$  shall be generated as specified in Appendix 3, or using other FIPS approved security methods.

#### 5. SIGNATURE GENERATION

The signature of a message  $M$  is the pair of numbers  $r$  and  $s$  computed according to the equations below:

$$r = (g^k \bmod p) \bmod q \quad \text{and}$$

$$s = (k^{-1}(\text{SHA}(M) + xr)) \bmod q.$$

In the above,  $k^{-1}$  is the multiplicative inverse of  $k$ , mod  $q$ ; i.e.,  $(k^{-1} k) \bmod q = 1$  and  $0 < k^{-1} < q$ . The value of  $\text{SHA}(M)$  is a 160-bit string output by the Secure Hash Algorithm specified in FIPS 180. For use in computing  $s$ , this string must be converted to an integer. The conversion rule is given in Appendix 2.2.

As an option, one may wish to check if  $r = 0$  or  $s = 0$ . If either  $r = 0$  or  $s = 0$ , a new value of  $k$  should be generated and the signature should be recalculated (it is extremely unlikely that  $r = 0$  or  $s = 0$  if signatures are generated properly).

The signature is transmitted along with the message to the verifier.

## 6. SIGNATURE VERIFICATION

Prior to verifying the signature in a signed message,  $p$ ,  $q$  and  $g$  plus the sender's public key and identity are made available to the verifier in an authenticated manner.

Let  $M'$ ,  $r'$ , and  $s'$  be the received versions of  $M$ ,  $r$ , and  $s$ , respectively, and let  $y$  be the public key of the signatory. To verify the signature, the verifier first checks to see that  $0 < r' < q$  and  $0 < s' < q$ ; if either condition is violated the signature shall be rejected. If these two conditions are satisfied, the verifier computes

$$w = (s')^{-1} \bmod q$$

$$u1 = ((\text{SHA}(M'))w) \bmod q$$

$$u2 = ((r')w) \bmod q$$

$$v = (((g)^{u1} (y)^{u2}) \bmod p) \bmod q.$$

If  $v = r'$ , then the signature is verified and the verifier can have high confidence that the received message was sent by the party holding the secret key  $x$  corresponding to  $y$ . For a proof that  $v = r'$  when  $M' = M$ ,  $r' = r$ , and  $s' = s$ , see Appendix 1.

If  $v$  does not equal  $r'$ , then the message may have been modified, the message may have been incorrectly signed by the signatory, or the message may have been signed by an impostor. The message should be considered invalid.

## APPENDIX 1. A PROOF THAT $v = r'$

This appendix is for informational purposes only and is not required to meet the standard.

The purpose of this appendix is to show that if  $M' = M$ ,  $r' = r$  and  $s' = s$  in the signature verification then  $v = r'$ . We need the following easy result.

**LEMMA.** Let  $p$  and  $q$  be primes so that  $q$  divides  $p - 1$ ,  $h$  a positive integer less than  $p$ , and  $g = h^{(p-1)/q} \bmod p$ . Then  $g^q \bmod p = 1$ , and if  $m \bmod q = n \bmod q$ , then  $g^m \bmod p = g^n \bmod p$ .

Proof: We have

$$\begin{aligned} g^q \bmod p &= (h^{(p-1)/q} \bmod p)^q \bmod p \\ &= h^{(p-1)} \bmod p \\ &= 1 \end{aligned}$$

by Fermat's Little Theorem. Now let  $m \bmod q = n \bmod q$ , i.e.,  $m = n + kq$  for some integer  $k$ . Then

$$\begin{aligned} g^m \bmod p &= g^{n+kq} \bmod p \\ &= (g^n g^{kq}) \bmod p \\ &= ((g^n \bmod p) (g^q \bmod p)^k) \bmod p \\ &= g^n \bmod p \end{aligned}$$

since  $g^q \bmod p = 1$ . ■

We are now ready to prove the main result.

**THEOREM.** If  $M' = M$ ,  $r' = r$ , and  $s' = s$  in the signature verification, then  $v = r'$ .

Proof: We have

$$\begin{aligned} w &= (s')^{-1} \bmod q = s^{-1} \bmod q \\ u1 &= ((\text{SHA}(M'))w) \bmod q = ((\text{SHA}(M))w) \bmod q \\ u2 &= ((r')w) \bmod q = (rw) \bmod q. \end{aligned}$$

Now  $y = g^x \pmod p$ , so that by the lemma,

$$\begin{aligned}v &= ((g^{u^1} y^{u^2}) \pmod p) \pmod q \\&= ((g^{\text{SHA}(M)w} y^{rw}) \pmod p) \pmod q \\&= ((g^{\text{SHA}(M)w} g^{xrw}) \pmod p) \pmod q \\&= ((g^{(\text{SHA}(M)+xr)w}) \pmod p) \pmod q.\end{aligned}$$

Also

$$s = (k^{-1}(\text{SHA}(M) + xr)) \pmod q.$$

Hence

$$\begin{aligned}w &= (k(\text{SHA}(M) + xr)^{-1}) \pmod q \\(\text{SHA}(M) + xr)w \pmod q &= k \pmod q.\end{aligned}$$

Thus by the lemma,

$$\begin{aligned}v &= (g^k \pmod p) \pmod q \\&= r \\&= r'. \blacksquare\end{aligned}$$

## APPENDIX 2. GENERATION OF PRIMES FOR THE DSA

This appendix includes algorithms for generating the primes  $p$  and  $q$  used in the DSA. These algorithms require a random number generator (see Appendix 3), and an efficient modular exponentiation algorithm. Generation of  $p$  and  $q$  shall be performed as specified in this appendix, or using other FIPS approved security methods.

### 2.1. A PROBABILISTIC PRIMALITY TEST

In order to generate the primes  $p$  and  $q$ , a primality test is required.

There are several fast probabilistic algorithms available. The following algorithm is a simplified version of a procedure due to M.O. Rabin, based in part on ideas of Gary L. Miller. [See Knuth, *The Art of Computer Programming*, Vol. 2, Addison-Wesley, 1981, Algorithm P, page 379.] If this algorithm is iterated  $n$  times, it will produce a false prime with probability no greater than  $1/4^n$ . Therefore,  $n \geq 50$  will give an acceptable probability of error. To test whether an integer is prime:

Step 1. Set  $i = 1$  and  $n \geq 50$ .

Step 2. Set  $w =$  the integer to be tested,  $w = 1 + 2^a m$ , where  $m$  is odd and  $2^a$  is the largest power of 2 dividing  $w - 1$ .

Step 3. Generate a random integer  $b$  in the range  $1 < b < w$ .

Step 4. Set  $j = 0$  and  $z = b^m \bmod w$ .

Step 5. If  $j = 0$  and  $z = 1$ , or if  $z = w - 1$ , go to step 9.

Step 6. If  $j > 0$  and  $z = 1$ , go to step 8.

Step 7.  $j = j + 1$ . If  $j < a$ , set  $z = z^2 \bmod w$  and go to step 5.

Step 8.  $w$  is not prime. Stop.

Step 9. If  $i < n$ , set  $i = i + 1$  and go to step 3. Otherwise,  $w$  is probably prime.

### 2.2. GENERATION OF PRIMES

The DSS requires two primes,  $p$  and  $q$ , satisfying the following three conditions:

a.  $2^{159} < q < 2^{160}$

b.  $2^{L-1} < p < 2^L$  for a specified  $L$ , where  $L = 512 + 64j$  for some  $0 \leq j \leq 8$

c.  $q$  divides  $p - 1$ .

This prime generation scheme starts by using the SHA and a user supplied SEED to construct a prime,  $q$ , in the range  $2^{159} < q < 2^{160}$ . Once this is accomplished, the same SEED value is used to construct an  $X$  in the range  $2^{L-1} < X < 2^L$ . The prime,  $p$ , is then formed by rounding  $X$  to a number congruent to 1 mod  $2q$  as described below.

An integer  $x$  in the range  $0 \leq x < 2^g$  may be converted to a  $g$ -long sequence of bits by using its binary expansion as shown below:

$$x = x_1 * 2^{g-1} + x_2 * 2^{g-2} + \dots + x_{g-1} * 2 + x_g \rightarrow \{ x_1, \dots, x_g \}.$$

Conversely, a  $g$ -long sequence of bits  $\{ x_1, \dots, x_g \}$  is converted to an integer by the rule

$$\{ x_1, \dots, x_g \} \rightarrow x_1 * 2^{g-1} + x_2 * 2^{g-2} + \dots + x_{g-1} * 2 + x_g.$$

Note that the first bit of a sequence corresponds to the most significant bit of the corresponding integer and the last bit to the least significant bit.

Let  $L - 1 = n * 160 + b$ , where both  $b$  and  $n$  are integers and  $0 \leq b < 160$ .

Step 1. Choose an arbitrary sequence of at least 160 bits and call it SEED. Let  $g$  be the length of SEED in bits.

Step 2. Compute

$$U = \text{SHA}[\text{SEED}] \text{ XOR } \text{SHA}[(\text{SEED}+1) \bmod 2^g].$$

Step 3. Form  $q$  from  $U$  by setting the most significant bit (the  $2^{159}$  bit) and the least significant bit to 1. In terms of boolean operations,  $q = U \text{ OR } 2^{159} \text{ OR } 1$ . Note that  $2^{159} < q < 2^{160}$ .

Step 4. Use a robust primality testing algorithm to test whether  $q$  is prime<sup>1</sup>.

Step 5. If  $q$  is not prime, go to step 1.

Step 6. Let counter = 0 and offset = 2.

Step 7. For  $k = 0, \dots, n$  let

$$V_k = \text{SHA}[(\text{SEED} + \text{offset} + k) \bmod 2^g].$$

<sup>1</sup>A robust primality test is one where the probability of a non-prime number passing the test is at most  $2^{-80}$ .

Step 8. Let  $W$  be the integer

$$W = V_0 + V_1 * 2^{160} + \dots + V_{n-1} * 2^{(n-1)*160} + (V_n \bmod 2^b) * 2^{n*160}$$

and let  $X = W + 2^{L-1}$ . Note that  $0 \leq W < 2^{L-1}$  and hence  $2^{L-1} \leq X < 2^L$ .

Step 9. Let  $c = X \bmod 2q$  and set  $p = X - (c - 1)$ . Note that  $p$  is congruent to 1 mod  $2q$ .

Step 10. If  $p < 2^{L-1}$ , then go to step 13.

Step 11. Perform a robust primality test on  $p$ .

Step 12. If  $p$  passes the test performed in step 11, go to step 15.

Step 13. Let  $\text{counter} = \text{counter} + 1$  and  $\text{offset} = \text{offset} + n + 1$ .

Step 14. If  $\text{counter} \geq 2^{12} = 4096$  go to step 1, otherwise (i.e. if  $\text{counter} < 4096$ ) go to step 7.

Step 15. Save the value of SEED and the value of counter for use in certifying the proper generation of  $p$  and  $q$ .



### APPENDIX 3. RANDOM NUMBER GENERATION FOR THE DSA

Any implementation of the DSA requires the ability to generate random or pseudorandom integers. Such numbers are used to derive a user's private key,  $x$ , and a user's per message secret number,  $k$ . These randomly or pseudorandomly generated integers are selected to be between 0 and the 160-bit prime  $q$  (as specified in the standard). They shall be generated by the techniques given in this appendix, or using other FIPS approved security methods.

One FIPS approved pseudorandom integer generator is supplied in Appendix C of ANSI X9.17, "Financial Institution Key Management (Wholesale)."

Other pseudorandom integer generators are given in this appendix. These permit generation of pseudorandom values of  $x$  and  $k$  for use in the DSA. The algorithm in section 3.1 may be used to generate values for  $x$ . An algorithm for  $k$  and  $r$  is given in section 3.2. The latter algorithm allows most of the signature computation to be precomputed without knowledge of the message to be signed.

The algorithms employ a one-way function  $G(t,c)$ , where  $t$  is 160 bits,  $c$  is  $b$  bits ( $160 \leq b \leq 512$ ) and  $G(t,c)$  is 160 bits. One way to construct  $G$  is via the Secure Hash Algorithm (SHA), as defined in the Secure Hash Standard (SHS). The 160-bit message digest output of the SHA algorithm when message  $M$  is input is denoted by  $SHA(M)$ . A second method for constructing  $G$  is to use the Data Encryption Standard (DES). The construction of  $G$  by these techniques is discussed in sections 3.3 and 3.4 of this appendix.

In the algorithms in sections 3.1 and 3.2, a secret  $b$ -bit seed-key is used. The algorithm in section 3.1 optionally allows the use of a user provided input. If  $G$  is constructed via the SHA as defined in section 3.3, then  $b$  is between 160 and 512. If DES is used to construct  $G$  as defined in section 3.4, then  $b$  is equal to 160.

#### 3.1. ALGORITHM FOR COMPUTING $m$ VALUES OF $x$

Let  $x$  be the signer's private key. The following may be used to generate  $m$  values of  $x$ :

Step 1. Choose a new, secret value for the seed-key,  $XKEY$ .

Step 2. In hexadecimal notation let

$$t = 67452301 \text{ EFCDAB89 } 98\text{BADCFE } 10325476 \text{ C3D2E1F0.}$$

This is the initial value for  $H_0 \parallel H_1 \parallel H_2 \parallel H_3 \parallel H_4$  in the SHS.

Step 3. For  $j = 0$  to  $m - 1$  do

a.  $XSEED_j =$  optional user input.

b.  $XVAL = (XKEY + XSEED_j) \bmod 2^b$ .

c.  $x_j = G(t, XVAL) \bmod q$ .

d.  $XKEY = (1 + XKEY + x_j) \bmod 2^b$ .

### 3.2. ALGORITHM FOR PRECOMPUTING ONE OR MORE $k$ AND $r$ VALUES

This algorithm can be used to precompute  $k$ ,  $k^{-1}$ , and  $r$  for  $m$  messages at a time. Algorithm:

Step 1. Choose a secret initial value for the seed-key, KKEY.

Step 2. In hexadecimal notation let

$$t = \text{EFC DAB89 98BADCFE 10325476 C3D2E1F0 67452301.}$$

This is a cyclic shift of the initial value for  $H_0 \parallel H_1 \parallel H_2 \parallel H_3 \parallel H_4$  in the SHS.

Step 3. For  $j = 0$  to  $m - 1$  do

a.  $k = G(t, KKEY) \bmod q$ .

b. Compute  $k_j^{-1} = k^{-1} \bmod q$ .

c. Compute  $r_j = (g^k \bmod p) \bmod q$ .

d.  $KKEY = (1 + KKEY + k) \bmod 2^b$ .

Step 4. Suppose  $M_0, \dots, M_{m-1}$  are the next  $m$  messages. For  $j = 0$  to  $m - 1$  do

a. Let  $h = \text{SHA}(M_j)$ .

b. Let  $s_j = (k_j^{-1}(h + xr_j)) \bmod q$ .

c. The signature for  $M_j$  is  $(r_j, s_j)$ .

Step 5. Let  $t = h$ .

Step 6. Go to step 3.

Step 3 permits precomputation of the quantities needed to sign the next  $m$  messages. Step 4 can begin whenever the first of these  $m$  messages is ready. The execution of step 4 can be suspended whenever the next of the  $m$  messages is not ready. As soon as steps 4 and 5 have completed, step 3 can be executed, and the results saved until the first member of the next group of  $m$

messages is ready.

In addition to space for KKEY, two arrays of length  $m$  are needed to store  $r_0, \dots, r_{m-1}$  and  $k_0^{-1}, \dots, k_{m-1}^{-1}$  when they are computed in step 3. Storage for  $s_0, \dots, s_{m-1}$  is only needed if the signatures for a group of messages are stored; otherwise  $s_j$  in step 4 can be replaced by  $s$  and a single space allocated.

### 3.3. CONSTRUCTING THE FUNCTION G FROM THE SHA

$G(t,c)$  may be constructed using steps (a) - (e) in section 7 of the Specifications for the Secure Hash Standard. Before executing these steps,  $\{H_j\}$  and  $M_1$  must be initialized as follows:

- i. Initialize the  $\{H_j\}$  by dividing the 160 bit value  $t$  into five 32-bit segments as follows:

$$t = t_0 \parallel t_1 \parallel t_2 \parallel t_3 \parallel t_4$$

Then  $H_j = t_j$  for  $j = 0$  through 4.

- ii. There will be only one message block,  $M_1$ , which is initialized as follows:

$$M_1 = c \parallel 0^{512-b}$$

(The first  $b$  bits of  $M_1$  contain  $c$ , and the remaining  $(512-b)$  bits are set to zero).

Then steps (a) through (e) of section 7 are executed, and  $G(t,c)$  is the 160 bit string represented by the five words:

$$H_0 \parallel H_1 \parallel H_2 \parallel H_3 \parallel H_4$$

at the end of step (e).

### 3.4. CONSTRUCTING THE FUNCTION G FROM THE DES

Let a XOR b denote the bitwise exclusive-or of bit strings  $a$  and  $b$ . Suppose  $a_1, a_2, b_1, b_2$  are 32-bit strings. Let  $b_1'$  be the 24 least significant bits of  $b_1$ . Let  $K = b_1' \parallel b_2$  and  $A = a_1 \parallel a_2$ . Define

$$DES_{b_1, b_2}(a_1, a_2) = DES_K(A)$$

In the above,  $DES_K(A)$  represents ordinary DES encryption of the 64-bit block  $A$  using the 56-bit key  $K$ . Now suppose  $t$  and  $c$  are each 160 bits. To compute  $G(t,c)$ :

Step 1. Write

$$t = t_1 \parallel t_2 \parallel t_3 \parallel t_4 \parallel t_5$$

$$c = c_1 \parallel c_2 \parallel c_3 \parallel c_4 \parallel c_5$$

In the above, each  $t_i$  and  $c_i$  is 32 bits.

Step 2. For  $i = 1$  to 5 do

$$x_i = t_i \text{ XOR } c_i$$

Step 3. For  $i = 1$  to 5 do

$$b1 = c_{((i+3) \bmod 5) + 1}$$

$$b2 = c_{((i+2) \bmod 5) + 1}$$

$$a1 = x_i$$

$$a2 = x_{(i \bmod 5) + 1} \text{ XOR } x_{((i+3) \bmod 5) + 1}$$

$$y_{i,1} \parallel y_{i,2} = \text{DES}_{b1,b2}(a1,a2) \quad (y_{i,1}, y_{i,2} = 32 \text{ bits})$$

Step 4. For  $i = 1$  to 5 do

$$z_i = y_{i,1} \text{ XOR } y_{((i+1) \bmod 5)+1,2} \text{ XOR } y_{((i+2) \bmod 5)+1,1}$$

Step 5. Let

$$G(t,c) = z_1 \parallel z_2 \parallel z_3 \parallel z_4 \parallel z_5$$

## APPENDIX 4. GENERATION OF OTHER QUANTITIES

This appendix is for informational purposes only and is not required to meet the standard.

The algorithms given in this appendix may be used to generate the quantities  $g$ ,  $k^{-1}$ , and  $s^{-1}$  used in the DSS.

To generate  $g$ :

Step 1. Generate  $p$  and  $q$  as specified in Appendix 2.

Step 2. Let  $e = (p - 1)/q$ .

Step 3. Set  $h =$  any integer, where  $1 < h < p - 1$  and  $h$  differs from any value previously tried.

Step 4. Set  $g = h^e \bmod p$ .

Step 5. If  $g = 1$ , go to step 3.

To compute the multiplicative inverse  $n^{-1} \bmod q$  for  $n$  with  $0 < n < q$ , where  $0 < n^{-1} < q$ :

Step 1. Set  $i = q$ ,  $h = n$ ,  $v = 0$ , and  $d = 1$ .

Step 2. Let  $t = i \text{ DIV } h$ , where DIV is defined as integer division.

Step 3. Set  $x = h$ .

Step 4. Set  $h = i - tx$ .

Step 5. Set  $i = x$ .

Step 6. Set  $x = d$ .

Step 7. Set  $d = v - tx$ .

Step 8. Set  $v = x$ .

Step 9. If  $h > 0$ , go to step 2.

Step 10. Let  $n^{-1} = v \bmod q$ .

Note that in step 10,  $v$  may be negative. The  $v \bmod q$  operation should yield a value between 1 and  $q - 1$  inclusive.

## APPENDIX 5. EXAMPLE OF THE DSA

This appendix is for informational purposes only and is not required to meet the standard.

Let  $L = 512$  (size of  $p$ ). The values in this example are expressed in hexadecimal notation. The  $p$  and  $q$  given here were generated by the prime generation standard described in appendix 2 using the 160-bit SEED:

d5014e4b    60ef2ba8    b6211b40    62ba3224    e0427dbd

With this SEED, the algorithm found  $p$  and  $q$  when the counter was at 38.

$x$  was generated by the algorithm described in appendix 3, section 3.1, using the SHA to construct  $G$  (as in appendix 3, section 3.3) and a 160-bit XSEED:

XSEED =

bd029bbe    7f51960b    cf9edb2b    61f06f0f    eb5a38b6

t =

67452301    EFCDAB89    98BADCFE    10325476    C3D2E1F0

$x = G(t, XSEED) \bmod q$

$k$  was generated by the algorithm described in appendix 3, section 3.2, using the SHA to construct  $G$  (as in appendix 3, section 3.3) and a 160-bit KSEED:

KSEED =

687a66d9    0648f993    867e121f    4ddf9ddb    01205584

t =

EFCDAB89    98BADCFE    10325476    C3D2E1F0    67452301

$k = G(t, KSEED) \bmod q$

Finally:

$h = 2$

p =

d411a4a0	e393f6aa	b0f08b14	d1845866	5b3e4dbd	ce254454
3fe365cf	71c86224	12db6e7d	d02bbe13	d88c58d7	263e9023
6af17ac8	a9fe5f24	9cc81f42	7fc543f7		

q =

b20db0b1	01df0c66	24fc1392	ba55f77d	577481e5	
----------	----------	----------	----------	----------	--

g =

b3085510	021f9990	49a9e7cd	3872ce99	58186b50	07e7adaf
25248b58	a3dc4f71	781d21f2	df89b717	47bd54b3	23bbecc4
43ec1d3e	020dadab	bf782257	8255c104		

x =

6b2cd935	d0192d54	e2c942b5	74c80102	c8f8ef67	
----------	----------	----------	----------	----------	--

k =

79577ddc	aafddc03	8b865b19	f8eb1ada	8a2838c6	
----------	----------	----------	----------	----------	--

kinv =

2784e3d6	72d972a7	4e22c67f	4f4f726e	cc751efa	
----------	----------	----------	----------	----------	--

M = ASCII form of "abc" (See FIPS PUB YY, Appendix A)

SHA(M) =

0164b8a9	14cd2a5e	74c4f7ff	082c4d97	f1edf880	
----------	----------	----------	----------	----------	--

y =

b32fbec0	3175791d	f08c3f86	1c81df7d	e7e0cba7	f1c4f726
9bb12d6c	628784fb	742e66ed	315754df	e38b5984	e94d3725
37f655cb	3ea4767c	878cbd2d	783ee662		

r =

9b77f705	4c81531c	4e46a469	2fbfe0f7	7f7ebff2	
----------	----------	----------	----------	----------	--

s =

95b4f608      1f8f890e      4b5a199e      f10ffe21      f52b2d68

w =

0ceb5f6b      875f6b67      7e093134      df70b0d4      3226680c

u1 =

347089a2      9897273b      fc7a774f      a70e0e0e      153bcc95

u2 =

793d9312      a41b88af      aa2c1bd9      49ec3bee      2e75d2f5

$g^{u_1} \bmod p =$

57a198ab      2c8ea0b6      4810767a      ff732fb2      da5fcafb      278889f1  
96b60b9c      1285b848      1d08505e      201a5c68      523a15ee      2fb62a56  
d141dc4d      71925ef0      6acde0a5      b89c5671

$y^{u_2} \bmod p =$

5d983d20      be604e23      fb19bec8      7860490a      41b865dc      0f5623f4  
0724a795      021bcd8c      93a39ddf      51cae380      fb6d682a      676608f7  
65227ff0      5e44ccf4      9767e4a6      0832d33f

v =

9b77f705      4c81531c      4e46a469      2fbfe0f7      7f7ebff2









**U.S. Department of Commerce**

National Technical Information Service

5285 Port Royal Road

Springfield, VA 22161

Official Business

Penalty for Private Use \$300