An Overview of Draft SP 800-157 Derived PIV Credentials and Draft NISTIR 7981 Mobile, PIV, and Authentication

Hildegard Ferraiolo

PIV Project Lead NIST ITL - Computer Security Division <u>Hildegard.ferraiolo@nist.gov</u>

INFORMATION SECURITY AND PRIVACY ADVISORY BOARD Meeting Residence Inn Washington,

June 11th, 2014

Information Technology Laboratory



Scope:

 The Derived PIV Credential is an additional PIV Credential to satisfy HSPD-12's 'Common Identification' mandate

Information Technology Laboratory



Draft SP 800-157: Addressing a Gap for Remote Authentication with Mobile

PIV Assurance Level Required by Application/Resour ce	PACS	LACS Local Workstation Environment	LACS Remote/Network System Environment
LITTLE or NO confidence	VIS, CHUID	CHUID*	
SOME confidence	PKI-CAK, SYM-CAK	PKI-CAK	PKI-CAK,
HIGH confidence	BIO	BIO	PKI-Derived
VERY HIGH	BIO-A, OCC-AUTH, PKI-AUTH	BIO-A, OCC-AUTH, PKI-AUTH	PKI-AUTH, PKI-Derived

<u>Yellow</u> font indicates the environments for the <u>PIV Card</u> Credentials and their authentication mechanisms.

<u>Red</u> indicates the environments where the new Derived PIV credential's "PKI Derived" authentication mechanism for Mobile Devices applies.



Motivation:

- PIV Cards have been geared towards traditional computing platforms (laptop, desktop)
- For newer computing devices (mobile devices), the use of the PIV Card for e-authentication is challenging and requires bulky add-on readers

Goal: To provide alternative approaches to PIV-enabled eauthentication with mobile device - without PIV Card and add-on readers.



Goal (continued):

- While leveraging the PIV Infrastructure for:
 - Interoperability: Take advantage of the same PKI infrastructure
 - Cost-savings: Leverage the trust and identityproofing performed for 5 million issued PIV cards via SP 800-63 concept of credential derivation

Information Technology Laboratory



Mobile devices and their capabilities vary by:

- Mobile device manufacturers, platforms, ports, Mobile Network Operators and have capabilities that are often different in focus (e.g., tablet vs smart phone).
- One technical approach is not sufficient to cover the various mobile devices deployed by USG.
- Draft SP 800-157 is flexible and offers a spectrum of approaches to electronic authentication on mobile devices.



Integrated Security Tokens for Mobile Devices:

- Mobile Device Software tokens (current)
- MicroSD tokens (current)
- USB security tokens (near term)
- UICC tokens (near term)
- Embedded Hardware (near term)

Benefits:

- Derived PIV Credential leverages identity proofing and vetting processes of PIV cardholder
- It's integrated -> better user experience

Considerations:

- Provisioning and management of mobile device specific credential
- Limited mobile OS and application support (MicroSD, USB, UICC)

Information Technology Laboratory



SP 800-157 defines a Derived PIV Credentials for the Security Tokens:

- Define the Derived PIV Credential (a PKI-based credential)
- Both LoA-3 (software) and LoA-4 (hardware) Derived PIV
 Credential are possible
- Key size and algorithm options are the same as for the PIV Authentication private key
- Defines Derived PIV Credential Lifecycles: Derivation, Issuance, Maintenance (re-key/re-issuance) and Termination

Draft SP 800-157 also includes:

 How to include an optional Digital Signature Key and the Encryption Key in the Derived PIV Credential's security token (Appendix A)



Draft SP 800-157 – Derived PIV Credential for Mobile Devices – <u>Lifecycle Processes</u>

Derivation & Initial issuance:

- Derivation of Derived PIV Credential is based on proof of possession of the PIV card
- Issuance of a LoA-4 credential is in person, while issuance of an LoA-3 allows for remote issuance

Maintenance (rekey and re-issuance):

- Remote rekey to a LoA-3 Derived PIV Credential token
- Remote rekey to a LoA-4 Derived PIV Credential token when rekeying to the same token
- Issuance of a Derived PIV Credential to a new (replacement) token can be done remotely for LoA-3 credential and in-person for an LoA-4 credential
- Derived PIV Credential is unaffected by loss, theft or damage to the Subscriber's PIV Card.

Termination:

- The subscriber is no longer eligible for a PIV Card or is no longer in need of a Derived PIV Credentials
- If token can be collected, then zeroize the private key or destroying the token. Otherwise, revoke the PIV Derived Authentication certificate.

Information Technology Laboratory





Appendix C -- Derived PIV Credentials in Relation to OMB Memoranda

Credential Type	Token Type	PIV	Comparable	Target Guidance:	
		Assurance	OMB	M-06-16/M-07-	Future
		Level	E-Auth	16 for Separate	Alternate OMB
			Level	Tokens	Guidance for
					Integrated
					Tokens
PIV Derived Authentication certificate	MicroSD Token	Very High	4		✓
	USB Security Token	Very High	4	\checkmark	
	Software Token	High	3		\checkmark
	Embedded Hardware Token	Very High	4		✓
	UICC Token	Very High	4		\checkmark
PIV Card's PIV					
Authentication	PIV Card	Vory High	Λ		
certificate	(via attached reader or NFC)	very mgn	-		
credential					

With integrated tokens, authentication factors are not provided by a separate token

"Future guidance will be made available by OMB to provide an alternative to the remote authentication policy in M-06-16 and M-07-16."

Information Technology Laboratory



Draft NIST IR 7981 Mobile, PIV, and Authentication

A Companion Document to Draft SP 800-157

- Analyzes different approaches to PIV-enable mobile devices
 - Includes the use of PIV Cards with mobile devices in addition to Derived PIV Credentials
- Points out benefits and considerations (pros/cons) for each approach
 - Example: UICC approach requires cooperation with MNO
- Approximates when these approach might become available
 - Categorized approaches in 'current' and 'near term' solutions
- Includes Recommendations
 - Hardware rooted solutions provide better security
 - Software solution are available now NIST IR 7981 recommends complementing these by hardware-backed mechanism to protect the private key of the Derived PIV Credential when not in use (the hybrid solution)
 - In the longer-term, NIST IR recommends adoption of hardware-supported security mechanisms in mobile devices, such as the Roots of Trust (SP 800-164) to support stronger assurance of identity

Information Technology Laboratory



What's Next?

- Resolve public comments and produce final SP 800-157 and final NIST IR 7981
- Draft SP 800-166 Derived PIV Credential Test Requirements for
 - Derived PIV Credential Data Model and Interface and
 - Portability: Removable security tokens ((USB, microSD, UICC) should be portable from one device to another.
- Test Tool based on SP 800-166
- Setup Laboratory Accreditation program for vendor product testing
- SP 800-79-2 Guidelines for the Accreditation of PIV Card Issuers and Derived PIV Credential Issuers (under development)



The Author Team (from A to Z)

Draft SP 800-157:

- Bill Burr (william.burr@nist.gov)
- David Cooper (<u>david.cooper@nist.gov</u>)
- Hildegard Ferraiolo (<u>hildegard.ferraiolo@nist.gov</u>)
- Salvatore Francomacaro (<u>salfra@nist.gov</u>)
- Sarbari Gupta (<u>sarbari@electrosoft-inc.com</u>)
- Jason Mohler (jmohler@electrosoft-inc.com)
- Andrew Regenscheid (<u>andrew.regenscheid@nist.gov</u>)

Draft NIST IR 7981

- Bill Burr (william.burr@nist.gov)
- David Cooper (<u>david.cooper@nist.gov</u>)
- Hildegard Ferraiolo

(hildegard.ferraiolo@nist.gov)

- Salvatore Francomacaro (<u>salfra@nist.gov</u>)
- Andrew Regenscheid (andrew.regenscheid@nist.gov)

Information Technology Laboratory



Thank you!

Reviewers:

- Mobile Technology Tiger Team (MTTT)
- FICAM Logical Access Working Group (LAWG)
- Federal Chief Information Officer (CIO) Council
- Office of Management and Budget (OMB)

Commenters:

 Directive Health,FICAM, Exponent, Bancgroup, ICAMSC, Norka Tech, Security Architectures, USAF, Certipath, Emergent LLC, Venkat Sundaram, DHS, Apple, G&D, Microsoft, Wave, NASA, Smart Card Alliance, SSA, DoS, Gemalto, Treasury, USDA, Secure Access Technologies 42Tech Inc, DoJ, CPWG Precise Biometric, Interced,e NSA, Oberthur, Tyfone, Inc, CDC, Pomcor, BAH, PrimeKeye, Global Platform,

Information Technology Laboratory



Questions?

Hildegard Ferraiolo PIV Project Lead NIST ITL Computer Security Division <u>hildegard.ferraiolo@nist.gov</u>

Information Technology Laboratory

