
FIPS 140-2 Validation Certificate



The National Institute of Standards and Technology of the United States of America





Certificate No. 995

The National Institute of Standards and Technology, as the United States FIPS 140-2 Cryptographic Module Validation Authority; and the Communications Security Establishment, as the Canadian FIPS 140-2 Cryptographic Module Validation Authority; hereby validate the FIPS 140-2 testing results of the Cryptographic Module identified as:

Alcatel-Lucent VPN Firewall Brick® 1200 by Alcatel-Lucent

(When operated in FIPS mode)

in accordance with the Derived Test Requirements for FIPS 140-2, Security Requirements for Cryptographic Modules. FIPS 140-2 specifies the security requirements that are to be satisfied by a cryptographic module utilized within a security system protecting Sensitive Information (United States) or Protected Information (Canada) within computer and telecommunications systems (including voice systems).

Products which use the above identified cryptographic module may be labeled as complying with the requirements of FIPS 140-2 so long as the product, throughout its life cycle, continues to use the validated version of the cryptographic module as specified in this certificate. The validation report contains additional details concerning test results. No reliability test has been performed and no warranty of the products by both agencies is either expressed or implied.

This certificate includes details on the scope of conformance and validation authority signatures on the reverse.

FIPS 140-2 provides four increasing, qualitative levels of security: Level 1, Level 2, Level 3, and Level 4. These levels are intended to cover the wide range and potential applications and environments in which cryptographic modules may be employed. The security requirements cover eleven areas related to the secure design and implementation of a cryptographic module. The scope of conformance achieved by the cryptographic modules as tested in the product identified as:

Alcatel-Lucent VPN Firewall Brick® 1200 by Alcatel-Lucent
(Hardware Versions: 1200 AC, 1200HS AC and 1200HS DC: Firmware Version: 9.1.299; Hardware)

Trial division of dictions	. The state of the	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	raro rorom ormano, manararo,		
and tested by the Cryptographic Module Testing accredited laboratory:		Atlan Laboratories, NVLAP Lab Code 200492-0 CRYPTIK Version 7.0			
is as follows:					
Cryptographic Module Specification:	Level 2	Cryptographi	ic Module Ports and Interfaces:	Level 2	
Roles, Services, and Authentication:	Level 2	Finite State Model:		Level 2	
Physical Security: (Multi-Chip Standalone) EMI/EMC:	Level 2	Cryptographic Key Management: Level 2		Level 2	
	Level 2	Self-Tests: Level		Level 2	
Design Assurance:	Level 2	Mitigation of Other Attacks:		Level N/A	
Operational Environment:	Level N/A	tested in the following configuration(s): N/A			
The following FIPS approved Cryptographic	#356		d #672); DSA (Certs. #253 and #256); G (Cert. #391); SHS (Certs. #345, #705 17 and #620)		
The cryptographic module also contains the following non-FIPS approved			algorithms: ARC4; DES; Diffie-Hellman (key agreement; key establishment methodology provides between 80 and 112 bits of encryption strength); ElGamal; MD5; RSA (non-compliant)		
	Overall Level	Achieved: 2	2		
Signed on behalf of the Government of the United States		Signed on behalf of the Government of Canada			
Signature: William CBarker Dated: Avenst 15, 2008		Signature:			
Dated.		Dated. 170 3051 17, 2000			
Chief, Computer Security Division		Director, Industry Program Group			

Communications Security Establishment Canada

National Institute of Standards and Technology