

STS Secure
for Windows XP, Embedded XP
Security Policy
Document *Version 1.4*

Inter-4
A Division of Sierra Nevada Corporation

December 10, 2008

TABLE OF CONTENTS

1. MODULE OVERVIEW3

2. SECURITY LEVEL4

3. MODES OF OPERATION.....4

4. PORTS AND INTERFACES5

5. IDENTIFICATION AND AUTHENTICATION POLICY.....5

6. ACCESS CONTROL POLICY.....5

 ROLES AND SERVICES5

 DEFINITION OF CRITICAL SECURITY PARAMETERS (CSPs).....6

 DEFINITION OF CSPs MODES OF ACCESS7

7. OPERATIONAL ENVIRONMENT.....7

8. SECURITY RULES8

9. PHYSICAL SECURITY POLICY9

 PHYSICAL SECURITY MECHANISMS9

10. MITIGATION OF OTHER ATTACKS POLICY.....9

11. REFERENCES9


12. DEFINITIONS AND ACRONYMS.....10

1. Module Overview

The Inter-4 STS Secure for Windows XP, Embedded XP (Software Version 1.2 5/30/2008) is a software module, comprised of the Security Manager Application Service (SMA), the AES NDIS Filter Driver, the File Encrypt Utility (fencrypt), and the AES key generator utility (KeyGen) that runs on a general purpose computer with the Windows XP or Windows XP Embedded operating systems. The primary purpose for the STS Secure software module is to provide data security for network wireless and/or wired traffic. The physical boundary is defined as being the outer perimeter of the general purpose computer on which the software module is installed. The logical boundary is defined as being the Security Manager Application service executable file (SMA.exe), the AES key generator executable (KeyGen.exe), the file encrypt utility (fencrypt.dll), and the AES NDIS Filter Driver (i4aes.sys) file.

The STS Secure for Windows XP, Embedded XP shall be referred to as the “module” or “STS Secure” throughout this document.

Figure 1 – Image of the Cryptographic Module



2. Security Level

The cryptographic module meets the overall requirements applicable to Level 1 security of FIPS 140-2.

Table 1 - Module Security Level Specification

Security Requirements Section	Level
Cryptographic Module Specification	1
Module Ports and Interfaces	1
Roles, Services and Authentication	1
Finite State Model	1
Physical Security	N/A
Operational Environment	1
Cryptographic Key Management	1
EMI/EMC	1
Self-Tests	1
Design Assurance	1
Mitigation of Other Attacks	N/A

3. Modes of Operation

Approved mode of operation

The module only supports a FIPS mode of operation. The following FIPS Approved algorithms are supported:

- DSA with 1024 bit keys for digital signature verification (Cert. #157)
- AES 256 bit encryption/decryption (Cert. #350)
- SHA-1 for hashing (Cert. #425)
- DRNG for AES key generation. (Cert. #167)

The module also implements a non-FIPS Approved NDRNG for the purpose of IV generation.

4. Ports and Interfaces

The physical ports of the module are provided by the general purpose computer on which the module is installed. The module supports the following logical interfaces: data input, data output, control input, and status output interface.

5. Identification and Authentication Policy

Assumption of roles

STS Secure shall support two distinct operator roles: User and Site Security Officer (SSO), who acts as the FIPS 140-2 Cryptographic-Officer. The module does not provide any identification or authentication means of its own. The SSO and the User are procedurally allocated specific services.

Table 2 - Roles and Required Identification and Authentication

Role	Type of Authentication	Authentication Data
User	N/A	N/A
SSO	N/A	N/A

Table 3 – Strengths of Authentication Mechanisms

Authentication Mechanism	Strength of Mechanism
N/A	N/A

6. Access Control Policy

Roles and Services

Table 4 – Services Authorized for Roles

Role	Authorized Services
User:	<ul style="list-style-type: none"> Firewall Processing: The module accepts encrypted packets by default, all other plaintext data packages received from unknown IP addresses will be rejected, except for DHCP, ARP, and RARP

	<p>packages.</p> <ul style="list-style-type: none"> • <u>File Encrypt</u>: Encrypt/decrypt a specified file.
Site Security Officer:	<ul style="list-style-type: none"> • <u>Import AES Encryption Key</u>: Imports the AES Encryption Key into the module for use with data encryption. • <u>Remote Zeroization</u>: Zeroize a specified neighbor device. Invoking this service causes the neighbor device module to transition into a Zeroized state. • <u>Zeroize</u>: Actively destroys all CSPs contained within the module. Invoking this service causes the module to transition into a Zeroized state where no traffic is supported. • <u>Generate AES Encryption Key</u>: Generates the AES Encryption Key that can be imported.

Other Services:

The cryptographic module supports the following services that do not require an operator to assume an authorized role:

- Show status: This service provides the current status of the cryptographic module.
- Self-tests: This service executes the suite of self-tests required by FIPS 140-2 and is invoked by reloading the library.

Definition of Critical Security Parameters (CSPs)

The following is a description of the CSPs contained in the module:

- AES Encryption Key: This is an AES key used to encrypt/decrypt network traffic, as well as data at-rest.
- DRNG Seed Key: This is the seed key used to generate the AES Encryption Key.

Definition of Public Keys:

The following is a description of the two public keys contained in the module:

- STS Secure Software Verification Public Key: This is the public part of the cryptographic module's DSA Public/Private key pair used to verify DSA signatures over the STS Secure software image.

Definition of CSPs Modes of Access

Table 5 defines the relationship between access to CSPs and the different module services. The modes of access shown in the table are defined as follows:

- **Create:** This operation creates an AES Encryption Key that can be loaded into the software module.
- **Load:** This operation imports the AES Encryption Key into the software module.
- **Use:** This operation accesses the AES Encryption Key for network encryption/decryption.
- **Destroy:** This operation actively erases the AES Encryption Key that was used for encryption.

Table 5 – CSP Access Rights within Roles & Services

Role		Service	Cryptographic Keys and CSPs Access Operation
SSO	User		
	X	Firewall Processing	Use AES Encryption Key
	X	File Encrypt	Use AES Encryption Key
X		Import AES Encryption Key	Load AES Encryption Key
X		Zeroize	Destroy AES Encryption Key
X		Remote Zeroize	Destroy AES Encryption Key on remote device.
X		Generate AES Encryption Key	Create AES Encryption Key, Load DRNG Seed Key, Destroy DRNG Seed Key

7. Operational Environment

STS Secure is a software module that runs on an underlying modifiable operational environment and is installed on a general purpose computer. On all supported operating systems, STS Secure is composed of four components: the Security Manager Application (SMA), the AES NDIS Filter Driver, the File Encrypt Utility (fencrypt), and the AES key generator application. The SMA component runs as a service and interacts with the AES NDIS Filter Driver to provide data security for network wireless and/or wired traffic. The AES key generator application is a standalone executable that will create an AES Network Key that can be used by SMA and the AES NDIS Filter Driver. The File Encrypt Utility is a standalone executable that can be used to encrypt/decrypt specified files. The STS Secure was tested on a general purpose computer running Windows XP and a tablet PC running Windows XP Embedded.

8. Security Rules

The STS Secure design corresponds to the module's security rules. This section documents the security rules enforced by the cryptographic module to implement the security requirements of this FIPS 140-2 Level 1 module.

1. The cryptographic module shall provide two distinct operator roles: User and Site Security Officer.
2. The cryptographic module shall not provide authentication.
3. The cryptographic module shall encrypt wired and/or wireless message traffic, as well as files, using the AES 256 bit algorithm.
4. The cryptographic module shall perform the following tests:
 - A. Power up Self-Tests:
 1. Cryptographic Algorithm Tests:
 - a. AES Known Answer Tests
 - b. SHA-1 Known Answer Tests
 - c. DSA Signature Verification Known Answer Test
 - d. DRNG Known Answer Test
 2. Software Integrity Test: DSA signature verification
 3. Critical Functions Tests: N/A
 - B. Conditional Self-Tests:
 1. Continuous DRNG Test
 2. Continuous NDRNG Test
5. Data output shall be inhibited during self-tests, zeroization, and error states.
6. Status information shall not contain CSPs or sensitive data that if misused could lead to a compromise of the module.
7. The module shall not support concurrent operators.
8. All components and applications within the module shall not support maintenance mode or manual key entry. Only the AES key generation application shall support the generation of keys.
9. The module shall support a single operator mode of operation.
10. The module shall use a good entropy source for creating seed key values for use with the KeyGen application.

9. Physical Security Policy

Physical Security Mechanisms

The STS Secure module is a software module intended for use with Microsoft Windows XP and Windows XP Embedded; therefore, the physical security requirements of FIPS 140-2 are not applicable.

Table 7 – Inspection/Testing of Physical Security Mechanisms

Physical Security Mechanisms	Recommended Frequency of Inspection/Test	Inspection/Test Guidance Details
N/A	N/A	N/A

10. Mitigation of Other Attacks Policy

The module has not been designed to mitigate specific attacks beyond the scope of FIPS 140-2 requirements.

Table 8 – Mitigation of Other Attacks

Other Attacks	Mitigation Mechanism	Specific Limitations
N/A	N/A	N/A

11. References

[1] *Digital Signature Standard (DSS)*, FIPS Publication 186-2 (+Change Notice), National Institute of Standards and Technology, January 2000.

[2] *Security Requirements for Cryptographic Modules*, FIPS Publication 140-2, National Institute of Standards and Technology, May 2001.

[3] *The Advanced Encryption Standard Algorithm Validation Suite*, FIPS Publication (AESAVS), National Institute of Standards and Technology, November 15, 2002.

[4] *The The Digital Signature Algorithm Validation System*, FIPS Publication (DSAVS), National Institute of Standards and Technology, March 10, 2004.

[5] *The Random Number Generator Validation System*, FIPS Publication (RNGVS), National Institute of Standards and Technology, January 31, 2005.

[6] *The Secure Hash Algorithm Validation System*, FIPS Publication (SHAVS), National Institute of Standards and Technology, March 1, 2004.

[7] *Multiple Examples of DSA*, FIPS Publication (Examples-1024bit), National Institute of Standards and Technology, July 31, 2003.

[8] *Secure Hash Standard*, FIPS Publication 180-2, National Institute of Standards and Technology, August 1, 2002.

[9] *1995 NISPOM*, National Industrial Security Program Operating Manual (DoD 5220.22M), January 1995.

[10] *Digital Signatures Using Reversible Public Key Cryptography for the Financial Services Industry (rDSA)*, X9.31 -1998, American National Standard for Financial Services, 1998.

12. Definitions and Acronyms

AES – Advanced Encryption Standard

CO – Cryptographic Officer

CSP – Critical Security Parameter

DRNG – Deterministic Random Number Generator

DSA – Digital Signature Algorithm

IV – Initialization Vector

NDIS – Network Driver Interface Specification

NDRNG – Non-Deterministic Random Number Generator

RNG - Random Number Generator

SHA – Secure Hash Algorithm

SSO – Site Security Officer

STS – Secure Tactical Software